



INSPECTION REPORT JAN 30 2006

(b)(6), (b)(7)(c)

HOLMES CHINCHILLA RANCH

Customer ID: 2213

Certificate: 23-B-0042

117 CONRATH RD.
BARTO, PA 19504

Site: 001

HOLMES CHINCHILLA RANCH

Inspection

Type: ROUTINE INSPECTION

Date: JAN-26-2006

3.25 (a)

FACILITIES, GENERAL.

Structural strength. Indoor housing facilities for hamsters shall be structurally sound and shall be maintained in good repair, to protect the animals from injury, to contain the animals, and to restrict the entrance of other animals.

The exterior door to the shipping room has a 1.5 inch gap along the bottom. The gap along the bottom of the door must be repaired to prevent the entrance of rodents.

To be corrected by: February 1, 2006

3.31 (b)

SANITATION.

Housekeeping. Premises (buildings and grounds) shall be kept clean and in good repair in order to protect the animals from injury and to facilitate the prescribed husbandry practices set forth in this subpart. Premises shall remain free of accumulations of trash.

The following housekeeping items were noted:

(a) The second animal room has accumulations of excreta and debris underneath the lower right shelf of animal cages. The floor underneath the bottom shelf needs a thorough cleaning to prevent health risks to the animals.

To be corrected by: January 27, 2006

(b) Due to the construction of buildings and years of accumulating items there are piles of waste products, junk, weeds, old trailers, pallets, supplies, and other discarded materials around and behind animal buildings. The area around animal buildings must be free of junk, discarded items, and waste materials to prevent pest problems.

To be corrected by: May 15, 2006

Animal inventory: 44 rabbits, 582 guinea pigs, 2124 hamsters, 1383 dwarf hamsters, 1 hedgehog, 6 spiny mice, 689 gerbils, 254 chinchillas; 41 ferrets

Prepared By:

Robert Markmann

ROBERT MARKMANN, A C I , USDA, APHIS, Animal Care

Title:

(b)(6), (b)(7)(c)

Received By:

Title:

Date:

JAN-26-2006

Date:

JAN-26-2006