



INSPECTION REPORT

2061 cust_id
163720 insp_id
5762 site_id

**SPACE WILD ANIMAL FARM, INC.
SPACE FARMS ZOO & MUSEUM**

**Customer ID: 2061
Certificate: 22-C-0018**

**218 ROUTE 519
SUSSEX, NJ 07461**

**Site: 001
SPACE FARMS ZOO & MUSEUM**

**Inspection
Type: ROUTINE INSPECTION
Date: APR-28-2005**

**3.83
WATERING.**

Water receptacles must be kept clean and sanitized in accordance with methods provided in §3.84(b)(3) of this subpart at least once every 2 weeks or as often as necessary to keep them clean and free from contamination. Used water receptacles must be sanitized before they can be used to provide water to a different nonhuman primate or social grouping of nonhuman primates.

*** The water receptacles for the Rhesus monkeys found to be rusty, and in need of repainting or replacing , in order to assure providing the animals with a clean water, and to protect the animal health.
Correct by: 5/30

**3.125 REPEAT NCI
FACILITIES, GENERAL.**

(a) Structural strength. The facility must be constructed of such material and of such strength as appropriate for the animals involved. The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.

***The Bison shelter has deteriorated wood in the front and the side. The roof has loose shingles. The foundation has cracks. These items need to be addressed soon, before the structure becomes unsafe for the animals to be housed in. This issue was cited previously on May 13, 2004

***The pool for the Himalayan bear, and the pool for the Grizzly bear are rusty, and they need to be repainted, in order to provide clean environment for the bears.

(a) Structural strength. The facility must be constructed of such material and of such strength as appropriate for the animals involved. The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.

*** The following enclosures fencing found to be rusty, and it need to be repainted or repaired

Prepared By: Nasry H. Faltas
NASRY FALTAS, D V M , USDA, APHIS, Animal Care

Date:
APR-28-2005

Title: (b)(6), (b)(7)(c) Inspector ID: 1042

Received By: _____

Date:
APR-28-2005

Title: _____



INSPECTION REPORT

The Bison enclosure, Llama enclosure, Elk enclosure, Goat enclosure, and the Bobcat enclosure.
Correct by: 5/30,

***The shelter for the three Fishers has a chewed wood in the back of the shelter that need to be replaced.
Correct by: 5/30

***The gate for the Gray fox enclosure doesn't align properly with the rest of the wall fencing, and that leaves a gap that doesn't securely protect the animal from getting outside the enclosure.
Correct by: 5/30

*** The shelter for the Spotted Hyena has sharp metal edges on the right side that could cause injury to the animals. Need to fix the shelter to protect the animal.
Correct by: 5/30

*** There are some protruding wires at the west side of the Fallow deer enclosure. These wires should be repaired, so it doesn't cause injury to the animals.
Correct by: 4/30

***The pool for the Himalayan bear, and the pool for the Grizzly bear are rusty, and they need to be repainted, in order to provide clean environment for the bears.

3.127 (a)

3.127 (c) REPEAT NCI FACILITIES, OUTDOOR.

(b) Shelter from inclement weather. Natural or artificial shelter appropriate to the local climatic conditions for the species concerned shall be provided for all animals kept outdoors to afford them protection and to prevent discomfort to such animals. Individual animals shall be acclimated before they are exposed to the extremes of the individual climate.

*** The shelter for the two Yaks is small, and the roof is rusty. Need to provide enough shelter to protect both animals at the same time, and to prevent any discomfort for the animals.
Correct by: 5/30

**** The shelter for Fallow deer is small to fit all animals at the same time; also the shelter is tilted, and has chewed wood that currently affecting the integrity of the structure.
Correct by: 5/30

*** The shelter for the Silver fox has one board that is detached from the side, and it need to be fixed to protect the animal.
Correct by: 4/30

(c) Drainage. A suitable method shall be provided to rapidly eliminate excess water. The method of drainage shall comply with applicable Federal, State, and local laws and regulations relating to pollution control or the protection of the environment.

Prepared By: Nancy H. Felte

NASRY/FALTAS, D.V.M., USDA APHIS, Animal Care

Title: (b)(6), (b)(7)(c) or ID: 1042

Date: APR-28-2005

Received By: _____

Title: _____

Date: APR-28-2005



APR 28 2005

NFALTAS

2061 cust_id

163720 insp_id

5762 site_id

INSPECTION REPORT

*** The enclosure that contains the Sika deer is muddy, the dry area is small, need to establish better drainage system to this area, in order to provide enough dry surfaces to accommodate all the animals.

3.130 REPEAT NCI WATERING.

If potable water is not accessible to the animals at all times, it must be provided as often as necessary for the health and comfort of the animal. Frequency of watering shall consider age, species, condition, size, and type of the animal. All water receptacles shall be kept clean and sanitary.

*** The water receptacles that are now in the Bobcat, Gray fox, llama, and the Mountain lion enclosures are rusty, and in need of replacement or repainting, in order to ensure providing the animals with a clean water to protect the animal health.

Prepared By: Nasry Faltas
NASRY FALTAS, D.V.M., USDA APHIS Animal Care

Title: (b)(6), (b)(7)(c) 1042

Date:
APR-28-2005

Received By: _____

Title: _____

Date:
APR-28-2005