



INSPECTION REPORT

**SPACE WILD ANIMAL FARM, INC.
SPACE FARMS ZOO & MUSEUM**

**Customer ID: 2061
Certificate: 22-C-0018**

**218 ROUTE 519
SUSSEX, NJ 07461**

**Site: 001
SPACE FARMS ZOO & MUSEUM**

**Inspection
Type: ROUTINE INSPECTION
Date: OCT-06-2004**

2.40 (b)(2)

ATTENDING VETERINARIAN AND ADEQUATE VETERINARY CARE (DEALERS AND EXHIBITORS).

(2) The use of appropriate methods to prevent, control, diagnose, and treat diseases and injuries,

*** One of the Prairie dogs was noticed to have worm coming out of his rear. A diagnosis and treatment for this condition should be implemented by the attending veterinarian.

Correct by: 10/7

3.75 (a)

HOUSING FACILITIES, GENERAL.

(a) Structure: construction. Housing facilities for nonhuman primates must be designed and constructed so that they are structurally sound for the species of nonhuman primates housed in them. They must be kept in good repair, and they must protect the animals from injury, contain the animals securely, and restrict other animals from entering.

*** The lemur 's enclosure has two 2x5 inches holes on the side that the animals arms can get caught in it, these holes should be repaired to prevent possible animal injury.

Correct by: 10/11

3.125 (a)

REPEAT NCI

FACILITIES, GENERAL.

The Syrian bear and the Himalayan bear pools are rusty and it should be repainted to keep the pool in good repair.

(a) Structural strength. The facility must be constructed of such material and of such strength as appropriate for the animals involved. The indoor and outdoor housing facilities shall be structurally sound and shall be maintained in good repair to protect the animals from injury and to contain the animals.

** The perimeter fence around the hyena enclosure is detached from one of its posts, and it should be fixed to serve its purpose.

Correct by: 10/11

Prepared By:

Nasry Faltas

NASRY FALTAS, D.V.M., USDA, APHIS, Animal Care

Title:

(b)(6), (b)(7)(c)

1042

Date:

OCT-06-2004

Received By:

[Redacted Signature]

Date:

OCT-06-2004

Title:



INSPECTION REPORT

*** The fencing for the Lion's enclosure has a 6x6 inches hole that should be covered to prevent any chance of people sticking their arms through this hole.
Correct by: 10/11

3.129 (a) FEEDING.

(a) The food shall be wholesome, palatable, and free from contamination and of sufficient quantity and nutritive value to maintain all animals in good health.

The feed for the Elks is provided on the ground, and the feed get contaminated with animal's excreta. The feed should be available from above the ground, so it doesn't get contaminated.
Correct by: 10/30

3.130 REPEAT NCI WATERING.

If potable water is not accessible to the animals at all times, it must be provided as often as necessary for the health and comfort of the animal. Frequency of watering shall consider age, species, condition, size, and type of the animal. All water receptacles shall be kept clean and sanitary.

*** The water receptacles for the goats and the deer are rusty and moldy. Clean water receptacles should be provided for these animals.

Prepared By: Nasry Faltas
NASRY FALTAS, D.V.M., USDA, APHIS, Animal Care
Title: (b)(6), (b)(7)(c) Inspector ID: 1042
Received By: _____
Title: _____

Date:
OCT-06-2004

Date:
OCT-06-2004