



INSPECTION REPORT

**UTAH ZOOLOGICAL SOCIETY
UTAH'S HOGLE ZOO**

2600 SUNNYSIDE AVENUE
SALT LAKE CITY, UT 84108

Customer ID: 3399
Certificate: 87-C-0001

Site: 001
UTAH'S HOGLE ZOO

Inspection
Type: ROUTINE INSPECTION
Date: FEB-24-2004

3.82 (d)

FEEDING.

(d) Food receptacles must be kept clean and must be sanitized in accordance with the procedures listed in 3.84(b)(3) of this subpart at least once every 2 weeks. Used food receptacles must be sanitized before they can be used to provide food to a different nonhuman primate or social grouping of nonhuman primates.

--A white plastic food receptacle, which has been cleaned and is ready for use, has two chunks of an orange material that looks like cantalope adhered to the interior surface. Food receptacles which are not kept clean may expose the primates to bacteria which may be harmful to them. Ensure that food receptacles are kept clean and sanitized in accordance with the procedures listed in section 3.84 (b)(3).

To be corrected by: 2-25-04

3.129 (b)

FEEDING.

(b) Food receptacles shall be kept clean and sanitary at all times.

--Metal pans and white plastic buckets which have been cleaned and are ready for use and are used to provide feed for the large felids are not clean. For example, a large stainless steel pan is observed to have brown flecks of dried organic material adhered to the interior surface and a buildup of a cream colored residue on the exterior of the pan. Food receptacles which are not clean and sanitary expose the animals to bacteria which may be harmful to them. Ensure that the food receptacles are kept clean and sanitary at all times.

To be corrected by: 2-25-04

Prepared By: Judy N. Davis DVM, MBA
JUDY DAVIS, V. M. O., USDA/APHIS, Animal Care

Title: VETERINARY MEDICAL OFFICER Inspector ID: 5022
(b)(6), (b)(7)c

Received By: _____

Title: _____

Date:
FEB-26-2004

Date:
MAR-01-2004

MAR 10 2004