ePermits (APHIS) Page 1 of 2



ePermits

Questionnaire

* Indicates a required field

Questionnaire Name:*

CIP APPLICANT Greenhouse questionnaire

_	Add	d Question C	Click "Add Question" to add a question. A pop-up window shall appear.				
			Questions*	Y/N?	Comments?	Sort	Delete
		delivery, or is	E STORAGE: If plant material cannot be planted or grafted upon s seed and needs to be stored, is there a lockable refrigerator, freezer, binet for storing regulated materials?	✓		÷ •	-
		(a) Is the gro (b) Does it ha	L SECURITY: wing site lockable? fenced? ave controlled access? been any theft on the property?		✓		
	=	protocol writt	operating procedure (SOP) or written protocol: Is there an SOP or en and current for how you receive imported material, handle it, grow it, spose of it, use limited access, etc.? Please attach a copy if available to naire.	✓			
			: Is there appropiate signage posted for "Restricted access" and/ or personnel ONLY" and are the Emergency contact name and phone sted?	✓			
		5. GROWTH	CHAMBER: If used, List make and model number (s)		✓		=
		(a) If used, d	CHAMBER or ROOM : oes it have an air exhaust/vent and where does the air go? A filters used?	✓			Ξ
		(a) Does it had (b) Where do	CHAMBER or ROOM - If used: ave a floor drain? bes the effluent go? any filters or screens on the drain? ter treated?		✓		
		(a) Where is	CHAMBER OR GROWTH ROOM- If used: it located in relation to greenhouses, etc. ble with controlled access?		✓		
			CHAMBER OR GROWTH ROOM: Are openings in the walls -around plumbing conduits -sealed and draft free?	✓			
			plant material is located in the greenhouse section that you intend to ing the imported plants?		✓		
			an there be PHYSICAL SEPARATION of new requested plants from previously imported, or plants permitted on other permits, or plants that :?				
			OWTH of plants be done in sterilized soil mix or a commercially produced, wing medium?	✓		÷ 7	=
			d PEST VECTOR MONITORING: Is regular monitoring at specified use of appropriate methods (e.g. sticky insect traps) occurring? (Records es)	✓			
		13. PEST CO effectively co	ONTROL- Are pests (e.g. rodents, white flies, aphid, thrips, etc.) ontrolled and excluded from the facility?	✓		÷ =	-
			pe required to sterilize /decontaminate the plant waste, pots,soil/media s removed from your site / facility.		✓		-
		-Are they aut -Double bagg -Double bagg	plant materials and used soil treated prior to disposal? toclaved? ged and steam cart sterilized and then transported to municipal landfill? ged and incinerated and then taken to municipal landfill? used pots be decontaminated after use? (autoclave, soak in disinfectant,				
	_		HOUSE or SCREENHOUSE: the location of the house you will grow the plant material in (where it is		✓		

ePermits (APHIS)

Page 2 of 2

	located in relation to other buildings, etc.) (b) Please provide the house number and or name.				
	16. GREENHOUSE OR SCREENHOUSE BENCHES: (a) What is the bench height? (b) What are they made of? (c) Do they drain?		✓		
=	17. GREENHOUSE or SCREENHOUSE Doors: (a) Are the doors self-closing? (b) Are they tight-fitting? (c) Do they have seals on the top and sides? (d) Do they have sweeps on the bottom?		✓		
	18. GREENHOUSE OR SCREENHOUSE:(a) Is the house freestanding?(b) Is it attached to a vestibule or anteroom or headhouse?		✓		
	19. GREENHOUSE or SCREENHOUSE: Are surfaces constructed of smooth and impervious material that can withstand cleaning and be effectively decontaminated?	✓			
	20. GREENHOUSE or SCREENHOUSE FLOORING:(a) Describe the flooring in the house.(b) Is there a concrete floor or walkway?(c) Is the floor free of standing water, debris-free and weed-free?		✓		
	21. GREENHOUSE OR SCREENHOUSE: Are openings in the walls around vents, electrical and plumbing conduits sealed and draft free?	\checkmark			-
	22. GREENHOUSE: Is greenhouse constructed of regular glass, polycarbonate, twinskin plastic or other?		✓		-
	23. GREENHOUSE: Is there fine mesh, insect barrier screening (without holes) installed in both the roof and side vents (air intake and air exhaust) in order to prevent pest or vector entry or escape?	✓		± =	
	24. GREENHOUSE: Is there fine mesh, insect-barrier screening (without holes) installed over the swamp cooler vent and or evaporative pad in order to prevent pest or vector entry or escape?	✓			=
	25. If using a SCREENHOUSE: Is there fine mesh, insect barrier screening installed in the screenhouse?	\checkmark			
	26. LOCATION(S): (a) Please list all building and room numbers or names where the plant material will be grown and or worked on during the quarantine period. (b) Also list what activity is done in each location listed.		✓		
	27. If you are using a laboratory- what part of work will be done in the lab (e.g. testing, extraction)?		✓	= 7	
	28. Is there a threshing room for the seed? Is this room able to be disinfected? Is there an exhaust vent in the threshing room? Is there a HEPA filter installed over the exhaust fan?				
	29. Is your growing structure (greenhouse) built and ready to be inspected in the next 30 days?	✓		= =	

Cava	Chana	-
Save	Chang	เธร

Cancel