



APHIS Entities Accredited Under the National Seed Health System

Company and Accreditation Status:	Accredited for:
<p>AgCultured Consulting LLC 13470 Woodland Lane Turner, OR 97392</p> <p>ACCREDITATION STATUS</p> <p>Began: 10/24/2022 Expires: 10/24/2025</p> <p>Approved for locations throughout Oregon</p>	<p>◆ Official seed sampling for phytosanitary testing</p>
<p>Apollo Seeds USA, Inc. 2601 Resource Drive, Suite 300 Plano, TX 75074</p> <p>ACCREDITATION STATUS</p> <p>Began: 07/18/2023 Expires: 07/18/2026</p> <p>Approved for Plano, TX location</p>	<p>◆ Official seed sampling for phytosanitary testing</p>
<p>Axia Vegetable Seeds USA, Inc. (U.S. Agriseeds) 41970 East Main Street Woodland, CA 95776</p> <p>ACCREDITATION STATUS</p> <p>Began: 10/24/2022 Expires: 10/24/2025</p> <p>Approved for locations throughout California</p>	<p>◆ Official seed sampling for phytosanitary testing</p>
<p>Ball Horticultural Company 622 Town Road West Chicago, IL 60185</p> <p>ACCREDITATION STATUS</p> <p>Began: 12/4/2023 Expires: 12/4/2026</p> <p>Approved for West Chicago, IL location</p>	<p>◆ Official seed sampling for phytosanitary testing</p> <p>◆ Visual phytosanitary seed inspection</p>

Company and Accreditation Status:	Accredited for:
<p>California Agri Diagnostics LLC 5440 E Harney Lane Lodi, CA 95240</p> <p>ACCREDITATION STATUS</p> <p>Began: 6/1/2022 Expires: 6/1/2025</p> <p>Approved for Lodi, CA location</p>	<ul style="list-style-type: none"> ◆ Seed health testing for the following crops: <ul style="list-style-type: none"> ❖ <i>Capsicum annuum</i> (pepper) for the pathogens: <ul style="list-style-type: none"> —<i>Xanthomonas</i> spp. —Tobamoviruses (PMMoV, TMV, ToMV) ❖ Cucurbitaceae for the pathogens: <ul style="list-style-type: none"> —Melon necrotic spot virus —Cucumber green mottle mosaic virus (effective 11/17/2022) ❖ <i>Lactuca sativa</i> (lettuce) for the pathogen lettuce mosaic virus (effective 11/17/2022) ❖ <i>Solanum lycopersicum</i> (tomato) for the pathogens: <ul style="list-style-type: none"> —<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> (ISHI-vegetable method) —<i>Pseudomonas syringae</i> pv. <i>tomato</i> —Pepino mosaic virus —Tobamoviruses (TMV, ToMV) —<i>Xanthomonas</i> spp.
<p>California Seed and Plant Laboratory, Inc. 3556 Sankey Road Pleasant Grove, CA 95668</p> <p>ACCREDITATION STATUS</p> <p>Began: 3/15/2017 Expires: 10/23/2026</p> <p>Approved for Pleasant Grove, CA location</p>	<ul style="list-style-type: none"> ◆ Seed health testing for the following crops: <ul style="list-style-type: none"> ❖ <i>Brassica</i> spp. for the pathogens: <ul style="list-style-type: none"> —<i>Phoma lingam</i> —<i>Xanthomonas campestris</i> pv. <i>campestris</i> ❖ <i>Capsicum annuum</i> (pepper) for the pathogens: <ul style="list-style-type: none"> —Pospiviroids (CLVd, PCFVd, PSTVd, TASVd, TCDVd, and TPMVd) —Tobamoviruses (PMMoV, TMV, and ToMV) —Tomato brown rugose fruit virus —<i>Xanthomonas</i> spp. ❖ Cucurbitaceae for the pathogens: <ul style="list-style-type: none"> —<i>Acidovorax avenae</i> spp. <i>citrulli</i> (seedling growout method and seedling PCR) —<i>Acidovorax citrulli</i> (seed extract PCR) —Cucumber green mottle mosaic virus —<i>Didymella bryoniae</i> —<i>Fusarium oxysporum</i> f. sp. <i>niveum</i> on watermelon —Melon necrotic spot virus —Squash mosaic virus ❖ <i>Daucus carota</i> (carrot) for the pathogens: <ul style="list-style-type: none"> —<i>Alternaria dauci</i> —<i>Alternaria radicina</i> —<i>Xanthomonas campestris</i> pv. <i>carotae</i> ❖ <i>Lactuca sativa</i> (lettuce) for the pathogen lettuce mosaic virus ❖ <i>Phaseolus</i> spp. (beans) for the pathogens: <ul style="list-style-type: none"> —<i>Pseudomonas syringae</i> pv. <i>phaseolicola</i> —<i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> ❖ CONTINUES ON NEXT PAGE

Company and Accreditation Status:	Accredited for:
<p>California Seed and Plant Laboratory, Inc. 3556 Sankey Road Pleasant Grove, CA 95668</p> <p>CONTINUED</p>	<ul style="list-style-type: none"> ❖ <i>Solanum lycopersicum</i> (tomato) for the pathogens: <ul style="list-style-type: none"> —<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> —Pepino mosaic virus —Pospiviroids (CLVd, PCFVd, PSTVd, TASVd, TCDVd, and TPMVd) —<i>Pseudomonas syringae</i> pv. <i>tomato</i> —Tobamoviruses (TMV and ToMV) —Tomato brown rugose fruit virus —<i>Xanthomonas</i> spp. ❖ <i>Spinacia oleracea</i> (spinach) for the pathogen <i>Verticillium dahliae</i> (freeze blotter and NP-10 agar)
<p>Eurofins BioDiagnostics, Inc./Eurofins BioDiagnostics LLC 1821 Vista View Dr. Longmont, CO 80504</p> <p>ACCREDITATION STATUS</p> <p>Began: 5/17/2019 Expires: 4/30/2023</p> <p>NOTE: The expiration date for this facility has passed, therefore it is no longer accredited; the facility is maintained on this list because testing performed before the expiration date remains valid.</p> <p>Approved for Longmont, CO location</p>	<ul style="list-style-type: none"> ◆ Seed health testing for the following crops: <ul style="list-style-type: none"> ❖ <i>Brassica</i> spp. for the pathogens: <ul style="list-style-type: none"> —<i>Phoma lingam</i> —<i>Xanthomonas campestris</i> pv. <i>campestris</i> ❖ <i>Capsicum annuum</i> (pepper) for the pathogens: <ul style="list-style-type: none"> —Pospiviroids (CLVd, PCFVd, PSTVd, TASVd, TCDVd, and TPMVd) —Tobamoviruses —Tomato brown rugose fruit virus —<i>Xanthomonas</i> spp. ❖ Cucurbitaceae for the pathogens: <ul style="list-style-type: none"> —<i>Acidovorax avenae</i> sp. <i>citrulli</i> (seedling grow-out method and ISHI) —Cucumber green mottle mosaic virus —<i>Didymella bryoniae</i> —Melon necrotic spot virus —Squash mosaic virus ❖ <i>Daucus carota</i> (carrot) for the pathogens: <ul style="list-style-type: none"> —<i>Alternaria dauci</i> —<i>Alternaria radicina</i> ❖ <i>Lactuca sativa</i> (lettuce) for the pathogen lettuce mosaic virus (ISHI method) ❖ <i>Phaseolus</i> spp. (beans) for the pathogens: <ul style="list-style-type: none"> —<i>Pseudomonas syringae</i> pv. <i>phaseolicola</i> —<i>Pseudomonas syringae</i> pv. <i>syringae</i> —<i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> ❖ <i>Solanum lycopersicum</i> (tomato) for the pathogens: <ul style="list-style-type: none"> —<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> —Pospiviroids (CLVd, PCFVd, PSTVd, TASVd, TCDVd, and TPMVd) —<i>Pseudomonas syringae</i> pv. <i>tomato</i> —Tobamoviruses —Tomato brown rugose fruit virus —<i>Xanthomonas</i> spp. —Pepino mosaic virus ❖ <i>Spinacia oleracea</i> (spinach) for the pathogen <i>Verticillium dahliae</i>

Company and Accreditation Status:	Accredited for:
<p>Eurofins BioDiagnostics, Inc. 3510 Hopkins Place North, Suite W251 Oakdale, MN 55128</p> <p>ACCREDITATION STATUS</p> <p>Began: 7/27/2023 Expires: 7/27/2026</p> <p>Approved for Oakdale, MN location</p>	<ul style="list-style-type: none"> ◆ Seed health testing for the following crops: <ul style="list-style-type: none"> ❖ <i>Brassica</i> spp. for the pathogens: <ul style="list-style-type: none"> —<i>Phoma lingam</i> —<i>Xanthomonas campestris</i> pv. <i>campestris</i> ❖ <i>Capsicum annuum</i> (pepper) for the pathogens: <ul style="list-style-type: none"> —Pospiviroids (CLVd, PCFVd, PSTVd, TASVd, TCDVd, and TPMVd) —Tobamoviruses (PMMoV, TMV, ToMV) —Tomato brown rugose fruit virus —<i>Xanthomonas</i> spp. ❖ Cucurbitaceae for the pathogens: <ul style="list-style-type: none"> —<i>Acidovorax citrulli</i> (seedling grow-out method and seed extract PCR) —Cucumber green mottle mosaic virus —<i>Didymella bryoniae</i> —Melon necrotic spot virus —Squash mosaic virus ❖ <i>Daucus carota</i> (carrot) for the pathogens: <ul style="list-style-type: none"> —<i>Alternaria dauci</i> —<i>Alternaria radicina</i> —<i>Xanthomonas campestris</i> pv. <i>carotae</i> ❖ <i>Phaseolus</i> spp. (beans) for the pathogens: <ul style="list-style-type: none"> —<i>Pseudomonas syringae</i> pv. <i>phaseolicola</i> —<i>Pseudomonas syringae</i> pv. <i>syringae</i> —<i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> ❖ <i>Lactuca sativa</i> (lettuce) for the pathogen lettuce mosaic virus ❖ <i>Solanum lycopersicum</i> (tomato) for the pathogens: <ul style="list-style-type: none"> —<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> —Pospiviroids (CLVd, PCFVd, PSTVd, TASVd, TCDVd, and TPMVd) —<i>Pseudomonas syringae</i> pv. <i>tomato</i> —Tobamoviruses (TMV, ToMV) —Tomato brown rugose fruit virus —<i>Xanthomonas</i> spp. —Pepino mosaic virus ❖ <i>Spinacia oleracea</i> (spinach) for the pathogen <i>Verticillium dahliae</i>

Company and Accreditation Status:	Accredited for:
<p>Eurofins BioDiagnostics, Inc. 507 Highland Dr. River Falls, WI 54022</p> <p>ACCREDITATION STATUS</p> <p>Began: 5/17/2019 Expires: 5/10/2025</p> <p>Approved for River Falls, WI location</p>	<ul style="list-style-type: none"> ◆ Seed health testing for the following crops: <ul style="list-style-type: none"> ❖ <i>Brassica</i> spp. for the pathogens: <ul style="list-style-type: none"> —<i>Phoma lingam</i> —<i>Xanthomonas campestris</i> pv. <i>campestris</i> ❖ <i>Capsicum annuum</i> (pepper) for the pathogens: <ul style="list-style-type: none"> —Pospiviroids (CLVd, PCFVd, PSTVd, TASVd, TCDVd, and TPMVd) —Tobamoviruses (PMMoV, TMV, ToMV) —Tomato brown rugose fruit virus —<i>Xanthomonas</i> spp. ❖ <i>Coriandrum sativum</i> (coriander) for the pathogen <i>Pseudomonas syringae</i> pv. <i>coriandricola</i> ❖ Cucurbitaceae for the pathogens: <ul style="list-style-type: none"> —<i>Acidovorax citrulli</i> (seed extract PCR) —Cucumber green mottle mosaic virus —<i>Didymella bryoniae</i> —Melon necrotic spot virus —Squash mosaic virus ❖ <i>Daucus carota</i> (carrot) for the pathogens: <ul style="list-style-type: none"> —<i>Alternaria dauci</i> —<i>Alternaria radicina</i> —<i>Xanthomonas campestris</i> pv. <i>carotae</i> ❖ <i>Lactuca sativa</i> (lettuce) for the pathogen lettuce mosaic virus ❖ <i>Phaseolus</i> spp. (beans) for the pathogens: <ul style="list-style-type: none"> —<i>Pseudomonas syringae</i> pv. <i>phaseolicola</i> —<i>Pseudomonas syringae</i> pv. <i>syringae</i> —<i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> ❖ <i>Solanum lycopersicum</i> (tomato) for the pathogens: <ul style="list-style-type: none"> —<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> —Pepino mosaic virus —Pospiviroids (CLVd, PCFVd, PSTVd, TASVd, TCDVd, and TPMVd) —<i>Pseudomonas syringae</i> pv. <i>tomato</i> —Tobamoviruses (TMV, ToMV) —Tomato brown rugose fruit virus —<i>Xanthomonas</i> spp. ❖ <i>Spinacia oleracea</i> (spinach) for the pathogen <i>Verticillium dahliae</i>

Company and Accreditation Status:	Accredited for:
<p>H.M. Clause, Inc. 555 Codoni Avenue Modesto, CA 95357</p> <p>ACCREDITATION STATUS</p> <p>Began: 10/19/2018 Expires: 10/13/2024</p> <p>Approved for Modesto, CA location</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for phytosanitary testing ◆ Seed health testing for the following crops: <ul style="list-style-type: none"> ❖ <i>Capsicum annuum</i> (pepper) for the pathogens: <ul style="list-style-type: none"> —Pospiviroids (CLVd, PCFVd, PSTVd, TASVd, TCDVd, and TPMVd) (effective 3/9/2022) —Tobamoviruses (PMMoV, TMV, ToMV) —Tomato brown rugose fruit virus (effective 11/9/2020) —<i>Xanthomonas</i> spp. ❖ Cucurbitaceae for the pathogens: <ul style="list-style-type: none"> —<i>Acidovorax citrulli</i> (PCR method) —Cucumber green mottle mosaic virus —Melon necrotic spot virus —Squash mosaic virus ❖ <i>Solanum lycopersicum</i> (tomato) for the pathogens: <ul style="list-style-type: none"> —<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> —Pospiviroids (CLVd, PCFVd, PSTVd, TASVd, TCDVd, and TPMVd) (effective 3/9/2022) —Tobamoviruses (TMV, ToMV) —Tomato brown rugose fruit virus (effective 11/9/2020) —<i>Xanthomonas</i> spp.
<p>H.M. Clause, Inc. 28605 County Road 104 Davis, CA 95618</p> <p>ACCREDITATION STATUS</p> <p>Began: 11/6/2023 Expires: 11/6/2026</p> <p>Approved for Davis and Dixon, CA; and Immokalee, FL locations</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for phytosanitary testing
<p>HeinzSeed 6755 C E Dixon Street Stockton, CA 95206</p> <p>ACCREDITATION STATUS</p> <p>Began: 4/3/2017 Expires: 11/6/2026</p> <p>Approved for Stockton, CA location</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for phytosanitary testing ◆ Seed health testing of the following crop: <ul style="list-style-type: none"> ❖ <i>Solanum lycopersicum</i> (tomato) for the pathogens: <ul style="list-style-type: none"> —<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> —Pospiviroids (CLVd, PCFVd, PSTVd, TASVd, TCDVd, and TPMVd) effective 12/4/2020 —<i>Pseudomonas syringae</i> pv. <i>tomato</i> —Pepino mosaic virus —Tobamoviruses (TMV and ToMV) —Tomato brown rugose fruit virus (effective 11/9/2020) —<i>Xanthomonas</i> spp.

Company and Accreditation Status:	Accredited for:
<p>Idaho Crop Improvement Association, Inc. 429 SW 5th Avenue, #105 Meridian, ID 83642</p> <p>ACCREDITATION STATUS</p> <p>Began: 8/27/2019 Expires: 7/28/2025</p> <p>Approved for locations throughout Idaho</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for phytosanitary testing ◆ Phytosanitary field inspection for the following crops: <ul style="list-style-type: none"> ❖ <i>Glycine max</i> (soybean) ❖ <i>Phaseolus vulgaris</i> (beans) ❖ <i>Pisum sativum</i> (peas) ❖ <i>Vigna angularis</i> (adzuki bean) ❖ <i>Vigna radiata</i> (mung bean)
<p>Illinois Crop Improvement Association 3105 Research Road Champaign, IL 61822</p> <p>IL Crop/Finca Potala Call Box 3501-325 Bo Cintrona, Carr 1, KM115 Juana Diaz, Puerto Rico 00795</p> <p>ACCREDITATION STATUS</p> <p>Began: 8/29/2019 Expires: 9/8/2024</p> <p>Approved for locations throughout Illinois (IL) and Puerto Rico (PR)</p>	<ul style="list-style-type: none"> ◆ Phytosanitary field inspection for the following crops throughout IL: <ul style="list-style-type: none"> ❖ <i>Glycine max</i> (soybean) ❖ <i>Gossypium</i> spp. (cotton) (effective 5/1/2023) ❖ <i>Triticum</i> spp. (wheat) (effective 5/1/2023) ❖ <i>Zea mays</i> (corn) ◆ Phytosanitary field inspection for the following crops throughout PR: <ul style="list-style-type: none"> ❖ <i>Glycine max</i> (soybean) ❖ <i>Gossypium</i> spp. (cotton) (effective 6/1/2022) ❖ <i>Helianthus annuus</i> (sunflower) ❖ <i>Phaseolus vulgaris</i> (beans) ❖ <i>Sorghum bicolor</i> (sorghum) ❖ <i>Zea mays</i> (corn)
<p>Indiana Crop Improvement Association, Inc. 7700 Stockwell Road Lafayette, IN 47909</p> <p>ACCREDITATION STATUS</p> <p>Began: 12/1/2017 Expires: 1/8/2027</p> <p>Approved for locations throughout Indiana (IN) and Puerto Rico (PR)</p>	<ul style="list-style-type: none"> ◆ Phytosanitary field inspection for the following crops throughout Indiana: <ul style="list-style-type: none"> ❖ <i>Avena sativum</i> (oat) ❖ <i>Glycine max</i> (soybean) ❖ <i>Helianthus annuus</i> (sunflower) ❖ <i>Sorghum</i> spp. (sorghum) ❖ <i>Triticum</i> spp. (wheat) ❖ <i>Zea</i> spp. (maize) ◆ Phytosanitary field inspection for the following crops throughout Puerto Rico: <ul style="list-style-type: none"> ❖ <i>Glycine max</i> (soybean) ❖ <i>Zea</i> spp. (maize)
<p>Integrated Seed Growers, LLC 10865 Bethel Road Amity, OR 97101</p> <p>ACCREDITATION STATUS</p> <p>Began: 10/24/2022 Expires: 10/24/2025</p> <p>Approved for locations throughout Oregon</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for phytosanitary testing

Company and Accreditation Status:	Accredited for:
<p>Iowa Crop Improvement Association 59400 190th Street Nevada, IA 50201</p> <p>ACCREDITATION STATUS</p> <p>Began: 7/28/2017 Expires: 8/29/2026</p> <p>Approved for locations throughout Iowa</p>	<p>◆ Phytosanitary field inspection for the following crops:</p> <ul style="list-style-type: none"> ❖ <i>Glycine max</i> (soybean) ❖ <i>Zea</i> spp. (maize)
<p>Iowa State University Seed Science Center 2115 Osborn Drive Ames, IA 50011</p> <p>ACCREDITATION STATUS</p> <p>Began: 4/26/2017 Expires: 11/29/2026</p> <p>Approved for Ames, IA location</p>	<p>NOTE: Iowa State has undergone the accreditation process for the following tests; however, they are still authorized to perform all seed health tests as a government-controlled entity.</p> <p>◆ Seed health testing for the following crops:</p> <ul style="list-style-type: none"> ❖ <i>Brassica</i> spp. for the pathogen <i>Phoma lingam</i> ❖ Cucurbitaceae for the pathogens: <ul style="list-style-type: none"> —<i>Acidovorax citrulli</i> (seed extract PCR) —Cucumber green mottle mosaic virus —<i>Didymella bryoniae</i> ❖ <i>Solanum lycopersicum</i> (tomato) and <i>Capsicum annuum</i> (pepper) for the pathogen Tomato brown rugose fruit virus ❖ Soybeans for the pathogens: <ul style="list-style-type: none"> —<i>Phomopsis/Diaporthe</i> spp. —<i>Pseudomonas syringae</i> pv. <i>glycinea</i> ❖ <i>Spinacia oleracea</i> (spinach) for the pathogen <i>Verticillium dahliae</i> ❖ <i>Zea mays</i> (maize) for the pathogens: <ul style="list-style-type: none"> —Maize chlorotic mottle virus —<i>Pantoea stewartii</i> —<i>Stenocarpella maydis</i>
<p>Nunhems USA, Inc. 8850 59th Ave. NE Brooks, OR 97305</p> <p>ACCREDITATION STATUS</p> <p>Began: 3/07/2024 Expires: 3/07/2027</p> <p>Approved for Brooks, OR location</p>	<p>◆ Seed health testing for the following crops:</p> <ul style="list-style-type: none"> ❖ Cucurbitaceae for the pathogens: <ul style="list-style-type: none"> —<i>Acidovorax citrulli</i> (seed extract PCR) —Cucumber green mottle mosaic virus —Melon necrotic spot virus —Squash mosaic virus ❖ <i>Daucus carota</i> (carrot) for the pathogens: <ul style="list-style-type: none"> —<i>Alternaria dauci</i> —<i>Alternaria radicina</i> ❖ <i>Solanum lycopersicum</i> (tomato) for the pathogens: <ul style="list-style-type: none"> —Tobamoviruses (TMV, ToMV)

Company and Accreditation Status:	Accredited for:
<p>Oregon State University Seed Laboratory 3291 Campus Way Corvallis, OR 97331</p> <p>ACCREDITATION STATUS</p> <p>Began: 2/10/2017 Expires: 11/19/2023</p> <p>Approved for Corvallis, OR location</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for phytosanitary testing ◆ Seed health testing for the following crops: <ul style="list-style-type: none"> ❖ <i>Brassica</i> spp. for the pathogen <i>Phoma lingam</i> ❖ <i>Capsicum annuum</i> (pepper) for the pathogen tobamoviruses (PMMoV, TMV, ToMV) ❖ <i>Lactuca sativa</i> (lettuce) for the pathogen lettuce mosaic virus ❖ <i>Solanum lycopersicum</i> (tomato) for the pathogens: <ul style="list-style-type: none"> —Pepino mosaic virus —Tobamoviruses (TMV, ToMV) ◆ Visual phytosanitary seed inspection
<p>Pioneer Hi-Bred International Inc. 7100 NW 62nd Avenue Johnston, IA 50131</p> <p>ACCREDITATION STATUS</p> <p>Began: 1/5/2018 Expires: 1/8/2027</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for phytosanitary testing <ul style="list-style-type: none"> —Approved for the following States: AR, CA, CO, GA, HI, IA, IL, IN, KS, MI, MN, MO, MS, NC, ND, NE, OH, OR, PA, PR, SD, TN, TX, WA, and WI ◆ Phytosanitary field inspection for the following crops: <ul style="list-style-type: none"> ❖ <i>Glycine max</i> (soybean) ❖ <i>Helianthus annuus</i> (sunflower) ❖ <i>Sorghum</i> spp. (sorghum) ❖ <i>Triticum</i> spp. (wheat) ❖ <i>Zea</i> spp. (maize) <ul style="list-style-type: none"> —Approved for the following States: CA, CO, GA, HI, IA, IL, IN, KS, MI, MN, MO, MS, ND, NE, OH, OR, PA, PR, SD, TN, TX, WA, and WI ◆ Seed health testing of <i>Zea mays</i> (maize) for the pathogens: <ul style="list-style-type: none"> ❖ <i>Pantoea stewartii</i> ❖ Maize chlorotic mottle virus <ul style="list-style-type: none"> —Approved for Johnston, IA and Salinas, PR (effective 3/19/2024 for PR) ◆ Visual phytosanitary seed inspection <ul style="list-style-type: none"> —Approved for the following States: AR, CA, CO, GA, HI, IA, IL, IN, KS, MI, MN, MO, MS, NC, ND, NE, OH, OR, PA, PR, SD, TN, TX, WA, and WI

Company and Accreditation Status:	Accredited for:
<p>Sakata Seed America, Inc. 1095 Serene Drive Morgan Hill, CA 95037</p> <p>ACCREDITATION STATUS</p> <p>Began: 8/30/2019 Expires: 8/17/2025</p> <p>Approved for Morgan Hill and Woodland, CA; Yuma, AZ; Burlington, WA locations (continued on the next page)</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for phytosanitary testing —Approved for the following States: AZ, CA, FL, and WA ◆ Phytosanitary field inspection for the crops (throughout Arizona): <ul style="list-style-type: none"> ❖ <i>Brassica oleracea</i> ❖ <i>Brassica rapa</i> ❖ <i>Citrullus lanatus</i> ❖ <i>Cucumis melo</i> ❖ <i>Cucumis sativus</i> ❖ <i>Cucurbita moschata</i> ❖ <i>Cucurbita pepo</i> ◆ Phytosanitary field inspection for the crops (throughout California): <ul style="list-style-type: none"> ❖ <i>Brassica juncea</i> ❖ <i>Brassica oleracea</i> ❖ <i>Brassica rapa</i> ❖ <i>Capsicum annuum</i> (pepper) ❖ <i>Citrullus lanatus</i> ❖ <i>Cucumis melo</i> ❖ <i>Cucumis sativus</i> ❖ <i>Cucurbita moschata</i> ❖ <i>Cucurbita pepo</i> ❖ <i>Helianthus annuus</i> (sunflower) (effective 10/08/2020) ❖ <i>Lactuca sativa</i> (lettuce) (effective 10/08/2020) ❖ <i>Raphanus sativus</i> ❖ <i>Solanum lycopersicum</i> (tomato) ❖ <i>Vicia faba</i> (fava bean) (effective 10/08/2020) ❖ <i>Zinnia elegans</i> (zinnia) (effective 10/08/2020)

Company and Accreditation Status:	Accredited for:
<p>Sakata Seed America, Inc. 1095 Serene Drive Morgan Hill, CA 95037 (continued)</p> <p>ACCREDITATION STATUS</p> <p>Began: 8/30/2019 Expires: 8/17/2025</p> <p>Approved for Morgan Hill and Woodland, CA; Yuma, AZ; Burlington, WA locations</p>	<ul style="list-style-type: none"> ◆ Phytosanitary field inspection for the crops (throughout Florida): <ul style="list-style-type: none"> ❖ <i>Capsicum annuum</i> ❖ <i>Citrullus lanatus</i> ❖ <i>Solanum lycopersicum</i> ◆ Phytosanitary field inspection for the crops (throughout Washington): <ul style="list-style-type: none"> ❖ <i>Beta vulgaris</i> (beet) (effective 10/8/2020) ❖ <i>Brassica napus</i> ❖ <i>Brassica oleracea</i> ❖ <i>Brassica rapa</i> ❖ <i>Cucurbita pepo</i> ❖ <i>Raphanus sativus</i> ❖ <i>Spinacia oleracea</i> ◆ Seed health testing for the following crops (approved for Salinas, CA location): <ul style="list-style-type: none"> ❖ <i>Brassica</i> spp. for the pathogen <ul style="list-style-type: none"> —<i>Xanthomonas campestris</i> pv. <i>campestris</i> ❖ Cucurbitaceae for the pathogens: <ul style="list-style-type: none"> —<i>Acidovorax avenae</i> (ISHI method) —Cucumber green mottle mosaic virus —Melon necrotic spot virus —Squash mosaic virus ❖ <i>Capsicum annuum</i> (pepper) for the pathogens: <ul style="list-style-type: none"> —Pospiviroids (CLVd, PCFVd, PSTVd, TASVd, TCDVd, and TPMVd) (effective 3/8/2021) —Tobamoviruses (PMMoV, TMV, ToMV) —Tomato brown rugose fruit virus (effective 11/12/20) —<i>Xanthomonas</i> spp. ❖ <i>Solanum lycopersicum</i> (tomato) for the pathogens: <ul style="list-style-type: none"> —<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> —<i>Pseudomonas syringae</i> pv. <i>tomato</i> —Pepino mosaic virus —Pospiviroids (CLVd, PCFVd, PSTVd, TASVd, TCDVd, and TPMVd) (effective 3/8/2021) —Tobamoviruses (TMV, ToMV) —Tomato brown rugose fruit virus (effective 11/12/20) —<i>Xanthomonas</i> spp.
<p>Seminis Vegetable Seeds Inc. 2700 Camino Del Sol Oxnard, CA 93030</p> <p>ACCREDITATION STATUS</p> <p>Began: 2/3/2017 Expires: 2/27/2026</p> <p>Approved for California; Hawaii; New Mexico; Wisconsin locations.</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for phytosanitary testing

Company and Accreditation Status:	Accredited for:
<p>Seminis Vegetable Seeds Inc. 37437 State Highway 16 Woodland, CA 95695</p> <p>ACCREDITATION STATUS</p> <p>Began: 2/16/2018 Expires: 2/2/2027</p> <p>Approved for Woodland, CA location</p>	<ul style="list-style-type: none"> ◆ Seed health testing for the following crops: <ul style="list-style-type: none"> ❖ <i>Brassica</i> spp. for the pathogen <i>Xanthomonas campestris</i> pv. <i>campestris</i> ❖ <i>Capsicum annuum</i> (pepper) for the pathogens: <ul style="list-style-type: none"> —Pospiviroids (CLVd, PCFVd, PSTVd, TASVd, TCDVd, and TPMVd) —Tobamoviruses (PMMoV, TMV, ToMV) —Tomato brown rugose fruit virus —<i>Xanthomonas</i> spp. ❖ Cucurbitaceae for the pathogens: <ul style="list-style-type: none"> —<i>Acidovorax citrulli</i> (seedling PCR, growout and seed extract PCR) —Cucumber green mottle mosaic virus —Melon necrotic spot virus —Squash mosaic virus ❖ <i>Daucus carotae</i> (carrot) for the pathogen <i>Xanthomonas hortorum</i> pv. <i>carotae</i> ❖ <i>Lactuca sativa</i> (lettuce) for the pathogen Lettuce mosaic virus ❖ <i>Solanum lycopersicum</i> (tomato) for the pathogens: <ul style="list-style-type: none"> —<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> —Pospiviroids (CLVd, PCFVd, PSTVd, TASVd, TCDVd, and TPMVd) —Pepino mosaic virus —Tobamoviruses (TMV, ToMV) —Tomato brown rugose fruit virus —<i>Xanthomonas</i> spp.
<p>SGS North America, Inc. 1405 32nd Avenue Brookings, SD 57006</p> <p>ACCREDITATION STATUS</p> <p>Began: 10/2/2019 Expires: 10/6/2025</p> <p>Approved for Brookings, SD location</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for phytosanitary testing ◆ Visual phytosanitary seed inspection
<p>Smith Seed Services 26890 Powerline Road Halsey, OR 97348</p> <p>ACCREDITATION STATUS</p> <p>Began: 9/26/2022 Expires: 9/26/2025</p> <p>Approved for Halsey, OR location</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for phytosanitary testing ◆ Visual phytosanitary seed inspection

Company and Accreditation Status:	Accredited for:
<p>SoDak Labs 236 32nd Avenue Brookings, SD 57006</p> <p>ACCREDITATION STATUS</p> <p>Began: 3/30/2022 Expires: 3/30/2025</p> <p>Approved for Brookings, SD location</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for phytosanitary testing ◆ Seed health testing for the following crops (effective 9/27/2022): <ul style="list-style-type: none"> ❖ <i>Brassica</i> spp. for the pathogens: <ul style="list-style-type: none"> —<i>Phoma lingam</i> —<i>Xanthomonas campestris</i> pv. <i>Campetstris</i> ❖ Cucurbitaceae for the pathogen: <ul style="list-style-type: none"> —<i>Acidovorax citrulli</i> (ISHI method) ❖ <i>Glycine max</i> (soybean) for the pathogens: <ul style="list-style-type: none"> —<i>Pseudomonas syringae</i> pv. <i>glycinea</i> —Soybean mosaic virus —Tomato ringspot virus —Bean pod mottle virus ❖ <i>Zea mays</i> (maize) for the pathogens: <ul style="list-style-type: none"> —<i>Fusarium</i> —Maize chlorotic mottle virus —Maize dwarf mosaic virus —<i>Pantoea stewartii</i> ◆ Visual phytosanitary seed inspection
<p>Summit Plant Laboratories, Inc. 3003 West Vine Drive Fort Collins, CO 80521</p> <p>ACCREDITATION STATUS</p> <p>Began: 4/15/2019 Expires: 12/16/2024</p> <p>Approved for Fort Collins, CO location</p>	<ul style="list-style-type: none"> ◆ Seed health testing for the following crop: <ul style="list-style-type: none"> ❖ Cucurbitaceae for the pathogens: <ul style="list-style-type: none"> —<i>Acidovorax citrulli</i> (seedling grow-out method and seed extract PCR) —Cucumber green mottle mosaic virus —Melon necrotic spot virus —Squash mosaic virus
<p>Syngenta Seeds, LLC 21435 County Road 98 Woodland, CA 95695</p> <p>ACCREDITATION STATUS</p> <p>Began: 7/7/2023 Expires: 7/7/2026</p> <p>Approved for Woodland, CA location</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for phytosanitary testing

Company and Accreditation Status:	Accredited for:
<p>Syngenta Seeds, LLC 6338 Highway 20-26 Nampa, ID 83687</p> <p>ACCREDITATION STATUS</p> <p>Began: 8/26/2019 Expires: 8/11/2025</p> <p>Approved for Nampa, ID location</p>	<ul style="list-style-type: none"> ◆ Seed health testing for the following crops: <ul style="list-style-type: none"> ❖ <i>Brassica</i> spp. for the pathogen: <ul style="list-style-type: none"> —<i>Xanthomonas campestris</i> pv. <i>campestris</i> (effective 2/15/2023) ❖ <i>Capsicum annuum</i> (pepper) for the pathogen: <ul style="list-style-type: none"> —<i>Xanthomonas</i> spp. ❖ Cucurbitaceae for the pathogens: <ul style="list-style-type: none"> —<i>Acidovorax citrulli</i> (ISHI method) —Cucumber green mottle mosaic virus —<i>Fusarium oxysporum</i> f. sp. <i>niveum</i> on watermelon —Melon necrotic spot virus —Squash mosaic virus ❖ <i>Solanum lycopersicum</i> (tomato) for the pathogens: <ul style="list-style-type: none"> —<i>Clavibacter michiganensis</i> spp. <i>michiganensis</i> —<i>Pseudomonas syringae</i> pv. <i>tomato</i> —<i>Xanthomonas</i> spp.
<p>Syngenta Seeds, LLC 5516 Industrial Way Pasco, WA 99301</p> <p>ACCREDITATION STATUS</p> <p>Began: 10/31/2022 Expires: 10/31/2025</p> <p>Approved for Pasco, WA location</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for phytosanitary testing
<p>United Genetics 8000 Fairview Road Hollister, CA 95023</p> <p>ACCREDITATION STATUS</p> <p>Began: 6/7/2022 Expires: 6/7/2025</p> <p>Approved for Hollister, CA location</p>	<ul style="list-style-type: none"> ◆ Seed health testing for the following crops: <ul style="list-style-type: none"> ❖ <i>Capsicum annuum</i> (pepper) for the pathogens: <ul style="list-style-type: none"> —Pospiviroids (CLVd, PCFVd, PSTVd, TASVd, TCDVd, and TPMVd) —Tobamoviruses (PMMoV, TMV, ToMV)(effective 5/1/2023) —Tomato brown rugose fruit virus —<i>Xanthomonas</i> spp. (effective 10/31/2023) ❖ Cucurbitaceae for the pathogens: <ul style="list-style-type: none"> —<i>Acidovorax citrulli</i> (ISHI method) (effective 7/19/2023) —Cucumber green mottle mosaic virus (effective 1/6/2023) —Melon necrotic spot virus (effective 1/6/2023) —Squash mosaic virus (effective 1/6/2023) ❖ <i>Solanum lycopersicum</i> (tomato) for the pathogens: <ul style="list-style-type: none"> —<i>Clavibacter michiganensis</i> spp. <i>michiganensis</i> (effective 10/31/2023) —Pospiviroids (CLVd, PCFVd, PSTVd, TASVd, TCDVd, and TPMVd) —<i>Pseudomonas syringae</i> pv. <i>tomato</i> (effective 10/31/2023) —Pepino mosaic virus (effective 5/1/2023) —Tobamoviruses (TMV, ToMV) (effective 5/1/2023) —Tomato brown rugose fruit virus —<i>Xanthomonas</i> spp. (effective 10/31/2023)

Company and Accreditation Status:	Accredited for:
<p>Universal Seed Testing Laboratory 1285 N. Main Street Independence, OR 97351</p> <p>ACCREDITATION STATUS</p> <p>Began: 12/16/2021 Expires: 12/16/2024</p> <p>Approved for Independence, OR location</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for phytosanitary testing ◆ Visual phytosanitary seed inspection
<p>Wonderful Laboratories, PPD 449 N. Zerker Road Shafter, CA 93263</p> <p>ACCREDITATION STATUS</p> <p>Began: 3/30/2022 Expires: 3/30/2025</p> <p>Approved for Shafter, CA location</p>	<ul style="list-style-type: none"> ◆ Seed health testing for the following crop: <ul style="list-style-type: none"> ❖ <i>Lactuca sativa</i> (lettuce) for the pathogen lettuce mosaic virus

