

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>A/C Powder</b>	<b>Intentional</b>	Coots, American	10			
		Ducks, Feral	8			
		Geese, Feral	2			
<b>Calling Device, Electronic</b>	<b>Intentional</b>	Coyotes	64			
		Foxes, Red	1			
<b>Calling Device, Manual(Hand,Blown)</b>	<b>Intentional</b>	Coyotes	23			
<b>Car/Truck</b>	<b>Intentional</b>	Coyotes				3
		Ducks, Mallards				155
		Geese, Canada				5,936
		Hawks, Red-Tailed				36
		Nutrias				1
		Pigeons, Feral (Rock)				3

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Dog</b>						
	<b>Intentional</b>					
		<b>Bears, Black</b>	38			
		<b>Bobcats</b>	8		1	1
		<b>Coyotes</b>	48			
		<b>Geese, Canada</b>				1,250
		<b>Lions, Mountain (Cougar)</b>	41			
		<b>Marmots/Woodchucks (All)</b>	3			
		<b>Pigeons, Feral (Rock)</b>				725
	<b>UnIntentional</b>					
		<b>Bears, Black</b>			2	
<b>DRC-1339 Eggs</b>						
	<b>Intentional</b>					
		<b>Crows, American</b>	2			
		<b>Ravens, Common</b>	207			
<b>DRC-1339-Feedlots</b>						
	<b>Intentional</b>					
		<b>Blackbirds, Brewer`s</b>	1,000			
		<b>Starlings, European</b>	21,200			
<b>DRC-1339-Gulls</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>DRC-1339-Gulls</b>	<b>Intentional</b>	<b>Ravens, Common</b>	37			
<b>DRC-1339-Pigeons</b>	<b>Intentional</b>	<b>Pigeons, Feral (Rock)</b>	16			
<b>DRC-1339-Staging Areas</b>	<b>Intentional</b>	<b>Blackbirds, Z-(Mixed Species)</b>	1,995			
		<b>Starlings, European</b>	1,500			
<b>Firearms</b>	<b>Intentional</b>	<b>Badgers</b>	5			
		<b>Bears, Black</b>	2			
		<b>Beavers</b>	104			
		<b>Blackbirds, Z-(Mixed Species)</b>	1,063			
		<b>Bobcats</b>	1			
		<b>Cats, Feral/Free Ranging</b>	2			
		<b>Cormorants, Double-Crested</b>	2			14
		<b>Coyotes</b>	334			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Crows, American	169			
		Deer, Black-Tailed	4			
		Deer, Mule	5			275
		Ducks, Mallards	46			420
		Elk, Wapiti (Wild)				936
		Flickers, Northern	1			
		Foxes, Red	13			
		Geese, Canada	109			4,026
		Gulls, California	20			96
		Gulls, Ring-Billed	20			1,500
		Gulls, Western	3			60
		Hawks, Red-Tailed	6			
		Hérons, Great Blue	3			
		Jays, Steller`s	15			
		Lions, Mountain (Cougar)	4			
		Marmots/Woodchucks (All)	279			
		Muskrats	17			
		Nutrias	105			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Otters, River	3			
		Pigeons, Feral (Rock)	1,085			
		Porcupines	1			
		Raccoons	9			
		Ravens, Common	39			
		Robins, American	2			
		Skunks, Spotted	1			
		Skunks, Striped	28			
		Sparrows, House/English	7			
		Squirrels, Ground, Other	690			
		Starlings, European	67			
		Turkeys, Wild	31			
		<b>Fixed Wing</b>	<b>Intentional</b>	Coyotes	1,624	
<b>Gas Cartridge (Rodent)</b>	<b>Intentional</b>	Marmots/Woodchucks (All) DEN		24		

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Gas Cartridge (Rodent)</b>	<b>Intentional</b>	<b>Squirrels, Ground, Other DEN</b>		777		
<b>Gas Cartridge, Large</b>	<b>Intentional</b>	<b>Coyotes DEN</b>		21		
		<b>Foxes, Red DEN</b>		9		
<b>Gastoxin Tablets</b>	<b>Intentional</b>	<b>Squirrels, Ground, Other DEN</b>		45		
<b>Handcaught/Gathered</b>	<b>Intentional</b>	<b>Blackbirds, Brewer`s</b>	4			
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>			1	
		<b>Pheasants, Ring-Necked</b>			1	
		<b>Robins, American</b>	3			
<b>Helicopter</b>	<b>Intentional</b>	<b>Wolves, Gray/Timber</b>	2			
<b>M-44 Cyanide Capsule</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>M-44 Cyanide Capsule</b>	Intentional	Coyotes	175			
<b>Nets, Cannon/Rocket</b>	Intentional	Coots, American			3	
<b>Paint Balls</b>	Intentional	Blackbirds, Z-(Mixed Species)				30
		Cormorants, Pelagic				193
		Ducks, Mallards				2
	UnIntentional	Geese, Canada				4,397
		Swallows, Barn	9			
		Wrens, Canyon	1			
<b>Phostoxin 100C Tb (Degesch)</b>	Intentional	Marmots/Woodchucks (All) DEN		1		
		Squirrels, Ground, Other DEN		111		
<b>Pyrotechnics (All)</b>	Intentional					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Ducks, Mallards				187
		Geese, Canada				8,582
		Gulls, California				20
		Hawks, Red-Tailed				43
		Hérons, Great Blue				5
		Pigeons, Feral (Rock)				175
<b>Snares, Foot/Leg</b>						
	<b>Intentional</b>					
		Bears, Black	114			
	<b>UnIntentional</b>					
		Cats, Feral/Free Ranging			1	
		Deer, Black-Tailed			1	
		Lions, Mountain (Cougar)	3			
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Badgers	1			
		Bears, Black	8			
		Beavers	242			
		Bobcats	24			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*



**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>	<b>Intentional</b>	Coyotes	878			
		Dogs, Feral, Free-Ranging And Hybrids	1		1	
		Foxes, Gray	2			
		Foxes, Red	19			
		Lions, Mountain (Cougar)	26			
		Marmots/Woodchucks (All)	10			
		Nutrias	10			
		Opossums, Virginia	1			
		Otters, River	2			
		Porcupines	6			
		Rabbits, Cottontail	3			
		Raccoons	31			
		Skunks, Striped	8			
	<b>UnIntentional</b>	Bobcats				1
		Cattle, Feral				1
		Coyotes	1			
		Deer, Black-Tailed	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>	<b>Unintentional</b>	Deer, Mule			1	
		Dogs, Feral, Free-Ranging And Hybrids	1			
		Foxes, Red	1		1	
		Opossums, Virginia	1			
		Otters, River	3			
		Porcupines	6			
		Raccoons	7			
		Skunks, Striped	4			
		Weasels (Other)	1			
		<b>Sodium Pentobarbital (390 Mg/MI)</b>	<b>Intentional</b>	Skunks, Striped	3	
<b>Spotlight</b>	<b>Intentional</b>	Beavers	20			
		Coyotes	1			
<b>Traps, Body Grip</b>	<b>Intentional</b>	Beavers	250			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Body Grip</b>	<b>Intentional</b>	Beavers, Mountain	22				
		Marmots/Woodchucks (All)	83				
		Muskrats	4				
		Nutrias	53				
		Skunks, Striped	13				
		Squirrels, Ground, Other	1				
		<b>UnIntentional</b>					
		Otters, River	2				
	<b>Traps, Cage</b>	<b>Intentional</b>	Bears, Black	10			
			Beavers	20		1	
Bobcats			2		2		
Cats, Feral/Free Ranging			21		5		
Coyotes			3				
Dogs, Feral, Free-Ranging And Hybrids					1		
Foxes, Gray			10				
Foxes, Red			1				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Cage</b>	<b>Intentional</b>	Lions, Mountain (Cougar)	1			
		Minks			1	
		Nutrias	291			
		Opossums, Virginia	14			
		Pigeons, Feral (Rock)	425			
		Raccoons	135			2
		Skunks, Spotted	2			
		Skunks, Striped	103			
		Sparrows, House/English	9			
		Squirrels, Fox	30			
		Squirrels, Ground, Other	9			
		Starlings, European	827			
		Swine, Feral	1			
		Woodrats, White-Throated	1			
	<b>UnIntentional</b>	Bears, Black				2
		Cats, Feral/Free Ranging				4
		Cattle, Feral				1

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Cage</b>	<b>Unintentional</b>	Dogs, Feral, Free-Ranging And Hybrids			2	
		Opossums, Virginia			2	
<b>Traps, Culvert</b>	<b>Intentional</b>	Bears, Black	8			
<b>Traps, Drive/Corral</b>	<b>Intentional</b>	Geese, Canada	54		44	
		Swine, Feral	10			
<b>Traps, Foothold</b>	<b>Intentional</b>	Badgers	80		1	
		Beavers	29			
		Bobcats	52		3	
		Cats, Feral/Free Ranging	1			
		Coyotes	1,001			
		Dogs, Feral, Free-Ranging And Hybrids	2		1	
		Foxes, Gray	4			
		Foxes, Red	33			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold</b>	<b>Intentional</b>	Lions, Mountain (Cougar)	13			
		Marmots/Woodchucks (All)	49			
		Nutrias	2			
		Opossums, Virginia	4			2
		Porcupines	3			
		Raccoons	59			2
		Skunks, Striped	54			
		Squirrels, Ground, Other	4			
		<b>UnIntentional</b>	Badgers	1		
	Bears, Black					5
	Bobcats					2
	Deer, Black-Tailed					2
	Dogs, Feral, Free-Ranging And Hybrids					1
	Foxes, Red		2			2
	Otters, River		1			
	Raccoons		4			2
	Skunks, Striped		2			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oregon - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold</b>	<b>Unintentional</b>	Vultures, Turkey			2	
<b>Traps, Foothold (Padded)</b>	<b>Intentional</b>	Badgers	7			
		Coyotes	2			
		Foxes, Red	7			
		Raccoons	7			
		Ravens, Common	6			
		Skunks, Striped	1			
<b>Traps, Suitcase</b>	<b>Intentional</b>	Beavers	3		1	
<b>Weevil-Cide Tablets</b>	<b>Intentional</b>	Marmots/Woodchucks (All) DEN		1		
		Squirrels, Ground, Other DEN		286		
<b>Total Take for OR</b>			37,603	1,275	108	29,071

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*