Breadcrumb

- 1. Home
- 2. Print
- 3. Pdf
- 4. Node
- 5. Entity Print

H5N1 Influenza

Last Modified:



The H5N1 strain of highly pathogenic avian influenza (HPAI) is present in wild birds worldwide and is causing outbreaks in U.S. domestic birds and dairy cattle. Many other species are also susceptible to this virus. APHIS is working with our Federal, State, and industry partners to combat outbreaks, support producers, and strengthen prevention.

Explore the resources below to find the latest information on our efforts. To learn more about the disease in general, visit Avian Influenza.

Detections of HPAI

The United States has the strongest avian influenza surveillance program in the world. APHIS monitors for the virus in commercial and backyard birds, wild birds, and dairy cattle. We also conduct confirmatory testing for HPAI in other domestic and wild animals. View the latest updates on detections of HPAI by species.

Commercial and Backyard Flocks



Wild Birds



Livestock



Mammals



Outbreak Response and Support

For Poultry Producers, Bird Owners, and Cooperators

USDA is investing \$1 billion in a comprehensive strategy to curb HPAI, protect the



For Dairy Producers and Cooperators

USDA offers financial assistance to help dairy producers enhance biosecurity and offset costs and losses from HPAI H5N1. This is in addition to our National Milk Testing Strategy and many other testing efforts and programs.

Learn More



Latest News

3/13/25

<u>APHIS Reopens Comment Period for Interim Final Rule Updating Indemnity Program</u> for Highly Pathogenic Avian Influenza on Poultry Farms

2/28/25

USDA Invests Up To \$1 Billion to Combat Avian Flu and Reduce Egg Prices 1/17/25

<u>USDA Shares Enrollment of Six Additional States in Its National Milk Testing Strategy</u> for H5N1

View All News >>

Print