



28907 cust_id
217506 insp_id
32461 site_id

INSPECTION REPORT

LOU ANN KRUSE

Customer ID: 28907

Certificate: --

Site: 001

LOU ANN KRUSE

Inspection

Type: PRELICENSE INSPECTION #1

Date: NOV-03-2004

16361 UTICA LANE
STARK CITY, MO 64866

2.75 (a) (1)

RECORDS: DEALERS AND EXHIBITORS.

Sec. 2.75 Records: Dealers and exhibitors.

(a)(1) Each dealer, other than operators of auction sales and brokers to whom animals are consigned, and each exhibitor shall make, keep, and maintain records or forms which fully and correctly disclose the following information concerning each dog or cat purchased or otherwise acquired, owned, held, or otherwise in his or her possession or under his or her control .

The animals are not properly identified. The owner is going to micro chip the animals. Proper identification and if microchipping, a scanner, is required.

This affects 27 adult dogs

3.1 (c) (1)

3.1 (f)

HOUSING FACILITIES, GENERAL.

Sec. 3.1 Housing facilities, general.

(c) Surfaces--

(1) General requirements. The surfaces of housing facilities--including houses, dens, and other furniture-type fixtures and objects within the facility--must be constructed in a manner and made of materials that allow them to be readily cleaned and sanitized

The flooring of the interior kennel area is not sealed and it has cracks where waste and debris can collect. These areas of the floor must be sealed in a manner as to allow the floors to be cleaned and sanitized.

This affects 27 dogs

Sec. 3.1 Housing facilities, general.

(f) Drainage and waste disposal. Housing facility operators must provide for regular and frequent collection, removal, and disposal of animal and food wastes, bedding, debris, garbage, water, other fluids and wastes, and dead animals, in a manner that minimizes contamination and disease risks

The exterior and interior washdowns have cracks or unsealed areas. These cracks/gaps must be closed or sealed in a manner that allows the waste to be removed and allow the facility to be properly cleaned and sanitized

Prepared By: *David Briganca*
DAVID BRIGANCE, A.C.I., USDA, APHIS, Animal Care

Date:
NOV-03-2004

Title: _____ 032

Received By: _____

Date:
NOV-03-2004

Title: _____



INSPECTION REPORT

This affects 27 adult dogs

All redactions on this page are pursuant to (b)(6) & (b)(7)(c).

3.6 (c X 1 X iii)

PRIMARY ENCLOSURES.

Sec. 3.6 Primary enclosures.

(c) Additional requirements for dogs--

(1) Space

(iii) The interior height of a primary enclosure must be at least 6 inches higher than the head of the tallest dog in the enclosure when it is in a normal standing position:

There is one female min pin that is in a cage that is 18" in height. This animal's head is within 2 inches of the top. The owner must repair/replace this cage with one that provides at least 6 inches of headroom for this animal

This affects 1 animal

Inspection conducted by [redacted] and David Brogance, ACI

NO REGULATED ACTIVITIES MAY TAKE PLACE UNTIL LICENSE IS RECEIVED

The owner has 90 days and up to 2 more inspections to pass licensing.

For the next inspection contact me at 703-812-6021

Prepared By: *David Brogance*
DAVID BRIGANCE, A.C.I., USDA, APHIS, Animal Care

Title: ANIMAL CARE INSPECTOR Inspector ID: 5032

Date:
NOV-03-2004

Received By: [redacted]
Title: [redacted]

Date:
NOV-03-2004

NOV 12 2004