Breadcrumb

- 1. <u>Home</u>
- 2. Print
- 3. Pdf
- 4. Node
- 5. Entity Print

Report EAB and Ash Tree Damage for Biocontrol


Last Modified:

If you think you've seen the emerald ash borer (EAB) or ash tree damage caused by an infestation, please complete the form below. Or if you prefer to make a report by phone, please call 1-866-322-4512. If you have a digital camera, take pictures of the insect and the damage to your ash trees. If possible, place an adult in a container and freeze it, and any larvae in a container with rubbing alcohol, to help with identification.

Expand All




Adult Beetle



Bark Splits



Adult Beetle



Bark Splits



Bark Peeling



Branch Dieback



Bark Peeling



Branch Dieback



Epicormic Shoots



Holes (D-shape)



Epicormic Shoots



Holes (D-shape)



Larva



Larva Damage (S-shape)



Larva



Larva Damage (S-shape)

- Current Location and Date of Sighting
- Signs or Symptoms
- Contact Info
- Complete

 \square Location and Date of Sighting

Street Location	
County	
City/Town	
State/Province - Select -	
ZIP/Postal Code	
Date of Sighting	
a file Upload	
Dne file only.	
LOO MB limit. Allowed types: gif jpg jpeg png.	
Description of Sighting Location	
i.e., nearby cross streets, physical landmarks, other features to help pinpoint he location of the suspected pest or disease), AND GPS COORDINATES OF SIGHTING (optional)	

<u>Print</u>