



APHIS Entities Accredited Under the National Seed Health System

Company and Accreditation Status:	Accredited for:
<p>Agri Seed Testing 1930 Davcor Street Salem, OR 97302</p> <p>ACCREDITATION STATUS</p> <p>Began: 3/23/2016 Expires: 3/23/2019</p> <p>Approved for Salem, OR location</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for phytosanitary testing ◆ Visual phytosanitary seed inspection
<p>California Seed and Plant Laboratory 3556 Sankey Road Pleasant Grove, CA 95668</p> <p>ACCREDITATION STATUS</p> <p>Began: 3/15/2017 Expires: 3/15/2020</p> <p>Approved for Pleasant Grove, CA location</p>	<ul style="list-style-type: none"> ◆ Seed health testing for the following crops: <ul style="list-style-type: none"> ❖ <i>Brassica</i> spp. (mustard) for the pathogens: <ul style="list-style-type: none"> —<i>Phoma lingam</i> —<i>Xanthomonas campestris</i> pv. <i>campestris</i> ❖ <i>Capsicum annuum</i> (pepper) for the pathogens: <ul style="list-style-type: none"> —Tobamoviruses —<i>Xanthomonas</i> spp. ❖ Cucurbitaceae for the pathogens: <ul style="list-style-type: none"> —<i>Acidovorax citrulli</i> (seed extract PCR, seedling growout and seedling PCR) —Cucumber green mottle mosaic virus —<i>Didymella bryoniae</i> —<i>Fusarium oxysporum</i> f. sp. <i>niveum</i> on watermelon —Melon necrotic spot virus —Squash mosaic virus ❖ <i>Daucus carota</i> (carrot) for the pathogens: <ul style="list-style-type: none"> —<i>Alternaria dauci</i> —<i>Alternaria radicina</i> —<i>Xanthomonas hortorum</i> pv. <i>carotae</i> ❖ <i>Lactuca sativa</i> (lettuce) for the pathogen lettuce mosaic virus ❖ <i>Phaseolus</i> spp. (beans) for the pathogens: <ul style="list-style-type: none"> —<i>Pseudomonas syringae</i> pv. <i>phaseolicola</i> —<i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> ❖ <i>Solanum lycopersicum</i> (tomato) for the pathogens: <ul style="list-style-type: none"> —<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> —<i>Pseudomonas syringae</i> pv. <i>tomato</i> —Tobamoviruses —<i>Xanthomonas</i> spp. ❖ <i>Spinacia oleracea</i> (spinach) for the pathogen <i>Verticillium dahliae</i>

Company and Accreditation Status:	Accredited for:
<p data-bbox="154 296 487 380">Eurofins/STA Laboratories, Inc. 1821 Vista View Drive Longmont, CO 80504</p> <p data-bbox="154 411 451 436">ACCREDITATION STATUS</p> <p data-bbox="154 468 357 527">Began: 2/1/2016 Expires: 2/19/2019</p> <p data-bbox="154 558 553 583">Approved for Longmont, CO location</p>	<ul style="list-style-type: none"> <li data-bbox="654 296 1136 321">◆ Seed health testing for the following crops: <li data-bbox="670 331 1159 426">❖ <i>Brassica</i> spp. (mustard) for the pathogens: <ul style="list-style-type: none"> <li data-bbox="695 369 873 394">—<i>Phoma lingam</i> <li data-bbox="695 401 1149 426">—<i>Xanthomonas campestris</i> pv. <i>campestris</i> <li data-bbox="670 436 1203 531">❖ <i>Capsicum annuum</i> (pepper) for the pathogens: <ul style="list-style-type: none"> <li data-bbox="695 474 883 499">—Tobamoviruses <li data-bbox="695 506 919 531">—<i>Xanthomonas</i> spp. <li data-bbox="670 541 1377 600">❖ <i>Coriandrum sativum</i> (coriander) for the pathogen <i>Pseudomonas syringae</i> pv. <i>coriandricola</i> <li data-bbox="670 611 1060 789">❖ Cucurbitaceae for the pathogens: <ul style="list-style-type: none"> <li data-bbox="695 642 911 667">—<i>Acidovorax citrulli</i> <li data-bbox="695 674 1109 699">—Cucumber green mottle mosaic virus <li data-bbox="695 705 927 730">—<i>Didymella bryoniae</i> <li data-bbox="695 737 987 762">—Melon necrotic spot virus <li data-bbox="695 768 943 793">—Squash mosaic virus <li data-bbox="670 800 1143 915">❖ <i>Daucus carota</i> (carrot) for the pathogens: <ul style="list-style-type: none"> <li data-bbox="695 831 889 856">—<i>Alternaria dauci</i> <li data-bbox="695 863 915 888">—<i>Alternaria radicina</i> <li data-bbox="695 894 1092 919">—<i>Xanthomonas hortorum</i> pv. <i>carotae</i> <li data-bbox="670 926 1369 951">❖ <i>Glycine max</i> (soybean) for the pathogen soybean mosaic virus <li data-bbox="670 961 1349 987">❖ <i>Lactuca sativa</i> (lettuce) for the pathogen lettuce mosaic virus <li data-bbox="670 997 1252 1155">❖ <i>Phaseolus</i> spp. (beans) for the pathogens: <ul style="list-style-type: none"> <li data-bbox="695 1039 1252 1064">—<i>Curtobacterium flaccumfaciens</i> pv. <i>flaccumfaciens</i> <li data-bbox="695 1071 1149 1096">—<i>Pseudomonas syringae</i> pv. <i>phaseolicola</i> <li data-bbox="695 1102 1105 1127">—<i>Pseudomonas syringae</i> pv. <i>syringae</i> <li data-bbox="695 1134 1130 1159">—<i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i> <li data-bbox="670 1165 1243 1344">❖ <i>Solanum lycopersicum</i> (tomato) for the pathogens: <ul style="list-style-type: none"> <li data-bbox="695 1197 1208 1222">—<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> <li data-bbox="695 1228 935 1253">—Pepino mosaic virus <li data-bbox="695 1260 1089 1285">—<i>Pseudomonas syringae</i> pv. <i>tomato</i> <li data-bbox="695 1291 883 1316">—Tobamoviruses <li data-bbox="695 1323 919 1348">—<i>Xanthomonas</i> spp. <li data-bbox="670 1354 1377 1379">❖ <i>Spinacia oleracea</i> (spinach) for the pathogen <i>Verticillium dahlia</i> <li data-bbox="670 1390 1097 1514">❖ <i>Zea mays</i> (maize) for the pathogens: <ul style="list-style-type: none"> <li data-bbox="695 1430 1011 1455">—Maize chlorotic mottle virus <li data-bbox="695 1461 997 1486">—<i>Peronosclerospora sorghi</i> <li data-bbox="695 1493 951 1518">—<i>Stenocarpella maydis</i>

Company and Accreditation Status:	Accredited for:
<p>H.M. Clause Seed Company 555 Codoni Avenue Modesto, CA 95357</p> <p>ACCREDITATION STATUS</p> <p>Began: 10/19/2018 Expires: 10/19/2021</p> <p>Approved for Modesto, CA location</p>	<ul style="list-style-type: none"> ◆ Seed health testing for the following crops: <ul style="list-style-type: none"> ❖ <i>Capiscum annuum</i> (pepper) for the pathogens: <ul style="list-style-type: none"> —Tobamoviruses —<i>Xanthomonas</i> spp. ❖ Cucurbitaceae for the pathogens: <ul style="list-style-type: none"> —<i>Acidovarax citrulli</i> (PCR method) —Cucumber green mottle mosaic virus —Melon necrotic spot virus —Squash mosaic virus ❖ <i>Solanum lycopersicum</i> (tomato) for the pathogens: <ul style="list-style-type: none"> —<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> —Tobamoviruses —<i>Xanthomonas</i> spp. ◆ Official seed sampling for phytosanitary testing
<p>HeinzSeed 6755 C E Dixon Street Stockton, CA 95206</p> <p>ACCREDITATION STATUS</p> <p>Began: 4/3/2017 Expires: 4/3/2020</p> <p>Approved for Stockton, CA location</p> <p>Idaho Crop Improvement Association 429 Fifth Avenue, #105 Meridian, ID 83642</p> <p>ACCREDITATION STATUS</p> <p>Began: 5/13/2016 Expires: 5/13/2019</p> <p>Approved for locations throughout Idaho</p>	<ul style="list-style-type: none"> ◆ Seed health testing of <i>Solanum lycopersicum</i> (tomato) for the pathogens: <ul style="list-style-type: none"> ❖ <i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> ❖ Pepino mosaic virus ❖ Tobamoviruses on tomato ❖ <i>Xanthomonas</i> spp. ◆ Official seed sampling for phytosanitary testing ◆ Phytosanitary field inspection for <i>Phaseolus vulgaris</i> (beans) and <i>Pisum sativum</i> (garden pea) ◆ Official seed sampling for phytosanitary testing
<p>Illinois Crop Improvement Association 3105 Research Road Champaign, IL 61822</p> <p>IL Crop/Finca Potala Call Box 3501-325 Bo Cintrona, Carr 1, KM115 Juana Diaz, Puerto Rico 00795</p> <p>ACCREDITATION STATUS</p> <p>Began: 8/15/2016 Expires: 8/15/2019</p> <p>Approved for locations throughout Illinois and Puerto Rico</p>	<ul style="list-style-type: none"> ◆ Phytosanitary field inspection for the following crops: <ul style="list-style-type: none"> ❖ <i>Glycine max</i> (soybean) ❖ <i>Gossypium</i> spp. (cotton) ❖ <i>Helianthus annuus</i> (sunflower) ❖ <i>Phaseolus vulgaris</i> (beans) ❖ <i>Sorghum bicolor</i> (sorghum) ❖ <i>Triticum</i> spp. (wheat) ❖ <i>Zea</i> spp. (maize)

Company and Accreditation Status:	Accredited for:
<p>Indiana Crop Improvement Association, Inc. 770 Stockwell Road Lafayette, IN 47909</p> <p>University of Puerto Rico Plant Disease Clinic Estacion Experimental Fortuna Carr. 510 Km. 3.2 Bo. Sabana Llana Juana Diaz, PR 00795</p> <p>ACCREDITATION STATUS</p> <p>Began: 12/1/2017 Expires: 12/1/2020</p> <p>Approved for locations throughout Indiana (IN) and Puerto Rico (PR) as designated on the right side of this entry</p>	<ul style="list-style-type: none"> ◆ Phytosanitary field inspection for the following crops throughout IN: <ul style="list-style-type: none"> ❖ <i>Avena sativum</i> (oat) ❖ <i>Glycine max</i> (soybean) ❖ <i>Sorghum</i> spp. (sorghum) ❖ <i>Triticum</i> spp. (wheat) ❖ <i>Zea</i> spp. (maize) ◆ Phytosanitary field inspection for the following crops throughout PR: <ul style="list-style-type: none"> ❖ <i>Glycine max</i> (soybean) ❖ <i>Helianthus annuus</i> (sunflower) ❖ <i>Sorghum</i> spp. (sorghum) ❖ <i>Zea</i> spp. (maize)
<p>Iowa Crop Improvement Association 4611 Mortensen Road, #101 Ames, IA 50014</p> <p>ACCREDITATION STATUS</p> <p>Began: 7/28/2017 Expires: 7/28/2020</p> <p>Approved for locations throughout Iowa</p>	<ul style="list-style-type: none"> ◆ Phytosanitary field inspection for <i>Glycine max</i> (soybean) and <i>Zea</i> spp. (maize)
<p>Iowa State University Seed Science Center 2115 Osborn Drive Ames, IA 50011</p> <p>ACCREDITATION STATUS</p> <p>Began: 4/26/2017 Expires: 4/26/2020</p> <p>Approved for Ames, IA location</p>	<p>NOTE: Iowa State has undergone the accreditation process for the following tests; however, they are still authorized to perform all seed health tests as a government-controlled entity.</p> <ul style="list-style-type: none"> ◆ Seed health testing for the following crops: <ul style="list-style-type: none"> ❖ <i>Brassica</i> spp. (mustard) for the pathogen <i>Phoma lingam</i> ❖ Cucurbitaceae for the pathogen cucumber green mottle mosaic virus ❖ <i>Daucus carota</i> (carrot) for the pathogen <i>Alternaria dauci</i> ❖ <i>Glycine max</i> (soybean) for the pathogens: <ul style="list-style-type: none"> —Beanpod mottle virus —<i>Cercospora kikuchii</i> —<i>Phomopsis-Diaporthe</i> —<i>Pseudomonas syringae</i> pv. <i>glycinea</i> —<i>Sclerotinia sclerotiorum</i> —Soybean mosaic virus —Tobacco ringspot virus —Tomato ringspot virus

Company and Accreditation Status:	Accredited for:
<p>Iowa State University Seed Science Center (continued) 2115 Osborn Drive Ames, IA 50011</p> <p>ACCREDITATION STATUS</p> <p>Began: 4/26/2017 Expires: 4/26/2020</p> <p>Approved for Ames, IA location</p>	<ul style="list-style-type: none"> ❖ <i>Spinacia oleracea</i> (spinach) for the pathogen <i>Verticillium dahlia</i> ❖ <i>Zea mays</i> (maize) for the pathogens: <ul style="list-style-type: none"> —<i>Cercosporz zeaе-maydis</i> —<i>Cochliobolus carbonum</i> —<i>Cochliobolus heterostrophus</i> —<i>Fusarium</i> spp. —<i>Maize chlorotic mottle virus</i> —<i>Maize dwarf mosaic virus</i> —<i>Pantoea stewartii</i> —<i>Sclerophthora macrospora</i> —<i>Sphacelotheca reiliana</i> —<i>Stenocarpella maydis</i> —<i>Ustilago maydis</i> ◆ Official seed sampling for phytosanitary testing
<p>Monsanto Company Seminis Vegetable Seeds, Inc. 37347 State Highway 16 Woodland, CA 95695</p> <p>ACCREDITATION STATUS</p> <p>Began: 2/16/2018 Expires: 2/16/2021</p> <p>Approved for Woodland, CA location</p>	<ul style="list-style-type: none"> ◆ Seed health testing for the following crops: <ul style="list-style-type: none"> ❖ <i>Brassica</i> spp. (mustard) for the pathogen <i>Xanthomonas campestris</i> pv. <i>campestris</i> ❖ <i>Capsicum annuum</i> (pepper) for the pathogens: <ul style="list-style-type: none"> —Tobamoviruses —<i>Xanthomonas</i> spp. ❖ Cucurbitaceae for the pathogens: <ul style="list-style-type: none"> —<i>Acidovorax citrulli</i> (seedling growout and Seminis PCR) —Cucumber green mottle mosaic virus —<i>Didymella bryoniae</i> —Melon necrotic spot virus —Squash mosaic virus ❖ <i>Daucus carotae</i> (carrot) for the pathogen <i>Xanthomonas hortorum</i> pv. <i>carotae</i> ❖ <i>Lactuca sativa</i> (lettuce) for the pathogen Lettuce mosaic virus ❖ <i>Solanum lycopersicum</i> (tomato) for the pathogens: <ul style="list-style-type: none"> —<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> —Pepino mosaic virus —Tobamoviruses —<i>Xanthomonas</i> spp. ❖ <i>Zea mays</i> (maize) for the pathogens: <ul style="list-style-type: none"> —Maize chlorotic mottle virus —Maize dwarf mosaic virus —<i>Cercospora zeaе-maydis</i> —<i>Clavibacter michiganensis</i> subsp. <i>Nebraskensis</i> —<i>Pantoea stewartii</i> —<i>Phyllosticta maydis</i> —<i>Sclerophthora macrospora</i> —<i>Ustilago maydis</i>

Company and Accreditation Status:	Accredited for:
<p>Monsanto Company Seminis Vegetable Seeds, Inc. 2700 Camino Del Sol Oxnard, CA 93030</p> <p>ACCREDITATION STATUS</p> <p>Began: 2/3/2017 Expires: 2/3/2020</p> <p>Approved for Oxnard, CA location</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for phytosanitary testing
<p>Oregon State University Seed Laboratory 3291 Campus Way Corvallis, OR 97331</p> <p>ACCREDITATION STATUS</p> <p>Began: 2/10/2017 Expires: 2/10/2020</p> <p>Approved for Corvallis, OR location</p>	<ul style="list-style-type: none"> ◆ Seed health testing for the following crops: <ul style="list-style-type: none"> ❖ <i>Brassica</i> spp. (mustard) for the pathogen <i>Phoma lingam</i> ❖ <i>Capsicum annuum</i> (pepper) for the pathogen tobamoviruses ❖ Cucurbitaceae for the pathogens: <ul style="list-style-type: none"> —Cucumber green mottle mosaic virus —Melon necrotic spot virus —Squash mosaic virus ❖ <i>Lactuca sativa</i> (lettuce) for the pathogen lettuce mosaic virus ❖ <i>Solanum lycopersicum</i> (tomato) for the pathogens: <ul style="list-style-type: none"> —Pepino mosaic virus —Tobamoviruses
<p>Pioneer Hi-Bred International Inc. 7100 NW 62nd Avenue Johnston, IA 50131</p> <p>ACCREDITATION STATUS</p> <p>Began: 1/5/2018 Expires: 1/5/2021</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for phytosanitary testing <ul style="list-style-type: none"> —Approved for the following States: CA, CO, HI, IA, IL, KS, MI, MN, MO, NC, ND, NE, OH, PA, PR, TX, and WI ◆ Phytosanitary field inspection for the following crops: <ul style="list-style-type: none"> ❖ <i>Glycine max</i> (soybean) ❖ <i>Helianthus annuus</i> (sunflower) ❖ <i>Sorghum</i> spp. (sorghum) ❖ <i>Triticum</i> spp. (wheat) ❖ <i>Zea</i> spp. (maize) <ul style="list-style-type: none"> —Approved for the following States: CA, CO, GA, HI, IL, IN, IA, KS, MI, MN, MS, NE, OR, PA, PR, SD, TN, TX, WA, and WI ◆ Seed health testing of <i>Zea mays</i> (maize) for the pathogens: <ul style="list-style-type: none"> ❖ <i>Pantoea stewartii</i> ❖ Maize chlorotic mottle virus <ul style="list-style-type: none"> —Approved for Johnston, IA ◆ Visual phytosanitary seed inspection <ul style="list-style-type: none"> —Approved for the following States: AR, CA, CO, GA, HI, IA, IL, IN, KS, MI, MN, MO, MS, NC, ND, NE, OH, PA, PR, TN, TX, and WI

Company and Accreditation Status:	Accredited for:
<p>Professional Seed Research, Inc. 7 South 437 Dugan Road Sugar Grove, IL 60554</p> <p>ACCREDITATION STATUS</p> <p>Began: 1/13/2017 Expires: 1/13/2020</p> <p>Approved for Sugar Grove, IL location</p>	<ul style="list-style-type: none"> ◆ Seed health testing of <i>Zea mays</i> (maize) for the pathogens: <ul style="list-style-type: none"> ❖ <i>Clavibacter michiganensis</i> subsp. <i>nebraskensis</i> ❖ <i>Cochliobolus carbonum</i> ❖ <i>Cochliobolus heterostrophus</i> ❖ <i>Pantoea stewartii</i> ❖ <i>Sphacelotheca reiliana</i> ❖ <i>Stenocarpella maydis</i> ❖ <i>Ustilago maydis</i>
<p>Sakata Seed America, Inc. 105 Boronda Road Salinas, CA 93940</p> <p>ACCREDITATION STATUS</p> <p>Began: 7/1/2016 Expires: 7/1/2019</p> <p>Approved for Morgan Hill, CA; Yuma, AZ; Burlington, WA locations</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for seed health laboratory testing of the crops: <ul style="list-style-type: none"> ❖ <i>Brassica</i> spp. (mustard) ❖ <i>Capsicum annuum</i> (pepper) ❖ Cucurbitaceae ❖ <i>Daucus carota</i> (carrot) ❖ <i>Solanum lycopersicum</i> (tomato) ◆ Phytosanitary field inspection for the crops (throughout Arizona): <ul style="list-style-type: none"> ❖ <i>Brassica oleracea</i> (cabbage) ❖ <i>Brassica rapa</i> (field mustard) ❖ <i>Citrullus lanatus</i> (watermelon) ❖ <i>Cucumis melo</i> (melon) ❖ <i>Cucumis sativus</i> (cucumber) ❖ <i>Cucurbita moschata</i> (squash) ❖ <i>Cucurbita pepo</i> (pumpkin) ◆ Phytosanitary field inspection for the crops (throughout California): <ul style="list-style-type: none"> ❖ <i>Brassica juncea</i> (mustard) ❖ <i>Brassica oleracea</i> (cabbage) ❖ <i>Brassica rapa</i> (field mustard) ❖ <i>Capsicum annuum</i> (pepper) ❖ <i>Citrullus lanatus</i> (watermelon) ❖ <i>Cucumis melo</i> (melon) ❖ <i>Cucumis sativus</i> (cucumber) ❖ <i>Cucurbita moschata</i> (squash) ❖ <i>Cucurbita pepo</i> (pumpkin) ❖ <i>Daucus carota</i> (carrot) ❖ <i>Raphanus sativus</i> (radish) ❖ <i>Solanum lycopersicum</i> (tomato) ◆ Phytosanitary field inspection for the crops (throughout Washington): <ul style="list-style-type: none"> ❖ <i>Brassica napus</i> (rape) ❖ <i>Brassica oleracea</i> (cabbage) ❖ <i>Brassica rapa</i> (field mustard) ❖ <i>Daucus carota</i> (carrot) ❖ <i>Raphanus sativus</i> (radish)

Company and Accreditation Status:	Accredited for:
<p>Sakata Seed America, Inc. (continued) 105 Boronda Road Salinas, CA 93940</p> <p>ACCREDITATION STATUS</p> <p>Began: 7/1/2016 Expires: 7/1/2019</p> <p>Approved for Morgan Hill, CA; Yuma, AZ; Burlington, WA locations</p>	<ul style="list-style-type: none"> ◆ Seed health testing of (approved for Salinas, CA location): <ul style="list-style-type: none"> ❖ <i>Brassica</i> spp. (mustard) for the pathogens: <ul style="list-style-type: none"> —<i>Phoma lingam</i> (freezing method) —<i>Xanthomonas campestris</i> pv. <i>campestris</i> (ISTA method) ❖ Cucurbitaceae for the pathogens: <ul style="list-style-type: none"> —<i>Acidovorax avenae</i> ssp. <i>citrulli</i> (seedling grow-out) —Cucumber green mottle mosaic virus (ISTA method) —Melon necrotic spot virus ❖ <i>Daucus carota</i> (carrot) for the pathogens: <ul style="list-style-type: none"> —<i>Alternaria dauci</i> (ISTA method) —<i>Alternaria radicina</i> (ISTA method) —<i>Xanthomonas hortorum</i> pv. <i>carotae</i> (ISTA method) ❖ Solanaceae (tomato and/or pepper) for the pathogens: <ul style="list-style-type: none"> —<i>Clavibacter michiganensis</i> ssp. <i>michiganensis</i> (ISHI-vegetable method for tomato) —Pepino mosaic virus (tomato) —<i>Pseudomonas syringae</i> pv. <i>tomato</i> (tomato) —Tobamoviruses (TMV, ToMV) —<i>Xanthomonas campestris</i> pv. <i>vesicatoria</i> (ISHI-vegetable method for tomato and pepper)
<p>San Luis Obispo Seeds Inc. (U.S. Agriseeds) 3424 Roberto Court San Luis Obispo, CA 93401</p> <p>ACCREDITATION STATUS</p> <p>Began: 5/13/2016 Expires: 5/13/2019</p> <p>Approved for locations throughout CA</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for phytosanitary testing
<p>SGS North America 236 32nd Avenue Brookings, SD 57006</p> <p>ACCREDITATION STATUS</p> <p>Began: 8/15/2016 Expires: 8/15/2019</p> <p>Approved for Brookings, SD location</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for phytosanitary testing ◆ Visual phytosanitary seed inspection
<p>Smith Seed Services 26890 Powerline Road Halsey, OR 97348</p> <p>ACCREDITATION</p> <p>Began: 3/22/2016 Expires: 3/22/2019</p> <p>Approved for Halsey, OR location</p>	<ul style="list-style-type: none"> ◆ Official seed sampling for phytosanitary testing ◆ Visual phytosanitary seed inspection

Company and Accreditation Status:	Accredited for:
<p>Summit Plant Laboratories, Inc. 3003 West Vine Drive Fort Collins, CO 80521</p> <p>ACCREDITATION STATUS</p> <p>Began: 1/1/2016 Expires: 1/18/2019</p> <p>Approved for Fort Collins, CO location</p>	<ul style="list-style-type: none"> ◆ Seed health testing of cucurbitaceae for the pathogens: <ul style="list-style-type: none"> ❖ <i>Acidovorax citrulli</i> (seedling grow-out method and Syngenta SYBR green PCR method) ❖ Cucumber green mottle mosaic virus ❖ <i>Didymella bryoniae</i> ❖ <i>Fusarium oxysporum f. sp. niveum</i> on watermelon ❖ Melon necrotic spot virus ❖ Squash mosaic virus
<p>Sunburst Plant Disease Clinic 677 East Olive Avenue Turlock, CA 95380</p> <p>ACCREDITATION STATUS</p> <p>Began: 10/1/2015 Expires: 11/30/2018</p> <p>Approved for Turlock, CA location</p>	<ul style="list-style-type: none"> ◆ Seed health testing for the following crops: <ul style="list-style-type: none"> ❖ <i>Brassica</i> spp. (mustard) for the pathogens: <ul style="list-style-type: none"> —<i>Phoma lingam</i> —<i>Xanthomonas campestris pv. campestris</i> ❖ <i>Capsicum annuum</i> (pepper) for the pathogens: <ul style="list-style-type: none"> —Tobamoviruses —<i>Xanthomonas</i> spp. ❖ Cucurbitaceae for the pathogens: <ul style="list-style-type: none"> —<i>Acidovorax citrulli</i> (seedling grow-out, Seminis wash-PCR, Syngenta SYBR green PCR, Monsanto improved PCR) —Cucumber green mottle mosaic virus —Melon necrotic spot virus —Squash mosaic virus ❖ <i>Daucus carota</i> (carrot) for the pathogens: <ul style="list-style-type: none"> —<i>Alternaria dauci</i> —<i>Xanthomonas campestris pv. carotae</i> ❖ <i>Lactuca sativa</i> (lettuce) for the pathogen lettuce mosaic virus ❖ <i>Solanum lycopersicum</i> (tomato) for the pathogens: <ul style="list-style-type: none"> —<i>Clavibacter michiganensis ssp. michiganensis</i> —Pepino mosaic virus —<i>Pseudomonas syringae pv. tomato</i> —Tobamoviruses —<i>Xanthomonas</i> spp. ❖ <i>Spinacia oleracea</i> (spinach) for the pathogens: <ul style="list-style-type: none"> —<i>Peronospora farniosa f. sp. spinaciae</i> —<i>Verticillium dahliae</i> ◆ Official seed sampling for phytosanitary testing

Company and Accreditation Status:	Accredited for:
<p>Syngenta Seeds 6338 Highway 20-26 Nampa, ID 83687</p> <p>ACCREDITATION STATUS</p> <p>Began: 5/12/2016 Expires: 5/12/2019</p> <p>Approved for Nampa, ID location</p>	<ul style="list-style-type: none"> ◆ Seed health testing for the following crops: <ul style="list-style-type: none"> ❖ <i>Brassica</i> spp. (mustard) for the pathogen <i>Xanthomonas campestris</i> pv. <i>campestris</i> ❖ <i>Capsicum annuum</i> (pepper) for the pathogens: <ul style="list-style-type: none"> —Tobamoviruses —<i>Xanthomonas</i> spp. ❖ Cucurbitaceae for the pathogens: <ul style="list-style-type: none"> —<i>Acidovorax citrulli</i> (Syngenta SYBR Green PCR method) —Cucumber green mottle mosaic virus —<i>Didymella bryoniae</i> —<i>Fusarium oxysporum</i> f. sp. <i>niveum</i> on watermelon —Melon necrotic spot virus —Squash mosaic virus ❖ <i>Solanum lycopersicum</i> (tomato) for the pathogens: <ul style="list-style-type: none"> —<i>Clavibacter michiganensis</i> spp. <i>michiganensis</i> —Pepino mosaic virus —<i>Pseudomonas syringae</i> pv. <i>tomato</i> —Tobamoviruses —<i>Xanthomonas</i> spp.