



United States
Department of
Agriculture

Marketing and
Regulatory
Programs

Animal and Plant
Health Inspection
Service

Mexican Fruit Fly Cooperative Eradication Program

Hidalgo County, Texas

Environmental Assessment February 2014

Mexican Fruit Fly Cooperative Eradication Program

Hidalgo County, Texas

**Environmental Assessment,
February 2014**

Agency Contact:

John C. Stewart
National Fruit Fly Policy Manager
Center for Plant Health Science and Technology
Plant Protection and Quarantine
Animal and Plant Health Inspection Service
U.S. Department of Agriculture
1730 Varsity Drive, Suite 400
Raleigh, NC 27606

Non-Discrimination Policy

The U.S. Department of Agriculture (USDA) prohibits discrimination against its customers, employees, and applicants for employment on the bases of race, color, national origin, age, disability, sex, gender identity, religion, reprisal, and where applicable, political beliefs, marital status, familial or parental status, sexual orientation, or all or part of an individual's income is derived from any public assistance program, or protected genetic information in employment or in any program or activity conducted or funded by the Department. (Not all prohibited bases will apply to all programs and/or employment activities.)

To File an Employment Complaint

If you wish to file an employment complaint, you must contact your agency's EEO Counselor (PDF) within 45 days of the date of the alleged discriminatory act, event, or in the case of a personnel action. Additional information can be found online at http://www.ascr.usda.gov/complaint_filing_file.html.

To File a Program Complaint

If you wish to file a Civil Rights program complaint of discrimination, complete the USDA Program Discrimination Complaint Form (PDF), found online at http://www.ascr.usda.gov/complaint_filing_cust.html, or at any USDA office, or call (866) 632-9992 to request the form. You may also write a letter containing all of the information requested in the form. Send your completed complaint form or letter to us by mail at U.S. Department of Agriculture, Director, Office of Adjudication, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, by fax (202) 690-7442 or email at program.intake@usda.gov.

Persons With Disabilities

Individuals who are deaf, hard of hearing, or have speech disabilities and you wish to file either an EEO or program complaint please contact USDA through the Federal Relay Service at (800) 877-8339 or (800) 845-6136 (in Spanish).

Persons with disabilities who wish to file a program complaint, please see information above on how to contact us by mail directly or by email. If you require alternative means of communication for program information (e.g., Braille, large print, audiotape, etc.) please contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

Mention of companies or commercial products in this report does not imply recommendation or endorsement by USDA over others not mentioned. USDA neither guarantees nor warrants the standard of any product mentioned. Product names are mentioned to report factually on available data and to provide specific information.

This publication reports research involving pesticides. All uses of pesticides must be registered by appropriate State and/or Federal agencies before they can be recommended.

CAUTION: Pesticides can be injurious to humans, domestic animals, desirable plants, and fish and other wildlife—if they are not handled or applied properly. Use all pesticides selectively and carefully. Follow recommended label practices for the use and disposal of pesticides and pesticide containers.

Table of Contents

| | |
|---|----|
| I. Need for the Proposal | 1 |
| II. Alternatives | 3 |
| A. No Action | 3 |
| B. Quarantine and Commodity Certification..... | 4 |
| C. Eradication Using an Integrated Pest Management Approach (Preferred Alternative) | 4 |
| III. Potential Environmental Consequences | 6 |
| A. No Action | 6 |
| B. Quarantine and Commodity Certification..... | 6 |
| C. Eradication Using an Integrated Pest Management Approach (Preferred Alternative)..... | 6 |
| 1. Affected Environment and Demographics | 7 |
| 2. Human Health | 11 |
| 3. Other Aspects of the Human Environment..... | 13 |
| 4. Nontarget Species..... | 15 |
| 5. Environmental Quality | 17 |
| 6. Cumulative Impacts | 19 |
| IV. Agencies Consulted..... | 21 |
| V. References Cited..... | 22 |
| Appendix A. Weslaco Quarantined Area, Hidalgo County, Texas—January 2014 | |
| Appendix B. National Wildlife Refuge within Weslaco Quarantined Area, Hidalgo County, Texas— January 2014 | |
| Appendix C. Request for Consultation with Texas State Historic Preservation Officer | |

I. Need for the Proposal

The Mexican fruit fly (Mexfly), *Anastrepha ludens* (Loew), is native to Central Mexico and is a major pest of agriculture throughout many parts of the Western Hemisphere. Commercial and homegrown produce attacked by the pest is unfit to eat because the larvae tunnel through the fleshy part of the fruit, damaging it and subjecting it to decay from bacteria and fungi. Adult Mexflies are long lived (up to 11 months), highly fertile, strong fliers, and highly mobile (UFL, 2012). Because of its wide host range (over 40 species of fruits) and its potential for damage, a permanent infestation of Mexfly would be disastrous to agricultural production in the United States. In the past, eradication programs have been implemented successfully to prevent the pest from becoming permanently established on the U.S. mainland.

In January 2014, a new Mexfly outbreak was confirmed in southeastern Hidalgo County, Texas (APHIS, 2014a). Between January 6 and January 16, a total of five Mexflies (three adult male, one immature male, and one immature female) were detected on citrus hosts in a residential area of the county in the vicinity of Weslaco, Texas. Another immature female was found in the same area on January 18, 2014 (APHIS, 2014b).

As a result of these finds, the Weslaco Quarantined Area¹ has been established—107.3 square miles that contain commercial agriculture, undeveloped land, and properties in a mixed residential/urban area of Hidalgo County, extending westward toward the city of Alamo and eastward to within 2½ miles of the border shared with Cameron County, Texas (see appendix A). There are approximately 1,729 acres of commercial citrus groves inside the program area; 109 of these acres lie within the 3 core areas of the quarantine (APHIS, 2014a).

The Mexfly detections have triggered the involvement of the U.S. Department of Agriculture (USDA)—Animal and Plant Health Inspection Service (APHIS) in the quarantine and control program for this outbreak. Because of the evidence of expanding infestation, the potential environmental impacts of a Mexfly program encompassing all of Hidalgo County will be considered in this environmental assessment (EA).

Mexfly outbreaks have occurred repeatedly in the Lower Rio Grande Valley (LRGV). In 2013, an expanding Mexfly infestation in the LRGV resulted in a coordinated pest control response over Hidalgo, Cameron, and Willacy Counties. The tri-county program was successful and the Mexfly quarantine was lifted on September 16, 2013 (APHIS, 2013;

¹ For the purposes of this document, and unless specified otherwise in the text, the terms "Weslaco Quarantined Area" and "program area" signify the same place.

TDA, 2014a). The recent detections described above represent the first Mexfly infestation of 2014; at the time of preparation of this EA, there are no Mexfly quarantines elsewhere in the United States.

The State of Texas has posted Mexfly intrastate quarantine information at <https://www.texasagriculture.gov/RegulatoryPrograms/PlantQuality/PestandDiseaseAlerts/MexicanFruitFly.aspx>. APHIS is initiating a parallel interstate quarantine. Following Mexfly program protocols for eradication in Texas, releases of sterile Mexflies continue year-round at a rate of 400 flies per acre in designated at-risk counties. Program officials have approved the following emergency actions:

- Application of the organic insecticide, spinosad, in core areas as a ground-based treatment to Mexfly host plants in a 500-meter radius around the affected properties;
- Notification to impacted property owners and citrus industry of the quarantine boundaries and requirements;
- Juicing or fumigation of all commercial citrus inside each of the core areas;
- Delimitation trapping in host species located around Mexfly detection sites; and
- Surveys in order to detect larval infestations, and to plan chemical treatments.

Mexfly has been introduced into the United States repeatedly since its first detection in Texas in 1927 (NAPIS, n.d.). The current Mexfly infestation in the LRGV represents a major threat to the agriculture and environment of Texas and other U.S. mainland States. APHIS and the Texas Department of Agriculture (TDA) are proposing a cooperative program to eradicate the Mexfly infestation and to eliminate that threat. APHIS has cooperated with State departments of agriculture on a number of successful Mexfly programs in the past. Examples of such programs in Texas include the previously mentioned LRGV program (APHIS, 2013), as well as the “Mexican Fruit Fly Cooperative Eradication Program, Cameron, Hidalgo, and Willacy Counties, Texas” (APHIS, 2012), and the “Mexican Fruit Fly Cooperative Eradication Program, Brooks County, Texas” (APHIS, 2009).

APHIS’ authority for cooperation in the program is based upon the Plant Protection Act (Title 4 of the Agricultural Risk Protection Act of 2000). This Act authorizes the Secretary of Agriculture to carry out operations to eradicate insect pests, and to use emergency measures to prevent the

dissemination of plant pests new to, or not widely distributed throughout, the United States.

This EA analyzes the environmental consequences of alternatives which have been considered for Mexfly eradication, and considers, from a site-specific perspective, environmental issues relevant to this particular program. Alternatives for Mexfly eradication have been discussed and analyzed comprehensively by APHIS and its cooperating partners since 1984.

APHIS first evaluated the environmental impacts of fruit fly control technologies in the “Fruit Fly Cooperative Control Program, Final Environmental Impact Statement—2001” (EIS1) (APHIS, 2001). APHIS reexamined its findings and introduced an additional tool for eradication in the “Use of Genetically Engineered Fruit Fly and Pink Bollworm in APHIS Plant Pest Control Programs, Final Environmental Impact Statement—2008” (EIS2) (APHIS, 2008). Both EIS1 and EIS2 consider fruit fly control and impact mitigation at the programmatic level. This case-specific EA incorporates the findings of EIS1 and EIS2 by reference. The eradication measures being considered for this program have been discussed and analyzed comprehensively within the fruit fly chemical risk assessments (APHIS, 1998a, 1998b) and risk assessments for spinosad (APHIS, 2003, 1999). These documents are also incorporated by reference and summarized within this EA.

II. Alternatives

Alternatives considered for this proposed program include (A) no Federal action, (B) quarantine and commodity certification, and (C) the preferred alternative, eradication using an integrated pest management (IPM) approach. Component techniques of alternative C include the use of chemical pesticides to facilitate the timely elimination of the current Mexfly infestation.

A. No Action

The no action alternative would involve no Federal effort to eradicate Mexfly or restrict its expansion from the infested area. In the absence of a Federal effort, quarantine and control would be left to State government, grower groups, and individuals. Expansion of the infestation would be influenced by any controls exerted over it, by the proximity of host plants, and by climatic conditions. “No action” might be the only reasonable alternative for some sensitive sites; in such cases, lack of action could lead to a continuing and expanding infestation. An expansion of the infestation would likely result in

substantial economic losses to growers in the United States, as well as the loss of U.S. export markets.

B. Quarantine and Commodity Certification

This alternative combines a Federal quarantine with commodity treatment and certification. Regulated commodities harvested within the quarantine area would be restricted to movement within that area unless treated with prescribed treatments and certified for movement to outside the area. For a large infestation, intensive quarantine enforcement activities could be necessary, including the safeguarding of local fruit stands, mandatory baggage inspection at airports, and judicious use of road patrols and roadblocks. The quarantine actions of this alternative would result in a reduction of human-mediated movement of Mexfly in host plant materials outside the quarantined area; however, the infestation could remain established within the quarantine boundaries. Any Mexfly eradication efforts would be managed by, and wholly under the control of, TDA.

Interstate movement of regulated commodities would require the issuance of a certificate, or limited permit, contingent upon commodity treatment, or the grower or shipper complying with specific conditions designed to minimize pest risk and prevent the spread of Mexfly. Control methods that may be used in this alternative include regulatory chemicals, cold treatment, vapor heat treatment, and irradiation treatment. Regulatory chemical treatments include fumigation with methyl bromide, and topical bait spray made of a mixture of spinosad or malathion with a protein hydrolysate bait. (Refer to EIS1 (APHIS, 2001) for more detailed information about the chemicals and their uses.) Cold treatment, vapor heat treatment, or irradiation treatment of certain produce (as a requirement for certification and shipping) must be done in facilities that are inspected and approved by APHIS.

C. Eradication Using an Integrated Pest Management Approach (Preferred Alternative)

APHIS' preferred alternative for the Hidalgo County Mexfly program is eradication using an integrated pest management (IPM) approach. This alternative combines quarantine and commodity certification with eradication treatments. Eradication efforts may include any or all of the following:

- chemical control,
- sterile insect release technique (SIT),
- physical control,
- cultural control, and
- regulatory control.

APHIS' cooperative Mexfly programs in Texas have well-established procedures and treatments. The proposed program for Mexfly host plants will be conducted by APHIS-approved personnel on quarantined property using chemical formulations and ground-based treatment protocols approved by APHIS.

Program officials are delineating quarantine areas and are identifying regulated entities that may be affected by the program. Mexfly surveillance and trapping will be carried out in the areas surrounding a detection site. Quarantine boundary lines may be expanded should a new Mexfly detection occur outside the core areas or the established quarantine zone. Growers will be able to move their harvested fruit out of the quarantined area, under a limited permit, to enclosed facilities for packing or processing into juice, or after methyl bromide treatment at a packing shed. (Incidentally, one commercial citrus packing shed is located inside the current regulated area (APHIS, 2014a).) Should the Mexfly quarantine spread to federally protected historical sites, wilderness, or tribal lands, program treatments will be restricted to those approved for the type of site in question.

An APHIS Mexfly eradication program can include ground applications of either malathion or spinosad bait, targeted around each fly detection site. Where Mexfly larvae are found, malathion or spinosad bait treatments may take the form of foliar sprays to host plants around an infested property; eradication formulations are applied with hydraulic spray or hand-spray equipment. For the Weslaco Quarantined Area, a spinosad ground-based treatment will be applied to Mexfly-host plants in a 500-meter radius around each fly find, and will be repeated every 7 to 10 days (APHIS, 2014a).

Sterile fly release across south Texas counties, in conjunction with targeted bait treatments, has been successful in controlling Mexfly outbreaks (APHIS, 2010). SIT will be conducted at the rate of 900 flies per acre to achieve quarantine-protocol density over the regulated area (APHIS, 2014a). For more detailed information on the alternatives for Mexfly control and their component methods, refer to the previously mentioned fruit fly risk assessments (APHIS, 2003, 1999, 1998a, 1998b).

Before taking action, program officials are to inform the public and impacted industry via press releases, meetings, and other forms of communication appropriate for the recipients. Notification letters will be sent to trading partners as they are identified. Given the potential impacts to commercial production, grove owners, packing sheds, nurseries, vendors, and other citrus industry operations will be notified of the Mexfly quarantine location and treatment schedule.

III. Potential Environmental Consequences

This EA analyzes the potential environmental consequences of alternatives which have been considered for Mexfly control, and considers, from a site-specific perspective, environmental issues that are relevant to this particular program.

A. No Action

It is possible that Federal support of Mexfly research could result in the discovery of improved methods of Mexfly control. In certain situations, however, lack of Federal control action could lead to a continuing and expanding infestation. An expansion of the infestation would likely result in substantial economic losses to growers in the United States, commodity scarcity and higher costs for U.S. consumers, and the temporary or permanent loss of U.S. export markets.

B. Quarantine and Commodity Certification

The quarantine actions of this alternative would result in a reduction of the human-mediated movement of Mexfly in host plant materials outside the quarantined area; however, the infestation could remain established within the quarantine boundaries. A specific comparison of potential impacts from initiation of this alternative, relative to the preferred alternative, is provided within the environmental consequences section of the preferred alternative.

C. Eradication Using an Integrated Pest Management Approach (Preferred Alternative)

The preferred alternative, eradication, would involve an IPM approach which may employ any or a combination of the following:

- no action,
- quarantine,
- regulatory chemical application (fumigation and bait spray application),
- eradication chemical applications (protein bait spray),
- cold treatment,
- vapor heat treatment, and
- irradiation treatment.

Alternatives for Mexfly control have been discussed and analyzed comprehensively within EIS1 and EIS2 (APHIS, 2001, 2008), incorporated by reference and summarized within this EA. The control measures being considered for this program have also been evaluated within the fruit fly chemical risk assessments (APHIS, 1998a, 1998b) and risk assessments for spinosad (APHIS, 2003, 1999). These documents are incorporated by reference and summarized within this EA, as well. Environmental documentation for APHIS fruit fly control programs may be viewed online via the following links: [APHIS fruit fly control program environmental documentation](#) and [APHIS GE control applications for plant health](#).

This area's site-specific characteristics were considered with respect to the program's potential to affect human health, nontarget species (including threatened and endangered species), and environmental quality. In addition, potentially sensitive areas have been identified, considered, and accommodated through special selection of control methods and use of specific mitigation measures.

1. Affected Environment and Demographics

a. Land Characteristics and Demographics

This first Mexfly outbreak in Texas of 2014 extends over a portion of Hidalgo County. The infestations confirmed as of January 17, 2014, center on private property in dooryard trees and commercial citrus groves. Additional Mexfly infestations have been detected on parkland and inside wildlife refuges. Local land use in the Mexfly-affected region of the LRGV is primarily agricultural or undeveloped, with rural residential neighborhoods, and scattered urban and light industrial districts. Much of the undeveloped land within the program area is covered with a mixture of native grasses and scrub vegetation.

The local climate ranges from subtropical to semi-arid, tending to hot summers and mild winters. The LRGV region was experiencing surface water losses from severe drought at the time of the previous Mexfly program in 2013; Hidalgo County has largely recovered and, at this time, reports no drought in the Weslaco area (see figure 1). Precipitation in the county can average almost 23 inches per year; the growing season lasts 320 days, from late January until mid-December (Garza, n.d.; TSHA, n.d.).




Figure 1. Surface water conditions in Texas as of January 14, 2014. Hidalgo County is located inside the blue circle. (TCEQ, 2014)

This first APHIS Mexfly program of 2014 has been triggered by fly detections in Hidalgo County, Texas. Hidalgo County has a land area of over 1,570 square miles. It is located in the Rio Grande Delta in southern Texas, with a reported year-round population of 806,552 in the 2010 U.S. Census (USCB, 2014a). It is bordered on the north by Brooks County, the west by Starr County, the east by Cameron County, and on the south by the Rio Grande and Mexico. The county seat, Edinburg, is located about 10 miles from the city of McAllen, which has the highest recorded population in the county—an estimated 134,719 in 2012 (USCB, 2014b). The city of Weslaco is about 15 miles east of McAllen, off U.S. Highway 83. In 2012, it had an estimated population of almost 36,850 (USCB, 2014c). As of January 17, 2014, the program area covered over 107 square miles (APHIS, 2014a), and encompasses the cities of Weslaco, Donna, and Mercedes. The southernmost portion of the current quarantine boundary ends a little more than half a mile from the Mexican border.

Weslaco lies along U.S. Highway 83, about equidistant between the cities of Mercedes and Donna. The city of Mercedes is located 5 miles east of Weslaco, also off U.S. Highway 83; the city of Donna is 4 miles to the west. Mercedes occupies over 11 square miles, and Donna over 8 square miles (USCB, 2014d, 2014e). These two cities are smaller than Weslaco, each with populations estimated at a little more than 16,200 in 2012 (USCB, 2014d and 2014e). Land use in the region beyond municipal

limits is primarily agricultural and rural residential, with light industry and commercial enterprises to support large numbers of visitors and residents. Major economic drivers in this Rio Grande region include agriculture, trade, services, manufacturing, and hydrocarbon production (Combs, n.d.). Local recreation facilities include the Hidalgo County Historical Corridor which spans the southern portion of the county, and various parks and wildlife refuges such as Estero Llano Grande State Park, the Santa Ana National Wildlife Refuge, and the Las Palomas Wildlife Management Area (Garza, n.d.; TSHA, n.d.).

The Weslaco Quarantined Area is inside a district managed by the LRGV Development Council, a State-authorized commission to improve the region's health, safety, and general welfare, and to plan for future development (LRGVDC, 2009). Some residential areas in the program area are below poverty level; a substantial number of inhabitants are less than fluent in English (USCB, 2014a). There are at least 943 recorded colonias² in Hidalgo County, of the more than 2,294 colonias in Texas (TX Secretary of State, n.d.).

Southern Hidalgo County has moderately deep to deep loamy surfaces, over clayey subsoils. Brown to red clays occur along the Rio Grande. Hidalgo County is in the South Texas Plains vegetation area, which features grasses, mesquite, live oaks, and chaparral. Irrigated agriculture, ranching, milk cows, and hogs are raised in the county. Citrus and vegetable crops predominate in the program area. Primary sources of income for LRGV are farming, ranching, and tourism, including nature tourism, recreational hunting, and freshwater and marine fishing. The area's mineral and oil deposits have led to the development of related commercial enterprises. Coastal and inland aquaculture of shellfish and finfish are also important industries (Garza, n.d.; TSHA, n.d.).

The program area, like the remainder of the LRGV, has a fluctuating population due to the coming and going of migrant workers, tourists, sports enthusiasts, and seasonal visitors. There are also numerous undocumented residents in the region. Texas State highways and local farm-to-market roads cross the program area and connect to the remainder of the United States, as well as nine international bridges to Mexico. Brownsville, Texas is the seaport nearest to Weslaco, about 45 miles to the south; the next-closest seaports of Corpus Christi and Laredo are about 150 and 175 miles away, respectively. Multiple domestic and international airports are within 200 miles of the current program area. Weslaco's Mid Valley Airport recently received permission to land small

² Colonias are communities the Texas government defines as residential areas along the Texas-Mexico border that may lack some of the most basic living necessities, such as potable water and sewer systems, electricity, paved roads, and safe and sanitary housing (TX Secretary of State, n.d.).

aircraft from a foreign area (CBP, 2011); the closest major airport is McAllen-Miller International, located 18 miles from Weslaco.

b. Water Resources

There are two major natural waterways in the region—the Rio Grande, which defines much of the international border between the United States and Mexico, and the Arroyo Colorado. Both river systems approach within a few miles of the program area. The Arroyo Colorado is an ancient channel of the Rio Grande River, extending from southern Hidalgo County, across Cameron County, and into Willacy County, Texas. The tidal segment of the Arroyo Colorado that connects to the Gulf of Mexico is defined as a coastal natural resource area and a coastal wetland under the Coastal Coordination Act (TAMU, 2011). Canals and ditches inside the program area flow into the Arroyo Colorado, whose waters have been impaired in part by pesticide runoff (see figure 2).



Figure 2. Arroyo Colorado above tidal: impaired waters near program area are highlighted. (EPA, 2010)

The Gulf Coast Aquifer and several reservoirs serve Hidalgo County; both ground water and surface water resources in the region continue to be adversely affected by drought conditions, water impairment, and ongoing residential population expansion (Combs, 2014).

Delta Lake is the largest freshwater reservoir in the vicinity, located about 19 miles north of the Weslaco Quarantined Area. Valley Acres Reservoir is about 8 miles north of Mercedes. Inland saline water bodies, known as La Sal del Rey (Hidalgo County) and La Sal Vieja (Willacy County), are about 10 miles from Delta Lake and 30 miles north of the program. La Sal del Rey and La Sal Vieja are home to a wide diversity of native plants and wildlife, and both lie within the LRGV National Wildlife Refuge. At present, only La Sal del Rey is accessible to the public. Both saline water bodies provide habitat for endangered and protected species, and are also sites of archeological interest (Fort, 2012; Coole, 2012).

Hidalgo County is located within four Texas watersheds, including Central Laguna Madre, South Laguna Madre, Los Olmos, and the Lower

Rio Grande (EPA, 2012). The Rio Grande forms the county's southern border, and is the county's main source of potable and irrigation water. Water is stored in regional reservoirs, and then sent to local water treatment plants for disinfection and purification.

Hidalgo County is part of the Nueces-Rio Grande Basin, one of eight designated coastal basins in Texas (see figure 2 for a map showing the counties in the Nueces-Rio Grande Basin). The Nueces-Rio Grande Basin is bounded on the north by the Nueces River Basin, on the south by the Rio Grande Basin, and by bays or other outlets to the Gulf of Mexico (TWDB, n.d.).

Abnormally dry conditions continue to result in mandatory water conservation, recycling, and restricted use throughout much of Texas. In southern Texas, the spread of invasive aquatic weeds, international treaty issues, and increased demand are also threatening long-term water availability (LRGVDC, 2009). The vast majority of the Rio Grande water available to the region—more than 94 percent—comes from supplies stored in the international Amistad and Falcon Reservoir System, owned by the United States and Mexico, and administered by the International Water and Boundary Commission (State of Texas, 2010).

The Rio Grande Regional Water Planning Group (RGRWPG) is one of 16 regional groups set up under Texas State law to conduct long-range analysis of water needs, and to develop water management strategies to meet those needs. RGRWPG covers eight counties along the mid and lower Rio Grande, including Maverick, Webb, Zapata, Jim Hogg, Starr, Hidalgo, Willacy, and Cameron. (See figure 3 for a map of the eight counties in the group.) Maintaining water quality standards is crucial for local communities dependent upon surface water (LRGVDC, 2009).

2. Human Health

The principal concerns for human health are related to the program use of three chemical pesticides including malathion bait, spinosad bait, and methyl bromide (a fumigant). Three major factors influence the human health risk associated with pesticide use including fate of the pesticides in the environment, their toxicity to humans, and their exposure to humans. Taking no Federal action would not expose the public to program pesticides, however, could affect human health and safety indirectly due to unregulated eradication activities, such as unrestrained application of pesticides by the public near nontarget habitat or water resources, or improper protective procedures for agricultural workers exposed to pesticides. These indirect impacts are also expected to occur under the quarantine and commodity certification alternative. Each of the program pesticides of the preferred alternative is known to be toxic to humans, and requires mitigation to limit exposure.




Figure 3. Rio Grande Region water planning area (Region M). (State of Texas, 2010)

Exposure to program pesticides can vary, depending upon the pesticide and the use pattern. Potential exposure hazard is low for methyl bromide, but not for malathion or spinosad bait. Program use of malathion and spinosad bait is therefore limited to regulatory treatments only, and applied primarily to commercial groves where exposure to the general public is unlikely. The analyses and data of EIS1 and EIS2, and the associated human health risk assessments, indicate that exposures to pesticides from normal program operations are not likely to result in substantial adverse human health effects. (Refer to EIS1 and EIS2 (APHIS, 2001, 2008) and the supporting human health risk assessments (APHIS, 1999, 1998a) for more detailed information relative to human health risk.)

Another mitigation measure that will further minimize exposure of humans to program pesticides is the requirement for public notification. The public will be kept informed of the Mexfly eradication program via written notices and news releases to the media. Residents and property owners will be notified prior to treatment or fruit removal and will be provided access to information regarding Mexfly program locations, activities, and treatments. The information will include a schedule to show the timing of program activities and treatments; harvest protocols for the public to follow before implementation of the program and guidelines for post-treatment will also be provided.

In general, a well-coordinated eradication program using IPM technologies is expected to result in the least usage of chemical pesticides

overall, and to have the least potential to adversely affect human health. The no action alternative or quarantine and commodity certification alternative would not eliminate Mexfly as readily or as effectively as the eradication alternative. Over a protracted time period, there would likely be broader and more widespread use of pesticides by homeowners and commercial growers, with correspondingly greater potential for adverse impacts to human health.

3. Other Aspects of the Human Environment

Potential environmental impacts of implementing the action alternatives have been considered regarding minority and/or low-income communities, tribal interactions, and historical and culturally sensitive sites in the program area. Taking no Federal action could result in adverse economic and health impacts on affected producers and consumers, such as decreased harvests, higher consumer prices, loss of employment, reduced nutritional options, loss of market share, compromised mental and physical health, loss of property, and the like. These indirect impacts are expected to occur to a lesser extent under the quarantine and commodity certification alternative. No adverse effects are anticipated as a result of carrying out the preferred alternative's surveillance activities, trapping, SIT, or program chemical applications. Considerations leading to this finding are discussed below.

The National Historic Preservation Act of 1966, as amended (NHPA; 16 U.S. Code 470 et seq.) requires Federal agencies to consider the impact on properties included in, or eligible for inclusion in, the National Register of Historic Places (36 Code of Federal Regulations §§ 63 and 800). The Archaeological Resources Protection Act of 1979 (16 U.S. Code §§ 470aa-mm), secures the protection of archaeological resources and sites on public and Indian lands. Federal agencies identify and address disproportionately high and adverse human health or environmental effects of its proposed activities as described in Executive Order 12898, "Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations" and Executive Order 13045, "Protection of Children from Environmental Health Risks and Safety Risks." According to the Texas Historical Commission, a project may be subject to the jurisdiction of the Antiquities Code of Texas if it will have an effect on a State Archeological Landmark (THC, 2014).

At this time, implementation of the preferred alternative is not expected to have adverse impacts on historic or culturally sensitive sites that APHIS identified within Hidalgo County. APHIS intends to restrict program treatments and activities to protect these sites on an as-needed basis. The proposed action will not cause ground disturbance; however, if APHIS discovers any archaeological resources, the appropriate individuals will be notified.

a. Native American Considerations

Using the Native American Graves Protection and Repatriation Act Online Databases (NPS, 2013; 25 U.S. Code §§ 3001 et. seq.), APHIS determined that there is only one registered Native American Tribe in the region. The Kickapoo Reservation is located approximately 250 miles from the quarantine area in Hidalgo County. APHIS met with the Kickapoo Tribe Administrator on February 4, 2013 to review the Tribe's needs, interests, and concerns. During this discussion, the Tribal Administrator reiterated that the Kickapoo Tribe does not have any land holdings within the Lower Rio Grande Valley area (Roberta Duhaime, personal communication, 30-January-2014).

b. Other Considerations within the Human Environment

APHIS initiated consultation with the State Historic Preservation Officer (SHPO) for Texas on January 29, 2014. APHIS considered the potential for expansion of the Mexfly infestation and submitted a SHPO consultation request package for the Lower Rio Grande Valley (see request form in appendix C). There are 20 in-use registered historic sites in Hidalgo County (Anon., 2013a). All appear to be buildings except for the Louisiana--Rio Grande Canal Company Irrigation System, McAllen Ranch, Oblate Park Historic District, and Rancho Toluca in Hidalgo County. Additionally, the Weslaco Cemetery is a non-registered historic property in Hidalgo County that opened in 1921 (Anon., 2013b).

APHIS will not permit aerial chemical applications at locations identified as having historical or archeological importance. Hand spraying with a backpack sprayer may be permitted after consultation with the SHPO. Aerial SIT, surveillance trapping, and fruit stripping by hand will be permitted. Therefore, historic properties will not be adversely affected by the proposed action.

Colonia is a term used in the southwestern States to describe a subdivision where developers divide the land into small lots and offer affordable housing to low-income families. These lots are often purchased through a contract for a deed with a low down payment and low monthly payments. The title for the house is not issued until the final payment is made by the homeowner (Anon., 2013c). Housing in these locations is built by residents over time as they can afford materials. Consequently, many residences lack connections to sewers or running water, and residents may not be able to access water lines because their homes do not meet county building codes (Anon., 2013c).

In Hidalgo County, 90.9 percent of the population in 2012 identified itself

as Hispanic or Latino (USCB, 2014a). Therefore, advance notice of program activities and potential exposure hazards will be provided to members of colonias and other non-English-speaking populations or areas that do not have universal access to news media.

Two colleges, seven high schools, seven middle schools, 14 elementary schools, one early childhood facility, and 12 age range-unidentified schools are located within the quarantine area.

The preferred alternative does not pose any disproportionate adverse effects to children, minority, or low-income populations because these individuals are unlikely to be exposed to the applied products or be present when APHIS applies treatments.

4. Nontarget Species

Potential environmental impacts of alternative A (the no action alternative) or alternative B (quarantine and commodity certification) on nontarget species could include loss of animal and plant life and habitat from unregulated pesticide use by the public, or from Mexfly host damage. Under the preferred alternative, the principal concerns for nontarget species, including threatened and endangered species, relate to potential harm from the use of program pesticides. Paralleling human health risk, the risk to nontarget species is related to the pesticides' fate in the environment, their toxicity to the nontarget species, and their exposure to nontarget species.

All of the pesticides considered in this EA are highly toxic to invertebrates, although the likelihood of exposure (and thus, impacts) varies a great deal from pesticide to pesticide and with the use pattern. In general, a well-coordinated eradication program using IPM technologies would result in the least use of chemical pesticides, overall, with minimal adverse impacts to nontarget species. The no action alternative and the quarantine and commodity certification alternative would be expected to result in broader and more widespread use of pesticides by homeowners and commercial growers, with correspondingly greater potential for adverse impacts. (Refer to EIS1 and EIS2 (APHIS, 2001, 2008) and the supporting nontarget risk assessments (APHIS, 2003, 1998b) for more information on risks to all classes of nontarget species.)

Conservation areas in the LRGV provide important habitat for a wide variety of wildlife that cannot be seen anywhere else in the United States. Numerous wetlands and a portion of the LRGV National Wildlife Refuge lie within the current Mexfly program area (see appendix B). APHIS' Mexfly programs are designed to prevent the introduction of program chemicals into nontargeted areas. Sites near the program area that might require special consideration, should the program area expand, include irrigation canals, coastal wetlands, and salt lakes of potential ecological importance. No program chemical applications will be permitted at these

sites, or within refuges or other protected areas. Aerial SIT and surveillance trapping will continue, and fruit stripping by hand will be undertaken if Mexfly detections occur at such locations.

a. Migratory Birds

Unless permitted by regulation, the Migratory Bird Treaty Act of 1918 (16 U.S.C. 703–712) provides that it is unlawful to pursue, hunt, take, capture, kill, attempt to take, capture or kill, possess, offer for sale, sell, offer to purchase, purchase, deliver for shipment, ship, cause to be shipped, deliver for transportation, transport, cause to be transported, carry, or cause to be carried by any means whatsoever, receive for shipment, transportation or carriage, or export, at any time, or in any manner, any migratory bird or any part, nest, or egg of any such bird.

Executive Order 13186, “Responsibilities of Federal Agencies to Protect Migratory Birds,” directs Federal agencies taking actions with a measurable negative effect on migratory bird populations to develop and implement a Memorandum of Understanding (MOU) with the U.S. Fish and Wildlife Service (FWS) that promotes the conservation of migratory bird populations. On August 2, 2012, an MOU between APHIS and FWS was signed to facilitate the implementation of this Executive order.

More than 500 species of birds have been documented in the Rio Grande Valley. The LRGV is an important migration corridor that provides suitable habitat for many bird species. APHIS evaluated the proposed Mexfly program in terms of potential impact on migratory avian species. Implementation of the preferred alternative is not expected to have any adverse effect on migratory birds or their flight corridors.

b. Endangered Species Act

Section 7 of the Endangered Species Act (ESA) and ESA’s implementing regulations require Federal agencies to consult with FWS and/or the National Marine Fisheries Service to ensure that their actions are not likely to jeopardize the continued existence of threatened or endangered species or result in the destruction or adverse modification of critical habitat.

There are 6 federally listed species in Hidalgo County: ocelot (*Leopardus pardalis*), Gulf Coast jaguarundi (*Felis yagouaroundi*), northern aplomado falcon (*Falco femoralis septentrionalis*), Texas ayenia (*Ayenia limitaris*), Walker’s manioc (*Manihot walkerae*), and star cactus (*Astrophytum asterias*). In addition, the yellow-billed cuckoo (*Coccyzus americanus*) is one species proposed for listing as threatened. APHIS prepared a programmatic biological assessment (BA) for program activities in

Cameron, Hidalgo, and Willacy Counties that was submitted to FWS in 2008 and received a concurrence letter dated July 31, 2008. This programmatic consultation is updated yearly to include any newly listed species in the three counties.

APHIS coordinates with FWS' Ecological Services Field Office in Corpus Christi, Texas, before implementing Mexfly program activities. FWS reviews maps of the quarantined area, and notifies APHIS if listed species are present in the program area. If listed species are present, APHIS implements protection measures for those species, as described in the programmatic BA.

APHIS contacted FWS on January 17, 2014 regarding the current quarantine. APHIS is aware that Texas ayenia occurs in the Estero Llano Grande State Park, a World Birding Center within the quarantine zone; however, no Mexflies have been captured in the park. In addition, APHIS will not conduct any insecticide treatments on park property. Only release of sterile Mexflies will occur there. FWS reviewed the map and Texas ayenia assessment submitted by APHIS and indicated in an email, dated January 17, 2014, that they had no concerns regarding the quarantine.

5. Environmental Quality

The principal environmental quality concerns are for the protection of air quality, water quality, and the minimization of the potential for environmental contamination. In relation to preserving environmental quality, program pesticides remain the major concern for the public and the program. Under the no action alternative, or the quarantine and commodity certification alternative, pesticides could potentially be employed in more formulations, at higher frequency, and in broader areas than allowed under the preferred alternative. Although program pesticide use is limited, especially in comparison to other agricultural pesticide use, implementing the preferred alternative would result in a controlled release of chemicals into the environment. The fate of those chemicals varies with respect to an environmental component (e.g., air, water, or other substrate) and its characteristics (temperature, pH, dilution, etc.). The environmental fates of spinosad, malathion, and methyl bromide are outlined below. (Refer to EIS1 and EIS2 (APHIS, 2001, 2008) for more detailed consideration of program pesticides' environmental fates.)

- Spinosad adsorbs strongly to soil particles, and is unlikely to leach to great depths. Dissipation half-lives for spinosad in the field may last 0.3 to 0.5 day. It is photodegraded quickly on soil exposed to sunlight, but the degradation rate is decreased at longer exposure times. Spinosad is quickly metabolized by soil micro-organisms under aerobic conditions, and has a half-life of 9.4 to 17.3 days. Because natural water bodies and rain are generally not of basic pH, spinosad will not hydrolyze in them or on moist plant surfaces. Aqueous photolysis is rapid in natural sunlight (half-life of less than 1.0 to

1.6 days), and is the primary route of degradation in aquatic systems exposed to sunlight. Under anaerobic conditions, the degradation rate is slower, between 161 and 250 days. Spinosad has a half-life of 2.0 to 5.3 days on foliar surfaces. After initial photodegradation, residues are available for metabolism by plant biochemical processes. Effects from residues of individual treatments are no longer detectable in environmental substrates within a few weeks of application (Kollman, 2003).

- Malathion is toxic to many nontarget species; it is used less widely than spinosad, and primarily by commercial growers on private property. Malathion is considered lower in toxicity and less persistent (1 to 25 days in soil) than other organophosphorus pesticides. In water, malathion has a half-life of approximately 1 week, and is more stable in acidic aquatic conditions. Malathion is soluble in water, and can be highly mobile in soil. Generally, degradation occurs rapidly; application to foliage allows for exposure of residues to degradation from processes (e.g., photolysis), resulting in a reduced potential for significant movement to ground water.
- Malaoxon is an oxygen analogue of malathion, and can be found either as an impurity in malathion products, or it can be generated during the oxidation of malathion in air or soil. Malathion and malaoxon can be transported in air over large distances and elevations (Newhart, 2006).
- Methyl bromide (MBr) will not be used as an eradication treatment, but may be employed as a regulatory treatment. MBr volatilizes into air from soil and water, and is known to contribute to stratospheric ozone depletion. The volatilization half-life for MBr from surface water ranges from 3.1 hours to 5 days. The degradation half-life of MBr in water ranges from 20 to 38 days, depending on temperature and pH. Volatilization of MBr from surface soil is rapid, with a half-life ranging from 0.2 to 0.5 days. The degradation half-life of MBr in soil ranges from 31 to 55 days. MBr has a low affinity to bind to soils, but is not considered a major contaminant of ground water (NPIC, 2000). The small quantities used to treat for Mexfly disperse when fumigation chambers are vented.

Urban and agricultural runoff may flow directly into local waters, picking up trash, dirt, chemicals, and other contaminants along the way. The Mexfly eradication plan calls for ground-based spray applications to host plants inside core-area boundaries, and no-spray buffers around all sensitive sites, including all water bodies. (See appendices A and B for further information about the current core areas.) This method of application is designed to minimize the potential for the harmful introduction of program chemicals to local marine and freshwater

resources.

The alternatives were compared with respect to their potential to affect environmental quality. Risk to environmental quality is considered minimal for the preferred alternative. Again, a well-coordinated eradication program using IPM technologies would result in the least use of chemical pesticides overall, with minimal adverse impacts on environmental quality. The no action alternative and the quarantine and commodity certification alternative would likely result in broader and more widespread use of pesticides by homeowners and commercial growers, with correspondingly greater potential for adverse impacts. The proposed program area was examined to identify characteristics that would tend to influence the effects of program operations. Potentially sensitive areas were identified, considered, and accommodated, as necessary, through special selection of control methods and the use of specific mitigation measures. Allowances were made for the special site-specific characteristics that would require a departure from the standard operating procedures. The approaches used to mitigate for adverse impacts to bodies of water are described in EIS1 (APHIS, 2001).

6. Cumulative Impacts

The alternatives have been considered with respect to their potential to cause cumulative impacts on the human environment. Taking no Federal action is expected to result in no cumulative impacts. The quarantine and commodity certification alternative may add slightly to the effort and expense of producers already engaged in complying with other quarantine and commodity certification requirements. Also, this alternative may increase the time it takes for commodities to reach their intended markets, or may prevent them from reaching consumers at all, which may contribute to negative public perception of the affected industry. APHIS has considered implementation of the preferred alternative in the context of other pest insect eradication and quarantine projects in the program area. APHIS has also considered implementation of the preferred alternative in conjunction with other pest insect eradication and quarantine projects in Texas.

Texas conducts continual SIT and monitoring in designated counties at risk of Mexfly infestation. Aerial sterile release at a rate of 900 flies per acre is ongoing in the Weslaco area (APHIS, 2014a). No significant environmental impacts are expected to result from proper implementation of the Mexfly eradication and control program in the Weslaco Quarantined Area. There are no other regulated areas for Mexfly in the mainland United States.

The Mexfly program for the Weslaco Quarantined Area was examined for potential synergistic and cumulative environmental impacts. Malathion is

one pesticide approved for use against Mexfly; it is also a prescribed treatment for the Texas cotton boll weevil eradication program. The use of malathion in a Mexfly program within the Texas boll weevil quarantine (currently active in the counties of Maverick, Webb, Zapata, Jim Hogg, Brooks, Kenedy, Starr, Hidalgo, Willacy, and Cameron) should therefore be monitored and adjusted, where necessary, to minimize environmental impacts (TBWEF, 2014). Other treatments for potentially overlapping eradication programs in southern Texas target different insect species, and do not affect the same nontarget organisms (TDA, 2014b). Additional eradication and quarantine programs affecting Hidalgo County at the time of preparation of this EA (TDA, 2014b) have been designed to target plant pests including, but not limited to, Asian citrus psyllid and citrus greening.

No significant cumulative impacts are anticipated as a consequence of the program or its use of component treatment measures. No residual impacts have been reported from previous Federal and non-Federal actions targeting fruit fly infestations in the proposed program area, and no reasonably foreseeable future actions that could result in incremental increases in environmental effects are anticipated.

Based on APHIS' review of the context and intensity of the existing ongoing and potential future treatments, there will be no cumulative impacts to the human environment resulting from implementation of the preferred alternative.

As discussed previously, additional actions may be implemented in this program, including additional quarantines and regulatory treatments. The anticipated use of these treatments is considered to pose a minimal risk to the human environment, as determined in EIS1 and EIS2 (APHIS, 2001, 2008) and the nontarget species and human health risk assessments (APHIS, 2003, 1999, 1998a, 1998b).

IV. Agencies Consulted

State Historic Preservation Officer
Texas Historical Commission
108 W. 16th Street
Austin, TX 78701

U.S. Department of Agriculture
Animal and Plant Health Inspection Service
Plant Protection and Quarantine
Center for Plant Health Science and Technology
1730 Varsity Drive, Suite 400
Raleigh, NC 27606

U.S. Department of Agriculture
Animal and Plant Health Inspection Service
Policy and Program Development
Environmental Risk and Analysis Services
4700 River Road, Unit 149
Riverdale, MD 20737-1238

U.S. Fish and Wildlife Service
Ecological Services
c/o TAMU-CC,
6300 Ocean Drive, Unit 5837
Corpus Christi, TX 78412

V. References Cited

Anon. 2013a. National Register of Historic Places. Texas: Hidalgo County. [Online]. Available: <http://www.nationalhistoricregister.com/tx/Hidalgo/state.htm> 1 [2014, Jan. 28].

Anon. 2013b. City of Weslaco. Weslaco Cemetery. [Online]. Available: <http://www.weslacotx.gov/Cemetery.html> [2014, Jan. 28].

Anon. 2013c. Office of the Texas Secretary of State. Colonias FAQs. [Online]. Available: <http://www.sos.state.tx.us/border/colonias/faqs.shtml> [2014, Jan. 28].

APHIS—See U.S. Department of Agriculture, Animal and Plant Health Inspection Service

CBP—See U.S. Customs and Border Protection

City of Weslaco, 2013. Weslaco cemetery. [Online]. Available: <http://www.weslacotx.gov/Cemetery.html> [2014, Jan. 28].

Combs, S., 2014. Texas water report: Going deeper for the solution. [Online]. Available: <http://www.window.state.tx.us/specialrpt/water//96-1746.pdf> [2014, Jan.22].

Combs, S., n.d. Liquid assets: the state of Texas' water resources. Region M Plan. [Online]. Available: <http://www.window.state.tx.us/specialrpt/water/2009/regionM.php> [2014, Jan. 22].

Coole, R.M., 2012. "LA SAL VIEJA," handbook of Texas online. [Online]. Available: <http://www.tshaonline.org/handbook/online/articles/rol01> [2014, Jan. 22].

EIS1—See U.S. Department of Agriculture, Animal and Plant Health Inspection Service, 2001

EIS2—See U.S. Department of Agriculture, Animal and Plant Health Inspection Service, 2008b

EPA—See U.S. Environmental Protection Agency

Fort, T.A., 2012. La Sal del Rey Lake: Salt mining and trading near the Rio Grande. [Online]. Available: <http://www.texasbeyondhistory.net/st-plains/images/he5.html> [2014, Jan. 22].

Garza, A.A., n.d. Texas almanac: Hidalgo County. Handbook of Texas online. Published by the Texas State Historical Association. [Online]. Available: <http://www.tshaonline.org/handbook/online/articles/hch14> [2014, Jan. 23].

Kollman, W.S., 2003. Environmental Fate of Spinosad. California Department of Pesticide Regulation, Environmental Monitoring Branch. [Online]. Available: http://www.cdpr.ca.gov/docs/emon/pubs/fatememo/spinosad_fate.pdf [2014, Jan. 28].

Lower Rio Grande Valley Development Council, 2009. [Online]. Available: <http://www.lrgvdc.org/index.html> [2014, Jan.22].

LRGVDC—See Lower Rio Grande Valley Development Council

NAPIS—See National Agricultural Pest Information System

National Agricultural Pest Information System, n.d. Pest tracker. Mexican fruit fly (Mexfly), *Anastrepha ludens*. <http://pest.ceris.purdue.edu/pest.php?code=IOBMABA> [2014, Jan.22].

National Pesticide Information Center, 2000. Methyl bromide. Technical fact sheet. [Online]. Available: <http://npic.orst.edu/factsheets/MBtech.pdf> [2014, Jan.23].

Newhart, K., 2006. Environmental fate of malathion. California Environmental Protection Agency, Department of Pesticide Regulation, Environmental Monitoring Branch. Oct. 11, 2006. [Online]. Available: http://www.cdpr.ca.gov/docs/emon/pubs/fatememo/efate_malathion.pdf [2014, Jan.22].

NPIC—See National Pesticide Information Center

NPS—See U.S. National Park Service

State of Texas, 2010. Texas Water Development Board Region M: Regional water plan, executive summary. NRS Consulting Engineers Final Plan: Oct. 1, 2010. [Online]. Available: http://www.riograndewaterplan.org/downloads/waterplan2010/Executive_Summary_English.pdf [2014, Jan. 22].

TAMU—See Texas A & M University System

TBWEF—See Texas Boll Weevil Eradication Foundation

TCEQ—See Texas Commission on Environmental Quality

TDA—See Texas Department of Agriculture

Texas A & M University System, 2011. TR-397: Pesticide education in the coastal zone of the Arroyo Colorado watershed final report. T. Allen Berthold, Texas Water Resources Institute. [Online]. Available: <http://twri.tamu.edu/publications/reports/2011/tr-397/> [2014, Jan.22].

Texas Boll Weevil Eradication Foundation, 2014. Lower Rio Grande valley zone. [Online]. Available: <http://www.txbollweevil.org/zones.htm> [2014, Jan. 22].

Texas Commission on Environmental Quality, 2013. Texas drought information: Drought impact on Texas surface water (January 14, 2014). [Online]. Available: <http://www.tceq.texas.gov/response/drought> [2014, Jan. 17].

Texas Department of Agriculture, 2014a. Regulatory programs: Plant quality. Pest and disease alerts. Mexican fruit fly. [Online]. Available: <http://www.texasagriculture.gov/RegulatoryPrograms/PlantQuality/PestandDiseaseAlerts/MexicanFruitFly.aspx> [2014, Jan. 17].

Texas Department of Agriculture, 2014b. Regulatory programs: Plant quality. Pest and disease alerts. [Online]. Available: <http://www.texasagriculture.gov/RegulatoryPrograms/PlantQuality/PestandDiseaseAlerts.aspx> [2014, Jan. 22].

Texas Historical Commission, 2014. Guidelines for tribal consultation: Frequently asked questions. [Online]. (2013, January 15 – last update). Available: <http://www.thc.state.tx.us/tribal-consultation-guidelines-faqs> [2014, Jan. 23].

TX Secretary of State, n.d. About the colonias program. [Online]. Available: <http://www.sos.state.tx.us/border/colonias/index.shtml> [2014, Jan.22].

Texas State Historical Association, n.d. Texas Almanac: Hidalgo County. [Online]. Available: <http://www.texasalmanac.com/topics/government/hidalgo-county> [2014, Jan. 17].

Texas Water Development Board, n.d. River basins. [Online]. Available: http://www.twdb.state.tx.us/surfacewater/rivers/river_basins/index.asp [2014, Jan. 22].

THC—See Texas Historical Commission

TSHA—See Texas State Historical Association

TWDB—See Texas Water Development Board

UFL—See University of Florida

University of Florida, 2012. Mexican fruit fly—*Anastrepha ludens* (Loew) (Insecta: Diptera: Tephritidae). Publication EENY-201. [Online]. (2012, March – last revised). Available: http://entnemdept.ufl.edu/creatures/fruit/tropical/mexican_fruit_fly.htm [2014, Jan. 22].

USCB—See U.S. Census Bureau

U.S. Census Bureau, 2014a. State & county quickfacts: Hidalgo County, Texas. [Online]. (2014, January 6 – last revised). Available: <http://quickfacts.census.gov/qfd/states/48/48215.html> [2014, Jan. 17].

U.S. Census Bureau, 2014b. State & county quickfacts: McAllen (city), Texas. [Online]. (2014, January 7 – last revised). <http://quickfacts.census.gov/qfd/states/48/4845384.html> [2014, Jan. 17].

U.S. Census Bureau, 2014c. State & county quickfacts: Weslaco (city), Texas. [Online]. (2014, January 7 – last revised). Available: <http://quickfacts.census.gov/qfd/states/48/4877272.html> [2014, Jan, 17].

U.S. Census Bureau, 2014d. State & county quickfacts: Donna (city), Texas. [Online]. (2014, January 7 – last revised). Available: <http://quickfacts.census.gov/qfd/states/48/4820884.html> [2014, Jan, 17].

U.S. Census Bureau, 2014e. State & county quickfacts: Mercedes (city), Texas. [Online]. (2014, January 7 – last revised). Available: <http://quickfacts.census.gov/qfd/states/48/4847700.html> [2014, Jan. 17].

U.S. Customs and Border Protection, 2011. Fact sheet: Mid-Valley airport to obtain landing rights. March 2011. [Online]. Available: http://www.weslacoairport.com/Fact_sheet.pdf [2014, Jan. 23].

U.S. Department of Agriculture, Animal and Plant Health Inspection Service, 2014a. Plant Protection and Quarantine. Weslaco, Hidalgo County, Texas. Initial fruit fly outbreak information needed within 96 hours. Jan. 17, 2014.

U.S. Department of Agriculture, Animal and Plant Health Inspection Service, 2014b. Plant Protection and Quarantine. Situation report: Mexican fruit fly (Mexfly). Hidalgo County. Weslaco, Texas. January 21, 2014.

U.S. Department of Agriculture, Animal and Plant Health Inspection Service, 2013. Mexican fruit fly cooperative eradication program, Lower Rio Grande Valley, Texas, environmental assessment—May 2013. USDA–APHIS, Riverdale, MD.

U.S. Department of Agriculture, Animal and Plant Health Inspection Service, 2012. Mexican fruit fly cooperative eradication program, Cameron, Hidalgo, and Willacy Counties, Texas, environmental assessment—April 2012. USDA–APHIS, Riverdale, MD.

U.S. Department of Agriculture, Animal and Plant Health Inspection Service, 2010. United States and Mexico Lower Rio Grande Valley Mexican fruit fly program review: Final report. Conducted August 2009 by expert review panel; coordinated by E.F. Gersabeck. [Online]. Available:
http://www.aphis.usda.gov/plant_health/plant_pest_info/fruit_flies/downloads/LRGV_Final_Report.pdf [2014, Jan. 22].

U.S. Department of Agriculture, Animal and Plant Health Inspection Service, 2009. Mexican fruit fly cooperative eradication program, Brooks County, Texas, environmental assessment—April 2009. USDA–APHIS, Riverdale, MD.

U.S. Department of Agriculture, Animal and Plant Health Inspection Service, 2008. Use of genetically engineered fruit fly and pink bollworm in APHIS plant pest control programs. Final environmental impact statement—October 2008. Riverdale, MD.

U.S. Department of Agriculture, Animal and Plant Health Inspection Service, 2003. Spinosad bait spray applications. Nontarget risk assessment, October, 2003. USDA–APHIS, Riverdale, MD.

U.S. Department of Agriculture, Animal and Plant Health Inspection Service, 2001. Fruit fly cooperative control program, final environmental impact statement—2001. USDA–APHIS, Riverdale, MD.

U.S. Department of Agriculture, Animal and Plant Health Inspection Service, 1999. Spinosad bait spray applications. Human health risk assessment, March 1999. USDA–APHIS, Riverdale, MD.

U.S. Department of Agriculture, Animal and Plant Health Inspection Service, 1998a. Human health risk assessment for fruit fly cooperative control programs. USDA–APHIS, Riverdale, MD.

U.S. Department of Agriculture, Animal and Plant Health Inspection Service, 1998b. Nontarget species risk assessment for fruit fly cooperative control programs. USDA–APHIS, Riverdale, MD.


U.S. Environmental Protection Agency, 2012. Surf your watershed. Counties in Texas. [Online]. Available: <http://cfpub.epa.gov/surf/locate/index.cfm> [2014, Jan. 22].

U.S. Environmental Protection Agency, 2010. Waterbody quality assessment report. 2010 waterbody quality report for Arroyo Colorado above tidal. [Online]. Available: http://ofmpub.epa.gov/waters10/attains_waterbody.control?p_list_id=TX-2202_03&p_report_type=T&p_cycle=2010 [2014, Jan. 22].


USDA—See U.S. Department of Agriculture

U.S. National Park Service, 2013. National NAGPRA online databases. [Online]. Available: <http://www.nps.gov/nagpra/onlinedb/index.htm> [2014, Jan. 28].

Appendix A. Weslaco Quarantined Area, Hidalgo County, Texas—January 2014



Appendix B. National Wildlife Refuge within Weslaco Quarantined Area, Hidalgo County, Texas—January 2014



Date of Map: 16 January 2014.

Source: USDA-APHIS-PPD

Appendix C. Request for Consultation with Texas State Historic Preservation Officer

TEXAS HISTORICAL COMMISSION

REQUEST FOR SHPO CONSULTATION:

Section 106 of the National Historic Preservation Act and/or the Antiquities Code of Texas

Please see instructions for completing this form and additional information on Section 106 and Antiquities Code consultation on the Texas Historical Commission website at <http://www.thc.state.tx.us/crm/crmsend.shtml>.

- This is a new submission.
 This is additional information relating to THC tracking number(s): not available

| | | | |
|--|--|--------------|---------------------|
| Project Information | | | |
| PROJECT NAME Emergency Fruit Fly Eradication Program (2014) | | | |
| PROJECT ADDRESS Lower Rio Grand Valley | | PROJECT CITY | PROJECT ZIP CODE(S) |
| PROJECT COUNTY OR COUNTIES Lower Rio Grand Valley (Hidalgo, Cameron, and Willacy Counties) | | | |
| PROJECT TYPE (Check all that apply) | | | |
| <input type="checkbox"/> Road/Highway Construction or Improvement | <input type="checkbox"/> Repair, Rehabilitation, or Renovation of Structure(s) | | |
| <input type="checkbox"/> Site Excavation | <input type="checkbox"/> Addition to Existing Structure(s) | | |
| <input type="checkbox"/> Utilities and Infrastructure | <input type="checkbox"/> Demolition or Relocation of Existing Structure(s) | | |
| <input type="checkbox"/> New Construction | <input checked="" type="checkbox"/> None of these | | |
| BRIEF PROJECT DESCRIPTION: Please explain the project in one or two sentences. More details should be included as an attachment to this form. Under the proposed emergency quarantine action, APHIS would conduct emergency fruit fly eradication efforts during 2014 in areas where recurring Mexfly infestations are problematic. Treatments will not be applied in wetlands or floodplain areas; vegetation will not be destroyed. Consultations will become part of the emergency NEPA documentation. | | | |

| | | | |
|--|--|--|-----------------------------------|
| Project Contact Information | | | |
| PROJECT CONTACT NAME Michelle Gray | | TITLE Env Protection Specialist | ORGANIZATION USDA-APHIS |
| ADDRESS 4700 River Road | | CITY Riverdale | STATE ZIP CODE MD 20737 |
| PHONE 301-851-3146 | | EMAIL Michelle.L.Gray@aphis.usda.gov | |

| | | | |
|--|--|--|--|
| Federal Involvement (Section 106 of the National Historic Preservation Act) | | | |
| Does this project involve approval, funding, permit, or license from a federal agency? | | | |
| <input checked="" type="checkbox"/> Yes (Please complete this section) | | <input type="checkbox"/> No (Skip to next section) | |
| FEDERAL AGENCY USDA-APHIS-PPQ | | FEDERAL PROGRAM, FUNDING, OR PERMIT TYPE Fruit Fly Eradication Program | |
| CONTACT PERSON George Nash | | PHONE 512-916-5241 | |
| ADDRESS 903 San Jacinto Blvd., Suite 270 Austin, TX 78701 | | EMAIL George.H.Nash@aphis.usda.gov | |

| | | | |
|--|--|---|--|
| State Involvement (Antiquities Code of Texas) | | | |
| Does this project occur on land or property owned by the State of Texas or a political subdivision of the state? | | | |
| <input type="checkbox"/> Yes (Please complete this section) | | <input checked="" type="checkbox"/> No (Skip to next section) | |
| CURRENT OR FUTURE OWNER OF THE PUBLIC LAND | | | |
| CONTACT PERSON | | PHONE | |
| ADDRESS | | EMAIL | |

VER 0811

Identification of Historic Properties: Archeology

Does this project involve ground-disturbing activity?

Yes (Please complete this section) No (Skip to next section)

Describe the nature of the ground-disturbing activity, including but not limited to depth, width, and length.

Describe the previous and current land use, conditions, and disturbances.

Identification of Historic Properties: Structures

Does the project area or area of potential effects include buildings, structures, or designed landscape features (such as parks or cemeteries) that are 45 years of age or older?

Yes (Please complete this section) No (Skip to next section)

Is the project area or area of potential effects within or adjacent to a property or district that is listed in or eligible for listing in the National Register of Historic Places?

Yes, name of property or district: No Unknown

In the space below or as an attachment, describe each building, structure, or landscape feature within the project area or area of potential effect that is 45 years of age or older.

| ADDRESS | DATE OF CONSTRUCTION | SOURCE FOR CONSTRUCTION DATE |
|---------|----------------------|------------------------------|
|---------|----------------------|------------------------------|

| | | |
|---------|----------------------|------------------------------|
| ADDRESS | DATE OF CONSTRUCTION | SOURCE FOR CONSTRUCTION DATE |
|---------|----------------------|------------------------------|

| | | |
|---------|----------------------|------------------------------|
| ADDRESS | DATE OF CONSTRUCTION | SOURCE FOR CONSTRUCTION DATE |
|---------|----------------------|------------------------------|

Attachments

[Please see detailed instructions regarding attachments.](#)

Include the following with each submission:

- Project Work Description
- Maps
- Identification of Historic Properties
- Photographs

For Section 106 reviews only, also include:

- Consulting Parties/Public Notification
- Area of Potential Effects
- Determination of Eligibility
- Determination of Effect

Submit completed form and attachments to the address below. Faxes and email are not acceptable.

Mark Wolfe
State Historic Preservation Officer
Texas Historical Commission
P.O. Box 12276, Austin, TX 78711-2276 (mail service)
108 W. 16th Street, Austin, TX 78701 (courier service)

For SHPO Use Only