

Breadcrumb

1. [Home](#)
2. Print
3. Pdf
4. Node
5. Entity Print

European Larch Canker

Last Modified:



Andrej Kunca, National Forest Centre - Slovakia, Bugwood

European larch canker is a serious plant disease caused by the fungus *Lachnellula willkommii*. Once introduced, it attacks and spreads among all species of larch trees (*Larix* spp.). The disease causes large numbers of cankers to form on the branches and trunks of infected trees, eventually killing them.

European larch canker is established in Europe and present in several other countries. In North America, it is only found in areas of Canada and nearby counties in Maine, where it was first detected in 1981. U.S. and Canadian regulations and trade restrictions help keep this disease from spreading further.

Controlling European Larch Canker

[Expand All](#)

Current Status

In the United States, European larch canker is confined to Hancock, Knox, Lincoln, Waldo, and Washington Counties in Maine.

Maps

- [Regulated Area](#) (1.04 MB) Map
- [European Larch Canker Quarantine Areas in Maine](#)
- [European Larch Canker Quarantine Area in Maine and Canada](#)

APHIS' Response

APHIS and the State of Maine carry out surveys, enforce regulations, and conduct public outreach to mitigate the impacts and spread of European larch canker. Together we restrict trade and transport of larch (*Larix* and *Pseudolarix* spp.), including logs, pulpwood, branches, twigs, and bark-bearing products made from larch (seeds are exempt). Several counties in Maine are under Federal and State quarantines for the disease.

Regulatory Information

- [Regulated Articles](#) (153.14 KB)

- [Regulated Areas](#) (168.12 KB)
- [7 CFR 301.91](#)
- [Maine Department of Agriculture Conservation and Forestry, Forest Health Division](#)

Contact Us

David Gruchot

Agriculturist

Email: david.j.gruchot@usda.gov

Phone: [847- 699-2421](tel:847-699-2421)

[Print](#)