


Breadcrumb

1. [Home](#)
2. Print
3. Pdf
4. Node
5. Entity Print

BSE Monthly Surveillance Program

Last Modified:

Public and animal health are protected from BSE by a stringent feed ban imposed by the Food and Drug Administration in 1997 and by the removal of all specified risk material which could harbor BSE. USDA also has a strong surveillance program in place to detect signs of BSE in cattle in the United States. The program samples approximately 25,000 animals each year and targets cattle populations where the disease is most likely to be found. The targeted population focuses on cattle exhibiting signs of central nervous disorders or any other signs that may be associated with BSE, including cattle that cannot walk, are low-weight, injured, or dead. These types of cattle are sampled at farms, veterinary diagnostic laboratories, public health laboratories, slaughter facilities, veterinary clinics, and livestock markets.



Current Monthly Test Results

APHIS reports ongoing surveillance test totals monthly.

Collection Month	FY2025	Number of Valid Samples	BSurve Points
October	2024	1,486	17623
November	2024	2,037	44,928
December	2024	1,742	36,662
January	2025	2,550	70,889

Collection Month FY2025		Number of Valid Samples	BSurvE Points
February	2025	1,841	49,344
March	2025	3,062	65349
April	2025	2269	36,108
May	2025	1521	19,610
Total as of June 1, 2025		17,006	348,850

Beginning in Fiscal Year 2016, the BSE ongoing surveillance program will sample approximately 25,000 animals each year. Under the program, USDA will continue to collect samples from a variety of sites and from the cattle populations where the disease is most likely to be detected.

Fiscal Year 2007-2016 Test Results

For Fiscal Years 2007-2015, the BSE ongoing surveillance program had a target of testing approximately 40,000 animals per year.

OIE Surveillance Points: design prevalence of 1 case per 100,000 U.S. adult cattle and 95% confidence; 300,000 OIE points over 7 years, or 42,857 OIE points on average per year are required.

BSurvE Surveillance Points: design prevalence of 1 case per 1,000,000 U.S. adult cattle and 95% confidence; 3,000,000 points over 7 years, or 428,571 BSurvE points on average per year are required.

Samples Tested, OIE Points, and BSurvE Points by Fiscal Year

Loading...

BSE Surveillance Program Cumulative Totals

- Valid Tests from September 1, 2006 to June 1, 2025: **601,240**
- BSurvE Points from September 1, 2006 to June 1, 2025: **30,166,973**

(see [National BSE Surveillance Plan](#) (789.28 KB) for information on BsurvE points)

[Print](#)