

Breadcrumb

1. [Home](#)
2. Print
3. Pdf
4. Node
5. Entity Print

# Chronic Wasting Disease

Last Modified:



Chronic wasting disease (CWD) is a deadly, neurological illness that affects deer, elk, moose, reindeer, and muntjac. It may also affect some other members of the Cervidae family.

Unlike most infectious diseases, CWD isn't caused by bacteria or a virus, but rather by misfolded natural proteins called prions. When these proteins fold incorrectly, they kill brain cells. Infected animals appear healthy for months or years. During this

'silent' incubation period, infected animals can transmit the disease to other animals. In the final stages of disease, animals become debilitated and ultimately die. How fast CWD progresses depends on the species and the animal's genetics.

[Learn More About CWD](#)

## What To Look For

Other diseases may present in a similar manner, so post-mortem testing is required to verify CWD. Here's what to look for:

- Weight loss
- Frequent urination
- Poor coordination
- Drooping ears
- Drooling
- Difficulty swallowing
- Aspiration pneumonia

## How To Prevent This Disease

### Practice Biosecurity

CWD is a disease of the central nervous system caused by a prion that often presents as wasting. You can reduce the risk of CWD spreading to and infecting a farmed cervid herd by maintaining strict biosecurity. If you are just starting to raise farmed cervids consider raising a species that is not known to be susceptible to CWD. For white-tailed deer herds, you can reduce CWD spread by breeding for less susceptible animals.

[Learn More About Biosecurity and CWD](#)

### Enroll in the Voluntary Herd Certification Program

We also encourage producers to enroll in the [CWD Herd Certification Program](#). The goal of the program is to provide a consistent, national approach to control the incidence of CWD in farmed cervids and prevent the interstate spread of CWD.

## Predictive Genetics

[Learn More About Predictive Genetics](#)

Is This the Cure for CWD?

## Report Signs of Animal Disease

Producers or owners who suspect an animal disease should contact their veterinarian to evaluate the animal or herd. [Find an accredited veterinarian](#).

Animal health professionals (veterinarians; diagnostic laboratories; public health, zoo, or wildlife personnel; and others) report diagnosed or suspected cases of [nationally listed reportable animal diseases](#) to [APHIS Area Veterinarians in Charge](#) and to the [State animal health official](#) as applicable under State reporting regulations.

## Controlling Chronic Wasting Disease

[Expand All](#)

### Voluntary Herd Certification Program

APHIS' National CWD Voluntary Herd Certification Program provides a consistent national approach to control the incidence of CWD in farmed cervids and prevent its spread interstate. Cervid herds must participate in the program and be certified to move animals interstate.

[Learn More About Voluntary Herd Certification](#)

### CWD Testing

- [Collection Card](#) (206.99 KB): This offers a pictorial guide for proper post-mortem sample collection for CWD.
- [APHIS-Approved Testing Laboratories](#): Use this list to locate labs in your area that can conduct testing to verify CWD. Contact the laboratory before submitting samples to ensure they have funding available to conduct the test.

## Wildlife Disease Surveillance and Research

APHIS Wildlife Services conducts surveillance and research on dozens of wildlife diseases, including [chronic wasting disease](#). For more information, visit our [National Wildlife Disease Program](#) and [National Wildlife Research Center](#).

## Funding Opportunities

### [CWD Management and Response Funding Opportunities](#)

APHIS provides millions of dollars each year to State and Tribal governments, universities, and others to control CWD in wild and farmed cervids, such as deer and elk.

[Learn More](#)



[Print](#)