

## Section B

MODEL 2 – Model health certificate for imports of consignments of stocks of semen of animals of the equine species collected, processed and stored in accordance with Directive 92/65/EEC after 31 August 2010 and before 1 October 2014 and dispatched after 31 August 2010 from an approved semen collection centre of origin of the semen

COUNTRY		Veterinary certificate to EU		
Part I: Details of dispatched consignment	I.1. Consignor Name Address Tel.		I.2. Certificate reference No	I.2.a.
			I.3. Central competent authority	
			I.4. Local competent authority	
	I.5. Consignee Name Address Postal code Tel.		I.6. Person responsible for the load in EU Name Address Postal code Tel.	
	I.7. Country of origin	ISO code	I.8. Region of origin	Code
	I.9. Country of destination	ISO code	I.10. Region of destination	Code
	I.11. Place of origin  Semen centre <input type="checkbox"/> Name Address Postal code Approval number		I.12. Place of destination  Semen centre <input type="checkbox"/> Holding <input type="checkbox"/> Name Address Postal code Approval number	
	I.13. Place of loading		I.14. Date of departure	
	I.15. Means of transport Aeroplane <input type="checkbox"/> Ship <input type="checkbox"/> Railway wagon <input type="checkbox"/> Road vehicle <input type="checkbox"/> Other <input type="checkbox"/> Identification Documentary references		I.16. Entry BIP in EU	
			I.17.	
I.18. Description of commodity		I.19. Commodity code (HS code) <b>05 11 99 85</b>		
		I.20. Quantity		
I.21.		I.22. Number of packages		
I.23. Seal/Container No		I.24.		
I.25. Commodities certified for: Artificial reproduction <input type="checkbox"/>				
I.26. For transit through EU to third country <input type="checkbox"/> Third country                      ISO code		I.27. For import or admission into EU <input type="checkbox"/>		
I.28. Identification of the commodities  Species (Scientific name)                      Donor identity                      Date of collection                      Quantity				

## COUNTRY

## Equine semen – Section B

II. Health information	II.a. Certificate reference No	II.b.
------------------------	--------------------------------	-------

I, the undersigned, official veterinarian, of the exporting country <sup>(2)</sup> ..... hereby  
*(name of exporting country)*

certify that:

II.1. The semen collection centre <sup>(3)</sup>, in which the semen described above was collected, processed and stored for export to the European Union is approved and supervised by the competent authority in accordance with the conditions of Chapter I(I)(1) and Chapter I(II)(1) of Annex D to Directive 92/65/EEC,

II.2. during the period commencing 30 days prior to the date of first collection of the semen described above until the date the fresh or chilled semen was dispatched or until the 30 days storage period for frozen semen elapsed, the semen collection centre;

II.2.1. was situated in the exporting country or, in the case of regionalisation according to Article 13 of Directive 2009/156/EC <sup>(6)</sup>, in that part of the territory of the exporting country which was:

- not considered to be infected with African horse sickness in accordance with Article 5(2)(a) and (b) of Directive 2009/156/EC <sup>(8)</sup>,
- free from Venezuelan equine encephalomyelitis for 2 years,
- free from glanders and dourine for 6 months;

II.2.2. fulfilled the conditions for a holding laid down in Article 4(5) of Directive 2009/156/EC <sup>(8)</sup> and in particular:

<sup>(1)</sup> either [II.2.2.1. not all the animals of species susceptible to the disease located on the holding were slaughtered or killed and the holding has been free:

- from any type of equine encephalomyelitis for at least 6 months, beginning on the day on which the equidae suffering from the disease are slaughtered,
- from equine infectious anaemia for at least the period required to obtain a negative result in an agar gel immunodiffusion test (Coggins test) carried out on samples taken after the infected animals were slaughtered on two occasions 3 months apart from each of the remaining animals,
- from vesicular stomatitis for at least 6 months from the last recorded case,
- from rabies for at least 1 month from the last recorded case,
- from anthrax for at least 15 days from the last recorded case,]

<sup>(1)</sup> or [II.2.2.1. all the animals of species susceptible to the disease located on the holding have been slaughtered or killed and the premises disinfected, the holding has been free for at least 30 days from any type of equine encephalomyelitis, equine infectious anaemia, vesicular stomatitis and rabies or 15 days in the case of anthrax, beginning on the day on which following the destruction of the animals the disinfection of the premises was satisfactorily completed;]

II.2.3. contained only equidae which were free of clinical signs of equine viral arteritis and contagious equine metritis,

II.3. Prior to entering the semen collection centre the donor stallions and any other equidae located in the centre:

II.3.1. were continuously resident for 3 months (or since entry if they were directly imported from a Member State of the European Union during the 3-month period) in the exporting country or, in the case of regionalisation according to Article 13 of Directive 2009/156/EC <sup>(6)</sup>, in that part of the territory of the exporting country which was during that period

COUNTRY		Equine semen – Section B	
II.	Health information	II.a.	Certificate reference No
	<p>— not considered to be infected with African horse sickness in accordance with Article 5(2)(a) and (b) of Directive 2009/156/EC <sup>(8)</sup>,</p> <p>— free from Venezuelan equine encephalomyelitis for at least 2 years,</p> <p>— free from glanders and dourine for at least 6 months;</p>		
( <sup>1</sup> ) either	[II.3.2. originated from the country of export which was on the day of admission into the centre free of vesicular stomatitis (VS) for at least 6 months,]		
( <sup>1</sup> ) or	[II.3.2. were subjected to a virus neutralisation test for vesicular stomatitis (VS) carried out with negative result at a serum dilution of 1 in 12 on a blood sample taken <sup>(4)</sup> within 14 days prior to entering the centre;]		
	II.3.3. originated from holdings which on the day of admission onto the centre fulfilled the requirements of point II.2.2;		
II.4.	The semen described above was collected from donor stallions, which:		
	II.4.1. have not shown any clinical sign of an infectious or contagious disease at the time of admission onto the centre and on the day the semen was collected;		
	II.4.2. have been kept for 30 days prior to the date of semen collection on holdings where no equine animal has shown any clinical sign of equine viral arteritis or contagious equine metritis during that period;		
	II.4.3. have not been used for natural mating during at least 30 days prior to the date of first semen collection and between the dates of the first sample referred to in points II.4.5.1, II.4.5.2 and/or II.4.5.3 and until the end of the collection period;		
	II.4.4. have undergone the following tests, which meet at least the requirements of the relevant Chapter of the Manual of Diagnostic Tests and Vaccines for Terrestrial Animals of the OIE, carried out on samples taken in accordance with one of the programmes specified in point II.4.5 in a laboratory recognised by the competent authority:		
( <sup>1</sup> ) <sup>(5)</sup> either	[II.4.4.1. an agar-gel immuno-diffusion test (Coggins test) for equine infectious anaemia (EIA) with negative result;]		
( <sup>1</sup> ) <sup>(5)</sup> or	[II.4.4.1. an ELISA for equine infectious anaemia (EIA) with negative result;]		
and	( <sup>1</sup> ) either [II.4.4.2. a serum neutralisation test for equine viral arteritis (EVA) with negative result at a serum dilution of one in four;]		
	( <sup>1</sup> ) or [II.4.4.2. a virus isolation test for equine viral arteritis (EVA) carried out with negative result on an aliquot of the entire semen of the donor stallion;]		
and	II.4.4.3. an agent identification test for contagious equine metritis (CEM) carried out on two occasions on samples collected with an interval of 7 days by isolation of <i>Taylorella equigenitalis</i> after a cultivation of 7 to 14 days from pre-ejaculatory fluid or a semen sample and from genital swabs taken at least from the penile sheath, urethra and urethral fossa with negative result in each case;		
	II.4.5. have been subjected with the results specified in II.4.4 in each case to at least one of the test programmes <sup>(6)</sup> detailed in points II.4.5.1, II.4.5.2 and II.4.5.3 as follows:		
	II.4.5.1. The donor stallion was continuously resident on the semen collection centre for at least 30 days prior to the date of the first collection and during the period of collection of the semen described above, and no equidae on the semen collection centre came during that time into direct contact with equidae of lower health status than the donor stallion. The tests described in point II.4.4 have been carried out on samples taken <sup>(4)</sup> prior to the first semen collection and at least 14 days following the date of the commencement of the residence period of at least 30 days.		



**COUNTRY** **Equine semen – Section B**

II. Health information	II.a. Certificate reference No	II.b.
<p>(<sup>1</sup>) <i>either</i> [II.5. No antibiotics were added to the semen;]</p> <p>(<sup>1</sup>) <i>or</i> [II.5. The following antibiotic or combination of antibiotics was added to produce a concentration in the final diluted semen of not less than (<sup>7</sup>):                      .....                      .....];</p> <p>II.6. The semen described above was:</p> <p style="margin-left: 20px;">II.6.1. collected, processed, stored and transported under conditions which comply with the requirements of Chapters II(I)(1) and III(I) of Annex D to Directive 92/65/EEC;</p> <p style="margin-left: 20px;">II.6.2. sent to the place of loading in a sealed container in accordance with point 1.4 of Chapter III(I) of Annex D to Directive 92/65/EEC and bearing the number indicated in Box I.23.</p>		
<b>Notes</b>		
<b>Part I:</b>		
Box I.11: place of origin shall correspond to the semen collection centre of the semen origin.		
Box I.22: number of packages shall correspond to the number of containers.		
Box I.23: identification of container and seal number shall be indicated.		
Box I.28: <i>donor identity</i> shall correspond to the official identification of the animal. <i>date of collection</i> shall be indicated in the following format: dd/mm/yyyy. <i>approval number of the centre</i> shall correspond to the approval number of the semen centre indicated in Box I.11 in which the semen was collected.		
<b>Part II:</b>		
Guidance for the completion of the table in point II.4.6.		
Abbreviations:		
VS	Vesicular stomatitis (VS) testing if required in accordance with point II.3.2	
EIA-1	Equine infectious anaemia (EIA) testing first occasion	
EIA-2	EIA testing second occasion	
EVA-B1	Equine viral arteritis (EVA) testing on blood sample first occasion	
EVA-B2	EVA testing on blood sample second occasion	
EVA-S1	EVA testing on semen sample first occasion	
EVA-S2	EVA testing on semen sample second occasion	
CEM-11	Contagious equine metritis (CEM) testing first occasion first sample	
CEM-12	CEM testing first occasion second sample taken 7 days after CEM-11	
CEM-21	CEM testing second occasion first sample	
CEM-22	CEM testing second occasion second sample taken 7 days after CEM-21	
Instructions:		
For each semen identified in column A in correspondence with Box I.28, the test programme (II.4.5.1, II.4.5.2 and/or II.4.5.3) must be specified in column B, and columns C and D must be completed with the dates required.		
The dates when samples were taken for laboratory testing prior to the first collection of the semen described above as required in points II.4.5.1, II.4.5.2 and II.4.5.3, shall be entered in the upper line of columns 5 to 9 of the table, this being the boxes marked with EIA-1, EVA-B1 or EVA-S1 and CEM-11 and CEM-12 in the example below.		
The dates when samples were taken for repeat laboratory testing as required in accordance with point II.4.5.2 or II.4.5.3 shall be entered in the lower line of columns 5 to 9 in table, this being the boxes EIA-2, EVA-B2 or EVA-S2 and CEM-21 and CEM-22 in the example below.		

