

Summary of Studies Supporting USDA Product Licensure

Establishment Name	Intervet Inc.
USDA Vet Biologics Establishment Number	165A
Product Code	19A5.R8
True Name	Swine Influenza Vaccine, N1 & N2, RNA Particle
Tradename(s) / Distributor or Subsidiary (if different from manufacturer)	Sequivity - Merck Animal Health
Date of Compilation Summary	June 24, 2022

Disclaimer: Do not use the following studies to compare one product to another. Slight differences in study design and execution can render the comparisons meaningless.

165A 19A5.R8 Page 1 of 18

Study Type	Efficacy						
Pertaining to	Swine Influenz	za Virus, H	1N1				
Study Purpose	Demonstrate e	fficacy aga	inst swine in	ıfluen	za virus, H	IN1, 12	-weeks after
_	2 nd vaccination	to establis	sh the duration	on of i	mmunity.		
Product	Two doses, adı	ministered	intramuscul	arly, t	hree weeks	apart.	
Administration	NA1 (A/swine	/IA/A0141	0307/2014 (H1N1)) – NA6		
	(A/swine/MN/	A01483170	0/2014 (H1N	V 1))			
	NA4 (A/swine	/MI/A0207	77465/2015 ((H1N2)	2)) – NA2		
	(A/swine/IL/A						
Study Animals	Commercial pi	gs, three da	ays of age, 3	32 vac	cinates and	30 con	trols (placebo
	vaccinated).						
Challenge	All pigs were o	_	-				ith swine
Description	influenza strair						
Interval	Lung lesion sc			ays po	st challenge	e on a s	ubgroup of 20
observed after	vaccinates and	18 control	S.				
challenge							
Results							
	Five number su	umama away fa			·~*•		
						02	M
	Group		Minimum		Median	<i>Q3</i>	Maximum
	Vaccinate	20	0.3	0.7	1.2	2.8	6.9
	Placebo	18	3.8	6.0	8.9	13.1	24.7
	*Lesion scores	were calcu	ulated as the	perce	ntage of to	al lung	area
	*Lesion scores	were calcu	ulated as the	perce	ntage of to	al lung	area
	*Lesion scores	were calcu	ulated as the	perce	ntage of tot	al lung	area
	*Lesion scores	were calcu	ulated as the	perce	ntage of to	al lung	area
	*Lesion scores	were calcu	ulated as the	perce	ntage of to	al lung	area
	*Lesion scores	were calcu	ulated as the	perce	ntage of to	al lung	area
	*Lesion scores			perce	ntage of to	al lung	area
	Raw data are s			perce	ntage of to	al lung	area
USDA Approval Date				perce	ntage of to	al lung	area

165A 19A5.R8 Page 2 of 18

Table 1: Lung Lesion Scoring (LLS) by 1st Scorer

Pig ID	Treatment	DLA	DLC	DLD	DRA	DRC	DRD	VLA	VLC	VLD	VRA	VRC	VRD	INT	Total Lung Score	LLS
2904	Vaccinate	0.0	1.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	2.5	0.21
2908	Vaccinate	0.0	14.0	5.0	0.5	14.5	1.5	0.0	10.0	2.0	0.0	15.0	1.0	2.5	66.0	5.59
2913	Vaccinate	0.0	2.0	0.0	0.0	2.0	0.0	0.0	2.0	0.0	0.0	1.5	0.0	0.0	7.5	0.64
2914	Vaccinate	0.0	2.0	1.0	0.0	2.0	0.0	0.0	1.5	0.0	0.0	1.5	1.5	0.0	9.5	0.80
2915	Vaccinate	0.0	8.5	1.5	0.0	9.5	0.0	0.0	2.5	0.0	0.0	4.0	1.5	0.0	27.5	2.33
2920	Vaccinate	0.0	4.5	2.0	0.0	4.5	2.5	1.0	3.0	1.5	0.5	6.0	0.5	1.5	27.5	2.33
2924	Vaccinate	0.0	0.5	0.0	0.0	2.0	0.0	0.0	1.0	0.0	0.0	2.5	0.0	0.0	6.0	0.51
2927	Vaccinate	0.0	2.0	0.0	0.0	1.0	1.0	0.0	2.0	0.0	0.0	1.0	0.5	0.5	8.0	0.68
2932	Vaccinate	0.0	0.5	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	1.5	1.5	1.5	6.5	0.55
2935	Vaccinate	0.0	3.0	2.0	0.0	1.5	0.0	0.0	3.5	2.0	0.0	1.0	1.0	0.0	14.0	1.19
2945	Vaccinate	0.0	2.5	1.5	1.5	2.0	1.0	0.5	2.0	1.0	1.5	2.0	1.0	1.0	17.5	1.48
2947	Vaccinate	0.0	2.0	1.0	0.5	1.5	1.0	0.0	0.5	0.0	0.5	2.0	0.5	1.5	11.0	0.93
2957	Vaccinate	0.0	1.5	0.0	0.0	2.0	0.0	0.0	1.5	0.0	0.0	1.5	0.0	0.0	6.5	0.55
2959	Vaccinate	0.0	3.0	2.5	0.0	4.0	1.5	0.0	1.0	1.5	0.0	2.0	1.0	0.0	16.5	1.40
2972	Vaccinate	2.5	5.0	5.5	2.5	5.0	7.0	2.0	4.0	0.0	4.0	7.0	2.5	2.5	49.5	4.19
2975	Vaccinate	0.0	6.0	4.0	0.0	6.5	0.5	0.0	4.5	3.0	0.0	7.5	3.5	1.0	36.5	3.09
2983	Vaccinate	0.0	2.5	0.0	0.0	1.5	0.0	0.0	2.0	0.0	0.0	2.5	0.0	0.0	8.5	0.72
2986	Vaccinate	0.0	8.0	2.5	9.0	8.5	5.0	0.0	9.0	3.0	8.5	14.0	3.0	2.0	72.5	6.14
2987	Vaccinate	1.5	1.5	0.0	1.0	4.5	0.0	1.0	2.0	1.5	0.0	5.0	1.0	0.0	19.0	1.61
2990	Vaccinate	0.0	6.5	0.0	4.0	9.0	1.0	0.0	4.5	1.0	3.0	8.0	1.5	2.0	40.5	3.43
2901	Placebo	2.5	18.5	4.0	3.0	24.0	1.5	5.5	21.5	2.0	4.5	27.5	1.0	3.5	119.0	10.08
2910	Placebo	0.5	23.0	3.0	1.0	11.5	1.0	1.5	12.0	8.0	1.5	19.0	2.0	2.0	86.0	7.28
2916	Placebo	1.0	12.0	0.0	2.5	4.5	0.0	2.0	4.5	0.0	1.0	5.5	0.5	1.5	35.0	2.96
2918	Placebo	0.0	3.0	2.0	1.5	6.0	7.0	2.5	2.5	2.0	3.0	9.0	2.5	5.5	46.5	3.94
2919	Placebo	0.0	21.5	4.0	2.5	13.5	3.0	1.5	11.5	2.0	0.0	10.5	2.5	3.5	76.0	6.44
2922	Placebo	2.5	16.0	8.5	7.0	28.0	17.0	8.0	16.0	4.5	9.5	40.0	7.5	5.0	169.5	14.35
2923	Placebo	3.5	31.5	26.0	5.5	27.0	5.5	11.5	25.0	18.5	5.0	40.0	3.0	10.5	212.5	17.99
2933	Placebo	5.0	8.0	14.5	7.0	16.0	8.5	9.0	11.0	12.0	14.0	22.0	6.5	8.0	141.5	11.98
2934	Placebo	1.0	22.0	3.0	1.0	11.0	1.0	1.5	11.5	2.5	1.0	13.5	0.0	1.0	70.0	5.93
2941	Placebo	0.5	12.5	3.0	5.0	5.5	2.5	1.5	8.0	1.5	7.5	15.0	2.0	6.0	70.5	5.97
2946	Placebo	1.5	6.0	3.5	15.5	15.5	13.0	2.0	9.0	2.0	19.5	23.5	8.0	5.5	124.5	10.54
2952	Placebo	1.5	23.5	14.5	8.5	22.0	5.5	8.0	14.5	8.5	11.0	38.0	2.5	4.5	162.5	13.76
2956	Placebo	2.5	23.0	4.0	6.0	28.0	5.0	1.0	22.0	2.0	5.5	35.0	4.0	4.5	142.5	12.07
2977	Placebo	10.0	26.0	20.0	12.5	25.0	27.0	18.5	30.5	26.0	21.0	60.0	20.0	10.5	307.0	25.99
2982	Placebo	0.0	11.5	4.0	3.5	10.0	5.0	4.0	4.5	3.5	7.5	14.0	2.0	1.0	70.5	5.97
2984	Placebo	1.5	31.0	15.0	8.5	17.0	3.0	3.5	16.5	26.0	5.0	33.0	3.0	3.0	166.0	14.06
2993	Placebo	0.0	5.5	3.0	6.5	6.5	0.0	3.5	10.5	1.5	6.0	7.0	1.5	2.0	53.5	4.53
2994	Placebo	2.0	23.5	3.0	7.0	7.5	0.0	7.0	16.0	3.0	7.5	11.5	5.0	4.0	97.0	8.21

 DLA =
 Dorsal Left Apical Lobe
 VLA =
 Ventral Left Apical Lobe

 DLC =
 Dorsal Left Cardiac Lobe
 VLC =
 Ventral Left Cardiac Lobe

 DLD =
 Dorsal Left Diaphragmatic Lobe
 VLD =
 Ventral Left Diaphragmatic Lobe

 DRA =
 Dorsal Right Apical Lobe
 VRA =
 Ventral Right Apical Lobe

 DRC =
 Dorsal Right Cardiac Lobe
 VRC =
 Ventral Right Cardiac Lobe

 DRD =
 Dorsal Right Diaphragmatic Lobe
 VRD =
 Ventral Right Diaphragmatic Lobe

INT = Intermediate Lobe

165A 19A5.R8 Page 3 of 18

Table 2: Lung Lesion Scoring (LLS) by 2nd Scorer

Pig ID	Treatment	DLA	DLC	DLD	DRA	DRC	DRD	VLA	VLC	VLD	VRA	VRC	VRD	INT	Total Lung	LLS
Figib	Healtheilt	DLA	DLC	DLD	DNA	DIC	טאט	VLA	VLC	VLD	VNA	VNC	VND	IIVI	Score	LLS
2904	Vaccinate	0.0	2.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	3.5	0.30
2908	Vaccinate	0.0	16.5	2.0	0.5	19.0	1.0	0.5	10.5	1.0	1.0	13.5	1.5	0.5	67.5	5.72
2913	Vaccinate	0.0	1.5	0.0	0.0	1.5	1.0	0.0	2.5	0.0	0.0	2.0	0.0	0.0	8.5	0.72
2914	Vaccinate	0.0	3.5	0.5	0.0	4.5	0.5	0.0	2.0	1.0	0.5	3.0	1.0	0.5	17.0	1.44
2915	Vaccinate	0.0	12.0	1.0	0.0	6.0	1.0	0.5	3.0	1.5	0.0	5.0	0.0	0.5	30.5	2.58
2920	Vaccinate	0.0	8.0	2.0	0.5	5.5	2.0	1.0	6.0	0.5	1.0	5.5	2.0	1.5	35.5	3.01
2924	Vaccinate	0.0	0.5	1.0	0.0	1.5	0.0	0.0	1.0	0.0	0.5	2.0	0.0	0.0	6.5	0.55
2927	Vaccinate	0.0	3.0	1.0	0.0	1.5	1.0	0.0	2.0	0.0	0.0	1.5	0.5	0.5	11.0	0.93
2932	Vaccinate	0.0	1.0	1.5	0.5	0.5	0.5	0.0	1.0	0.0	0.5	0.5	1.5	1.0	8.5	0.72
2935	Vaccinate	0.5	1.5	2.0	0.0	1.5	0.0	0.0	3.5	2.0	0.0	3.0	0.5	0.5	15.0	1.27
2945	Vaccinate	0.0	3.0	1.0	1.5	2.0	1.0	1.0	2.5	0.5	1.5	1.0	0.0	1.0	16.0	1.35
2947	Vaccinate	0.0	1.0	0.5	0.0	1.5	0.5	0.0	0.5	0.0	0.0	1.0	0.5	0.5	6.0	0.51
2957	Vaccinate	0.0	1.0	0.0	0.0	1.5	0.0	0.0	2.5	0.0	0.0	1.5	0.0	0.0	6.5	0.55
2959	Vaccinate	0.0	2.0	2.5	0.0	4.0	0.0	0.0	1.0	1.0	0.5	2.0	1.0	0.0	14.0	1.19
2972	Vaccinate	1.0	4.0	4.0	1.0	4.0	7.0	1.5	4.0	3.0	1.5	3.5	6.0	2.0	42.5	3.60
2975	Vaccinate	0.0	8.5	0.0	0.0	6.5	1.5	0.0	7.5	3.0	0.0	8.5	1.5	0.5	37.5	3.18
2983	Vaccinate	0.0	2.0	0.0	0.0	2.0	0.0	0.0	4.0	0.0	0.0	1.5	0.0	0.5	10.0	0.85
2986	Vaccinate	1.0	13.5	4.0	10.0	8.5	5.5	0.0	9.5	3.0	9.0	17.0	6.0	3.5	90.5	7.66
2987	Vaccinate	1.0	2.0	1.5	1.0	2.5	0.0	1.0	3.0	1.5	1.0	5.5	1.0	0.0	21.0	1.78
2990	Vaccinate	0.5	7.0	3.5	4.0	9.5	2.5	0.0	10.5	1.0	1.5	8.5	2.5	0.5	51.5	4.36
2901	Placebo	3.5	24.0	2.5	3.0	17.5	1.5	6.0	23.0	4.0	8.0	28.5	2.0	1.0	124.5	10.54
2910	Placebo	2.0	23.5	6.0	3.0	11.5	2.0	7.0	20.5	4.5	2.5	14.5	3.5	1.5	102.0	8.64
2916	Placebo	2.5	16.0	1.0	3.0	5.0	0.0	3.5	12.0	0.0	2.5	6.5	1.0	1.0	54.0	4.57
2918	Placebo	0.0	6.0	4.0	1.5	6.0	4.5	3.5	4.0	3.5	3.0	11.0	3.0	2.0	52.0	4.40
2919	Placebo	0.0	19.5	3.0	1.5	10.5	3.0	1.5	14.5	2.5	1.0	12.5	2.5	2.5	74.5	6.31
2922	Placebo	3.0	16.5	9.0	5.0	29.5	12.0	4.5	16.0	4.0	9.5	38.0	7.0	5.0	159.0	13.46
2923	Placebo	3.0	26.5	19.5	4.5	29.0	2.0	6.0	21.5	9.5	3.0	40.0	3.0	3.0	170.5	14.44
2933	Placebo	5.0	10.0	10.0	4.5	11.0	5.0	10.5	9.0	6.5	12.0	18.0	6.0	2.0	109.5	9.27
2934	Placebo	0.0	24.0	5.0	1.0	12.0	0.5	2.0	17.5	2.5	1.0	9.5	0.0	0.5	75.5	6.39
2941	Placebo	1.0	5.5	2.5	3.0	6.0	0.5	0.5	6.0	1.0	4.5	12.0	3.0	4.5	50.0	4.23
2946	Placebo	0.5	9.0	5.0	13.5	10.0	8.0	4.0	9.5	1.5	17.5	14.0	7.0	7.0	106.5	9.02
2952	Placebo	3.5	23.5	6.5	7.5	28.5	4.0	7.5	22.0	5.0	8.5	30.5	3.5	6.0	156.5	13.25
2956	Placebo	3.5	28.0	3.0	3.5	30.5	3.5	3.0	21.0	1.5	5.0	32.0	6.0	1.0	141.5	11.98
2977	Placebo	9.5	22.5	17.0	13.0	36.5	21.5	11.5	33.5	25.0	12.0	45.5	22.5	7.5	277.5	23.50
2982	Placebo	0.0	11.0	5.5	4.5	15.0	2.5	2.0	5.0	3.0	5.5	13.0	2.5	1.0	70.5	5.97
2984	Placebo	4.0	31.0	18.0	6.0	19.0	3.0	3.5	18.0	15.0	3.0	35.5	3.0	4.5	163.5	13.84
2993	Placebo	0.0	8.0	4.0	4.5	8.0	0.0	4.0	8.0	2.0	5.0	7.5	2.0	1.5	54.5	4.61
2994	Placebo	2.0	21.0	3.0	7.5	11.0	0.0	7.5	18.0	2.0	6.0	12.0	3.5	1.5	95.0	8.04

INT = Intermediate Lobe

DLA = Dorsal Left Apical Lobe

DLC = Dorsal Left Cardiac Lobe

VLC = Ventral Left Apical Lobe

VLC = Ventral Left Cardiac Lobe

VLD = Ventral Left Diaphragmatic Lobe

DRA = Dorsal Right Apical Lobe

VRA = Ventral Right Apical Lobe

VRC = Ventral Right Cardiac Lobe

VRC = Ventral Right Cardiac Lobe

VRD = Ventral Right Diaphragmatic Lobe

165A 19A5.R8 Page 4 of 18

Study Type	Efficacy						
Pertaining to	Swine Influenz	a Virus, H	1N1				
Study Purpose	Demonstrate et	ficacy aga	inst swine in	nfluen	za virus, H	1N1	
Product	Two doses, adı	ninistered	intramuscul	arly, tl	nree weeks	apart.	
Administration	NA1 (A/swine	IA/A0141	0307/2014 (HIN1)) – NA6		
	(A/swine/MN/	A01483170	0/2014 (H1N	N1))			
	NA4 (A/swine	MI/A0207	7465/2015	(H1N2)	2)) – NA2		
	(A/swine/IL/A	01475495/	2014 (H1N2	2))			
Study Animals	Commercial pi	gs, three da	ays of age, 3	32 vac	cinates and	32 con	trols (placebo
	vaccinated).						
Challenge	All pigs were c	hallenged	35 days pos	t secoi	nd vaccinat	ion witl	n swine
Description	influenza strair						
Interval	Lung lesion sco	ores were a	ssessed 5 da	ays po	st challenge	e on a s	ubgroup of 20
observed after	vaccinates and	20 control	S.				
challenge							
Results							
	Five number su	ımmary for	r lung lesion	score	s*:		
	Group	ļ.	Minimum		Median	Q 3	Maximum
	Vaccinate	20	0.5	0.9	1.4	2.6	5.5
	Placebo	20	0.9	6.2	10.1	13.5	20.4
	*Lesion scores	were calcu	ılated as the	perce	ntage of tot	tal lung	area
				-	_		
	Raw data are sl	nown belov	W.				
USDA							
1 1/1/1//N	Llune 5 2020						
Approval Date	June 5, 2020						

165A 19A5.R8 Page 5 of 18

Table 1: Lung Lesion Scoring (LLS) by 1st Scorer

															Total Lung	
Pig ID	Treatment	DLA	DLC	DLD	DRA	DRC	DRD	VLA	VLC	VLD	VRA	VRC	VRD	INT	Score	LLS
5700	Placebo	2.00	31.50	15.50	5.00	28.00	6.00	8.50	38.00	12.50	4.50	52.50	4.50	3.50	212.00	17.95
5701	Placebo	2.00	30.00	20.50	7.50	22.00	30.50	6.00	28.00	12.00	8.00	33.50	27.00	11.50	238.50	20.19
5707	Placebo	1.50	29.50	3.00	0.00	27.50	14.00	3.00	28.00	2.00	0.00	46.50	17.00	17.00	189.00	16.00
5709	Placebo	2.00	13.50	4.00	1.00	17.00	4.00	2.50	10.00	5.00	1.00	14.00	7.00	3.50	84.50	7.15
5725	Placebo	0.00	17.50	6.00	0.00	16.00	2.50	0.00	10.00	3.00	0.00	11.50	3.00	1.00	70.50	5.97
5730	Placebo	3.00	13.00	6.00	1.00	9.00	6.50	5.00	7.00	4.00	0.00	7.50	5.00	0.00	67.00	5.67
5734	Placebo	0.00	7.00	0.00	1.00	3.00	2.50	3.00	5.00	0.50	1.00	4.00	1.50	1.50	30.00	2.54
5739	Placebo	3.00	17.50	2.00	1.00	22.50	12.00	6.50	17.00	2.50	1.00	32.50	16.00	6.50	140.00	11.85
5744	Placebo	0.00	23.00	5.50	0.00	25.50	13.00	1.50	15.00	5.00	1.50	31.50	9.00	8.00	138.50	11.73
5751	Placebo	1.00	24.00	12.50	5.50	25.00	8.50	3.00	18.50	19.00	4.00	33.50	7.50	3.50	165.50	14.01
5757	Placebo	1.50	22.00	13.00	2.00	21.50	7.50	2.50	15.00	8.00	1.00	17.00	7.00	1.50	119.50	10.12
5759	Placebo	4.50	31.50	35.00	9.00	27.50	19.50	6.00	20.50	13.50	8.00	26.50	23.00	5.50	230.00	19.48
5762	Placebo	8.00	15.00	2.50	2.00	28.00	43.50	7.00	15.50	3.50	2.50	24.00	35.00	11.50	198.00	16.77
5763	Placebo	1.00	21.00	18.50	2.50	16.00	17.50	3.50	13.00	9.50	3.50	10.00	15.50	2.50	134.00	11.35
5766	Placebo	1.00	7.50	2.00	1.50	9.00	7.50	2.50	10.00	0.50	1.00	8.50	7.00	2.00	60.00	5.08
5772	Placebo	4.50	16.00	2.00	0.00	25.50	5.00	3.50	16.50	2.50	1.00	34.00	5.50	7.50	123.50	10.46
5778	Placebo	0.00	15.00	5.50	1.00	16.50	4.00	0.50	11.00	4.50	0.50	12.00	4.00	5.00	79.50	6.73
5781	Placebo	3.00	23.00	10.00	4.00	12.50	7.00	4.00	29.00	5.50	2.50	13.00	11.00	3.50	128.00	10.84
5787	Placebo	0.00	13.50	3.00	0.00	27.50	7.00	1.50	6.00	1.50	1.00	26.50	5.50	6.50	99.50	8.43
5796	Placebo	0.00	2.50	1.50	0.00	2.50	0.00	0.00	2.00	0.00	0.00	2.00	0.00	0.00	10.50	0.89
5703	Vaccinate	2.00	3.00	2.00	2.00	4.50	2.00	2.00	2.00	1.00	1.50	4.00	1.50	0.00	27.50	2.33
5704	Vaccinate	0.00	4.00	1.50	0.00	2.50	0.00	0.00	2.50	0.50	0.00	0.50	0.00	0.00	11.50	0.97
5705	Vaccinate	0.00	8.00	7.00	2.00	6.50	7.00	0.00	6.00	4.00	2.00	7.00	4.00	6.50	60.00	5.08
5710	Vaccinate	0.00	1.00	0.00	0.00	8.00	4.00	0.00	1.50	0.00	0.00	5.50	0.00	1.00	21.00	1.78
5722	Vaccinate	0.00	2.50	1.50	1.00	1.50	0.50	0.00	2.00	1.00	0.00	1.00	2.00	0.00	13.00	1.10
5731	Vaccinate	0.00	4.00	4.50	0.00	3.50	3.00	0.00	3.50	1.50	0.00	3.50	1.50	0.00	25.00	2.12
5738	Vaccinate	0.00	1.50	0.50	0.00	2.00	0.50	0.00	3.50	0.00	0.00	2.50	0.50	0.00	11.00	0.93
5740	Vaccinate	0.00	2.00	1.00	0.00	2.50	1.00	0.00	2.00	1.00	0.00	1.50	1.00	0.00	12.00	1.02
5745	Vaccinate	0.00	3.00	1.00	0.00	3.50	2.00	0.00	3.00	0.00	0.00	3.00	0.00	0.00	15.50	1.31
5752	Vaccinate	0.00	2.00	0.00	0.00	2.00	0.00	0.00	1.50	0.00	0.00	2.50	0.00	0.00	8.00	0.68
5754	Vaccinate	1.00	2.00	1.50	1.50	3.00	0.50	0.00	3.00	2.00	1.50	3.50	1.50	1.50	22.50	1.91
5755	Vaccinate	0.00	3.00	0.00	0.50	2.50	0.00	0.00	2.50	0.00	0.00	2.50	0.00	0.00	11.00	0.93
5758	Vaccinate	0.00	5.00	4.50	0.50	6.00	2.00	0.00	5.00	3.50	0.50	5.00	3.00	0.00	35.00	2.96
5761	Vaccinate	0.00	12.00	7.50	0.00	8.00	5.00	0.00	4.50	3.00	0.00	7.50	7.00	3.50	58.00	4.91
5765	Vaccinate	0.00	8.00	6.50	0.50	7.00	3.50	0.00	5.50	4.00	1.00	5.00	2.50	1.50	45.00	3.81
5773	Vaccinate	0.00	1.50	1.00	0.00	1.00	0.00	0.00	1.50	0.50	0.00	0.00	0.00	0.00	5.50	0.47
5784	Vaccinate	1.00	7.00	1.50	1.50	9.00	2.00	1.00	6.00	2.00	1.50	8.00	2.50	2.50	45.50	3.85
5786	Vaccinate	0.00	4.00	0.00	0.00	2.50	1.50	0.00	3.50	0.00	0.00	3.00	1.50	0.50	16.50	1.40
5793	Vaccinate	0.00	1.50	0.00	0.00	1.00	0.00	0.00	2.00	0.00	0.00	1.00	0.00	0.00	5.50	0.47
5798	Vaccinate	0.00	2.00	0.00	0.00	1.50	0.00	0.00	2.50	0.00	0.00	1.50	0.00	0.00	7.50	0.64

DLA = Dorsal Left Apical Lobe

DLC = Dorsal Left Cardiac Lobe

DLD = Dorsal Left Diaphragmatic Lobe

DRA = Dorsal Right Apical Lobe

DRC = Dorsal Right Cardiac Lobe

VLD = Ventral Left Diaphragmatic Lobe

VRA = Ventral Right Apical Lobe

VRC = Ventral Right Apical Lobe

VRC = Ventral Right Cardiac Lobe

VRD = Ventral Right Diaphragmatic Lobe

INT = Intermediate Lobe

165A 19A5.R8 Page 6 of 18

Table 2: Lung Lesion Scoring (LLS) by 2nd Scorer

Pig ID	Treatment	DLA	DLC	DLD	DRA	DRC	DRD	VLA	VLC	VLD	VRA	VRC	VRD	INT	Total Lung Score	LLS
5700	Placebo	4.50	34.00	8.00	2.00	27.50	5.50	3.00	36.00	6.50	18.50	51.00	17.00	2.00	215.50	18.25
5701	Placebo	1.50	43.00	12.00	4.00	37.50	25.00	6.00	37.50	24.00	6.00	32.00	10.50	4.50	243.50	20.62
5707	Placebo	1.50	35.00	3.00	0.00	37.50	13.00	5.00	25.00	2.00	1.00	45.00	17.50	17.50	203.00	17.19
5709	Placebo	2.00	15.00	4.50	1.50	22.00	3.50	3.00	11.00	6.00	1.50	15.50	7.50	2.50	95.50	8.09
5725	Placebo	0.50	13.50	4.50	0.00	12.50	2.50	0.00	9.00	2.00	0.00	12.00	2.50	1.50	60.50	5.12
5730	Placebo	1.50	7.00	6.50	0.50	9.50	2.50	3.50	6.50	3.00	1.00	6.00	4.50	0.50	52.50	4.45
5734	Placebo	1.00	6.50	1.00	0.00	3.00	1.50	3.00	4.50	0.50	1.50	5.00	2.00	0.50	30.00	2.54
5739	Placebo	3.50	14.50	1.50	1.00	20.50	8.00	6.00	12.50	3.50	1.00	30.00	16.00	3.50	121.50	10.29
5744	Placebo	0.50	19.50	5.50	1.50	26.50	10.00	1.50	15.00	3.50	1.00	34.00	10.50	2.00	131.00	11.09
5751	Placebo	1.00	16.00	10.00	4.00	28.00	2.00	3.50	11.00	9.50	3.00	30.50	8.00	1.00	127.50	10.80
5757	Placebo	2.00	24.50	13.50	1.50	16.50	4.00	2.00	16.50	7.50	1.00	26.00	7.50	1.00	123.50	10.46
5759	Placebo	4.00	28.00	14.50	8.50	35.50	16.00	7.50	24.00	10.00	16.00	33.00	18.50	4.00	219.50	18.59
5762	Placebo	6.50	20.00	4.00	2.50	31.50	33.50	7.00	20.00	2.00	6.50	19.50	41.50	10.00	204.50	17.32
5763	Placebo	2.50	19.00	14.00	1.50	14.50	13.50	3.00	14.50	7.00	3.50	14.00	10.50	2.00	119.50	10.12
5766	Placebo	1.00	14.50	1.00	0.50	10.00	2.50	1.00	9.00	0.50	1.00	11.50	6.00	2.00	60.50	5.12
5772	Placebo	2.00	13.50	2.50	0.50	23.00	4.50	3.50	12.00	2.50	0.50	34.00	5.00	3.50	107.00	9.06
5778	Placebo	1.50	16.00	3.50	2.00	11.50	2.00	2.00	9.50	3.00	1.00	14.00	4.50	1.50	72.00	6.10
5781	Placebo	1.50	26.00	4.50	2.50	11.00	3.50	3.50	17.00	4.00	2.00	15.00	8.00	2.00	100.50	8.51
5787	Placebo	0.00	11.00	2.50	0.00	21.50	4.00	1.50	7.50	1.50	1.00	26.00	4.50	3.00	84.00	7.11
5796	Placebo	0.00	2.00	1.50	0.00	2.00	0.50	0.00	2.00	0.00	0.00	1.50	0.00	1.00	10.50	0.89
5703	Vaccinate	0.50	3.00	2.00	2.00	7.50	1.00	1.50	2.50	1.00	1.50	6.00	1.00	0.50	30.00	2.54
5704	Vaccinate	0.00	5.00	1.50	0.00	2.00	0.50	0.00	5.00	0.50	0.50	2.00	0.50	0.00	17.50	1.48
5705	Vaccinate	0.00	13.50	6.50	1.50	9.00	5.00	1.00	10.00	3.50	2.00	10.00	6.00	3.00	71.00	6.01
5710	Vaccinate	0.00	1.50	0.50	0.00	5.00	2.00	1.00	1.50	0.50	0.50	5.50	2.00	0.50	20.50	1.74
5722	Vaccinate	0.00	2.00	1.00	1.00	2.00	1.00	0.00	2.00	1.50	0.50	2.00	1.50	0.50	15.00	1.27
5731	Vaccinate	0.00	3.50	2.50	0.00	2.00	1.50	0.00	4.50	1.50	0.00	2.50	2.00	0.00	20.00	1.69
5738	Vaccinate	0.00	2.00	0.50	0.00	2.00	0.50	0.00	3.50	0.50	0.00	2.50	0.00	0.50	12.00	1.02
5740	Vaccinate	0.00	1.50	1.50	0.00	1.50	1.00	0.00	0.50	1.00	0.00	1.50	1.00	0.00	9.50	0.80
5745	Vaccinate	0.00	2.50	1.50	0.00	2.00	2.00	0.00	3.00	1.50	0.50	3.50	1.50	0.00	18.00	1.52
5752	Vaccinate	0.00	0.50	0.00	0.00	1.50	0.00	0.00	0.50	0.00	0.00	1.50	0.00	0.00	4.00	0.34
5754	Vaccinate	0.50	1.50	0.50	1.00	4.50	0.50	0.50	3.50	1.00	1.50	5.00	1.00	1.00	22.00	1.86
5755	Vaccinate	0.00	2.50	0.00	1.00	1.50	0.50	0.50	2.00	0.50	0.00	1.50	0.00	0.00	10.00	0.85
5758	Vaccinate	0.00	7.50	1.50	0.00	7.00	2.00	0.00	6.50	2.50	1.00	9.00	2.50	0.50	40.00	3.39
5761	Vaccinate	2.00	14.50	6.50	0.50	12.00	5.50	1.00	7.50	3.50	0.50	7.00	7.50	0.50	68.50	5.80
5765	Vaccinate	0.00	7.00	5.00	1.00	6.50	3.50	1.00	5.50	4.00	0.50	4.50	3.50	0.50	42.50	3.34
5773	Vaccinate	0.00	1.50	0.50	0.00	1.00	0.00	0.00	1.00	1.00	0.00	0.50	0.00	0.50	6.00	0.51
5784	Vaccinate	1.00	6.00	1.00	2.00	6.50	1.00	0.00	4.50	1.50	1.50	6.00	2.00	2.00	35.00	2.96
5786	Vaccinate	0.00	2.00	1.00	0.00	2.50	1.00	0.00	4.00	1.50	0.00	2.00	1.00	0.50	15.50	1.31
5793	Vaccinate	0.00	2.00	0.50	0.00	1.00	0.50	0.00	2.50	0.50	0.50	1.50	0.00	0.50	9.50	0.80
5798	Vaccinate	0.00	1.50	0.00	0.00	1.50	0.00	0.00	2.00	0.00	0.00	2.50	0.00	0.00	7.50	0.64

DLA = Dorsal Left Apical Lobe

DLC = Dorsal Left Cardiac Lobe

DLD = Dorsal Left Diaphragmatic Lobe

VLD = Ventral Left Cardiac Lobe

VLD = Ventral Left Diaphragmatic Lobe

DRA = Dorsal Right Apical Lobe

VRA = Ventral Right Apical Lobe

VRC = Ventral Right Cardiac Lobe

VRC = Ventral Right Cardiac Lobe

VRD = Ventral Right Diaphragmatic Lobe

INT = Intermediate Lobe

165A 19A5.R8 Page 7 of 18

Study Type	Efficacy						
Pertaining to	Swine Influenz	a Virus, H	1N2				
Study Purpose	Demonstrate ef	ficacy aga	inst swine in	ıfluen	za virus, H	1N2	
Product	Two doses, adr	ninistered	intramuscul	arly, tl	nree weeks	apart.	
Administration	NA1 (A/swine/	IA/A0141	0307/2014 (HIN1)) – NA6		
	(A/swine/MN/A	A01483170	0/2014 (H1N	N 1))			
	NA4 (A/swine/	MI/A0207	7465/2015	(HIN2	2)) – NA2		
	(A/swine/IL/A	01475495/	2014 (H1N2	2))			
Study Animals	Commercial pi			t 1 st va	ecination;	32 vacc	inates and 32
CI II	controls (place)			4	1 . ,	• • • • • • • • • • • • • • • • • • • •	•
Challenge	All pigs were c	_	• 1				n swine
Description	influenza strain						1 620
Interval	Lung lesion sco			ays po	st challenge	e on a s	ubgroup of 20
observed after	vaccinates and	20 control	S.				
challenge Results							
Results							
	Five number su	ımmarv fo	r lung lesion	score	s*:		
	Group	·	Minimum		Median	Q3	Maximum
	Vaccinate	20	0.5	0.7	1.2	3.1	6.9
	Placebo	20	5	9.1	11.8	22.1	37.3
							_
	*Lesion scores Raw data are sl			perce	ntage of to	al lung	area
USDA Approval Date		nown belov		perce	ntage of to	tal lung	area

165A 19A5.R8 Page 8 of 18

Table 1: Lung Lesion Scoring (LLS) by 1st Scorer

Pig ID	Treatment	DLA	DLC	DLD	DRA	DRC	DRD	VLA	VLC	VLD	VRA	VRC	VRD	INT	Total Lung Score	LLS
3006	Vaccinate	0.00	1.50	1.00	0.00	1.00	1.50	0.00	1.00	0.00	0.00	1.50	0.00	0.00	7.50	0.64
3009	Vaccinate	0.00	2.00	1.00	0.00	3.50	1.00	0.00	2.50	1.00	0.00	2.50	1.50	0.00	15.00	1.27
3014	Vaccinate	0.00	2.50	1.50	1.00	5.00	0.00	0.00	3.50	2.00	1.00	3.50	0.00	0.00	20.00	1.69
3015	Vaccinate	0.00	5.00	4.50	0.50	4.00	1.50	0.50	4.50	3.00	0.00	5.50	1.50	0.00	30.50	2.58
3024	Vaccinate	0.00	5.00	2.00	0.00	0.00	0.00	0.00	4.50	0.00	0.00	0.00	0.00	0.50	12.00	1.02
3027	Vaccinate	0.00	3.50	1.50	0.00	5.00	0.00	0.00	2.00	1.50	1.00	3.50	0.00	0.00	18.00	1.52
3036	Vaccinate	0.00	10.00	5.00	8.00	12.00	5.50	1.00	8.50	2.00	7.50	9.00	5.00	2.50	76.00	6.44
3037	Vaccinate	0.00	1.50	0.00	0.00	1.50	0.00	0.00	1.50	1.50	0.00	1.00	1.00	0.00	8.00	0.68
3041	Vaccinate	0.00	3.50	1.00	0.00	1.50	0.00	0.00	3.00	0.00	0.00	2.00	0.00	0.00	11.00	0.93
3042	Vaccinate	0.00	1.50	3.50	0.00	1.00	0.00	0.00	2.00	0.00	0.00	1.00	0.00	0.00	9.00	0.76
3046	Vaccinate	0.00	1.50	2.00	0.00	1.50	0.00	0.00	0.50	0.00	0.00	1.50	0.00	0.00	7.00	0.59
3047	Vaccinate	1.00	7.00	4.50	0.50	7.50	4.00	1.00	4.50	4.00	1.50	7.00	3.00	1.00	46.50	3.94
3052	Vaccinate	0.00	2.00	0.00	1.00	2.00	1.00	0.00	3.50	0.00	1.00	2.00	1.00	0.00	13.50	1.14
3056	Vaccinate	0.00	2.00	0.00	0.00	1.50	1.00	0.00	2.00	0.00	0.00	2.00	0.00	0.00	8.50	0.72
3066	Vaccinate	0.00	19.00	6.50	1.00	9.00	1.50	0.00	15.00	4.50	2.00	14.00	1.50	3.50	77.50	6.56
3067	Vaccinate	1.00	4.00	1.50	0.00	5.50	1.00	0.00	5.00	2.00	0.00	5.00	1.50	0.00	26.50	2.24
3068	Vaccinate	0.00	6.50	8.00	1.00	5.00	5.00	0.00	4.50	2.00	0.50	3.50	1.50	2.00	39.50	3.34
3070	Vaccinate	0.00	5.00	9.50	2.50	3.50	6.50	1.00	6.50	5.00	2.00	10.50	6.50	2.00	60.50	5.12
3076	Vaccinate	0.00	3.50	2.00	0.00	1.00	2.50	0.00	4.50	0.50	0.00	2.50	1.50	0.00	18.00	1.52
3078	Vaccinate	0.00	6.50	5.00	1.50	2.50	5.00	0.00	6.00	3.50	1.00	3.00	4.00	0.00	38.00	3.22
3003	Placebo	4.00	21.00	7.50	2.50	20.00	5.00	7.00	17.50	6.00	3.00	30.50	4.50	14.00	142.50	12.07
3005	Placebo	0.00	8.50	7.00	0.00	14.00	0.00	0.00	8.00	5.50	1.00	10.50	3.00	3.00	60.50	5.12
3017	Placebo	2.00	10.00	13.00	3.00	17.50	6.50	2.00	8.50	5.00	2.50	11.00	7.50	1.00	89.50	7.58
3020	Placebo	4.50	25.00	21.50	21.50	27.50	5.50	5.50	34.00	9.50	17.00	32.00	4.00	7.50	215.00	18.20
3021	Placebo	0.00	10.50	20.50	1.00	30.00	2.50	3.00	14.00	10.50	1.50	32.50	6.50	5.50	138.00	11.69
3022	Placebo	0.00	16.50	3.00	1.50	15.50	1.50	4.00	14.00	1.00	1.50	18.50	2.50	3.50	83.00	7.03
3034	Placebo	1.50	12.50	10.50	1.50	17.00	12.50	2.50	9.00	6.50	2.00	21.00	5.50	6.50	108.50	9.19
3039	Placebo	0.00	8.00	10.50	10.00	17.00	4.50	1.50	10.50	3.00	8.50	23.00	7.00	2.50	106.00	8.98
3043	Placebo	12.00	37.50	13.50	9.50	24.00	11.00	11.50	52.00	19.00	26.00	57.00	6.50	19.00	298.50	25.28
3044	Placebo	0.00	16.00	11.00	0.00	31.50	9.50	3.00	11.50	4.50	0.00	37.50	4.50	12.50	141.50	11.98
3045	Placebo	14.50	42.50	36.00	10.50	31.00	16.50	26.50	52.00	63.00	9.00	68.00	31.50	34.50	435.50	36.88
3049	Placebo	4.50	33.00	12.00	7.00	18.00	24.50	9.00	28.50	12.00	12.50	47.00	20.00	13.00	241.00	20.41
3058	Placebo	12.00	23.00	31.50	13.50	28.50	18.50	16.00	24.00	36.50	15.00	43.50	20.50	16.50	299.00	25.32
3061	Placebo	0.00	23.00	3.00	9.50	22.50	17.50	1.50	14.00	2.00	7.50	19.00	10.00	4.00	133.50	11.30
3064	Placebo	5.00	38.50	20.00	4.50	29.50	15.00	16.00	52.00	16.50	8.00	47.00	18.00	8.00	278.00	23.54
3065	Placebo	0.00	18.00	9.00	2.00	21.50	9.00	1.00	14.50	4.00	2.00	15.00	5.50	3.50	105.00	8.89
3069	Placebo	2.00	18.00	15.50	5.50	15.50	19.50	4.50	9.50	11.00	5.50	28.50	13.00	7.00	155.00	13.12
3072	Placebo	6.00	25.50	21.50	10.50	27.50	38.50	10.00	23.50	27.00	18.50	43.00	36.50	24.50	312.50	26.46
3081	Placebo	6.50	24.00	37.00	1.00	31.50	24.50	13.00	32.00	31.50	4.50	46.00	35.00	15.00	301.50	25.53
3082	Placebo	3.50	17.00	29.00	1.00	19.50	26.50	10.00	12.00	36.00	1.00	41.50	20.00	20.50	237.50	20.11

INT = Intermediate Lobe

DLA = Dorsal Left Apical Lobe

DLC = Dorsal Left Cardiac Lobe

VLC = Ventral Left Cardiac Lobe

VLC = Ventral Left Cardiac Lobe

VLD = Ventral Left Diaphragmatic Lobe

VLD = Ventral Left Diaphragmatic Lobe

VRA = Ventral Right Apical Lobe

VRA = Ventral Right Apical Lobe

VRC = Ventral Right Cardiac Lobe

VRC = Ventral Right Cardiac Lobe

VRD = Ventral Right Diaphragmatic Lobe

165A 19A5.R8

Page 9 of 18

Table 2: Lung Lesion Scoring (LLS) by 2nd Scorer

Pig ID	Treatment	DLA	DLC	DLD	DRA	DRC	DRD	VLA	VLC	VLD	VRA	VRC	VRD	INT	Total Lung Score	LLS
3006	Vaccinate	0.00	1.50	0.50	0.00	1.50	1.00	0.00	1.00	0.00	0.50	1.00	0.00	0.00	7.00	0.59
3009	Vaccinate	0.00	2.00	1.00	0.00	4.00	1.00	0.00	1.50	1.00	0.00	2.00	1.00	0.50	14.00	1.19
3014	Vaccinate	0.00	0.50	1.50	0.00	2.50	0.00	0.00	1.00	2.50	0.00	1.50	0.00	0.50	10.00	0.85
3015	Vaccinate	0.50	3.50	1.50	0.00	3.00	1.50	0.50	4.50	2.50	0.00	3.00	1.50	0.00	22.00	1.86
3024	Vaccinate	0.00	2.50	0.50	0.00	0.00	0.00	0.00	1.50	1.00	0.00	0.00	0.00	0.00	5.50	0.47
3027	Vaccinate	0.00	1.00	2.00	0.00	2.50	0.00	0.00	2.00	0.00	0.00	2.00	0.00	0.00	9.50	0.80
3036	Vaccinate	0.00	9.00	2.50	4.50	6.50	5.00	0.00	9.50	2.00	6.00	8.00	4.00	1.50	58.50	4.95
3037	Vaccinate	0.00	1.00	0.00	0.00	1.50	0.00	0.00	0.00	0.00	0.00	2.50	0.00	0.00	5.00	0.42
3041	Vaccinate	1.00	3.50	0.50	0.00	2.00	0.00	0.00	3.00	0.00	0.00	1.50	0.50	0.00	12.00	1.02
3042	Vaccinate	0.00	0.00	2.50	0.00	0.00	0.00	0.00	2.50	0.00	0.00	0.00	0.00	0.00	5.00	0.42
3046	Vaccinate	0.00	1.00	2.00	0.00	0.50	0.00	0.00	0.50	1.00	0.50	0.00	0.00	0.00	5.50	0.47
3047	Vaccinate	0.50	4.50	2.50	0.00	7.00	3.50	0.00	4.00	2.00	0.00	7.50	4.50	0.50	36.50	3.09
3052	Vaccinate	0.00	2.00	0.50	0.50	2.00	0.00	0.00	3.00	0.00	1.50	1.00	1.50	0.00	12.00	1.02
3056	Vaccinate	0.00	1.50	0.00	0.00	1.00	0.00	0.00	1.50	0.50	0.00	2.00	0.00	0.00	6.50	0.55
3066	Vaccinate	0.00	24.00	7.00	1.50	9.50	2.50	1.50	17.50	5.00	2.50	11.00	2.00	2.00	86.00	7.28
3067	Vaccinate	1.00	8.00	3.00	0.00	9.00	1.00	0.50	5.50	2.50	0.00	9.50	1.00	1.00	42.00	3.56
3068	Vaccinate	0.00	7.00	5.50	1.50	6.00	3.00	0.50	7.00	3.00	2.00	9.50	1.50	2.00	48.50	4.11
3070	Vaccinate	0.50	5.00	8.50	1.00	6.00	4.00	0.00	5.50	5.00	2.00	7.00	7.00	2.50	54.00	4.57
3076	Vaccinate	0.00	2.00	3.00	0.00	1.50	0.50	0.50	1.50	0.00	0.00	2.00	1.50	0.00	12.50	1.06
3078	Vaccinate	0.00	4.50	5.50	0.50	2.00	3.50	0.00	4.00	2.50	0.50	2.00	5.00	0.00	30.00	2.54
3003	Placebo	2.00	19.00	4.00	3.50	28.00	3.50	6.50	19.50	6.00	3.00	24.50	4.50	12.50	136.50	11.56
3005	Placebo	0.00	11.50	5.50	0.00	11.00	0.00	0.00	10.00	3.00	1.00	10.50	4.00	1.50	58.00	4.91
3017	Placebo	1.50	5.50	9.00	1.50	26.50	8.00	4.50	9.00	8.00	3.00	20.50	10.00	1.50	108.50	9.19
3020	Placebo	4.50	26.50	13.50	9.00	27.00	3.00	8.50	30.50	12.00	20.00	37.00	4.50	5.00	201.00	17.02
3021	Placebo	0.00	11.00	13.50	0.00	26.50	2.00	2.50	13.50	8.50	2.00	33.00	5.00	3.50	121.00	10.25
3022	Placebo	0.00	11.50	2.00	3.00	11.50	0.50	1.00	13.00	0.50	0.50	16.00	2.00	2.00	63.50	5.38
3034	Placebo	2.00	11.50	5.50	1.50	30.00	7.00	1.00	11.50	4.00	1.50	21.50	5.50	6.50	109.00	9.23
3039	Placebo	0.50	8.00	6.50	9.50	18.50	2.00	2.00	9.50	7.00	10.00	22.00	10.00	0.00	105.50	8.93
3043	Placebo	10.00	32.50	15.50	17.50	37.00	11.00	15.50	48.50	20.00	30.50	53.50	10.50	24.50	326.50	27.65
3044	Placebo	0.00	21.50	6.00	0.00	28.00	7.00	4.00	11.00	6.00	0.50	33.00	7.50	13.00	137.50	11.64
3045	Placebo	16.50	34.00	44.00	8.50	36.50	28.00	25.00	52.00	72.00	10.00	57.00	32.50	29.50	445.50	37.72
3049	Placebo	3.50	32.50	13.00	6.00	19.00	16.50	7.50	31.00	13.00	10.00	32.00	10.00	7.50	201.50	17.06
3058	Placebo	10.00	25.50	18.00	5.50	22.50	12.00	14.50	29.50	28.50	10.50	38.50	17.50	14.00	246.50	20.87
3061	Placebo	0.00	21.50	3.00	6.50	26.50	8.00	2.00	15.50	3.50	5.00	21.00	7.00	2.00	121.50	10.29
3064	Placebo	4.50	30.50	15.00	4.50	41.50	16.00	9.00	36.50	14.00	9.00	33.00	17.00	7.00	237.50	20.11
3065	Placebo	0.50	12.00	6.50	3.50	18.00	8.50	1.00	12.00	4.00	3.50	22.00	6.50	1.50	99.50	8.43
3069	Placebo	2.00	12.00	10.00	4.50	17.50	11.50	2.50	9.50	6.00	2.50	32.00	11.50	3.00	124.50	10.54
3072	Placebo	7.50	29.00	19.00	8.00	30.00	14.00	10.00	26.50	17.00	8.50	40.00	33.50	25.00	268.00	22.69
3081	Placebo	4.00	22.00	17.00	1.50	36.00	27.00	12.00	24.00	30.00	6.50	45.00	33.50	10.50	269.00	22.78
3082	Placebo	4.50	13.50	14.50	0.00	29.00	14.00	6.00	17.50	26.00	1.50	30.00	15.50	15.50	187.50	15.88

INT = Intermediate Lobe

DLA = Dorsal Left Apical Lobe VLA = Ventral Left Apical Lobe

DLC = Dorsal Left Cardiac Lobe VLC = Ventral Left Cardiac Lobe

DLD = Dorsal Left Diaphragmatic Lobe VLD = Ventral Left Diaphragmatic Lobe

DRA = Dorsal Right Apical Lobe VRA = Ventral Right Apical Lobe

DRC = Dorsal Right Cardiac Lobe VRC = Ventral Right Cardiac Lobe

DRD = Dorsal Right Diaphragmatic Lobe VRD = Ventral Right Diaphragmatic Lobe

165A 19A5.R8 Page 10 of 18

Study Type	Efficacy						
Pertaining to	Swine Influenz	a Virus, H1	N2				
Study Purpose	Demonstrate ef	fficacy agai	nst swine in	fluenz	a virus, H1	N2	
Product	Two doses, adr	ninistered i	ntramuscula	arly, th	ree weeks a	part.	
Administration	NA1 (A/swine/	/IA/A01410	307/2014 (1	HIN1)) – NA6		
	(A/swine/MN/A	A01483170	/2014 (H1N	J1))			
	NA4 (A/swine/	/MI/A0207	7465/2015 (H ₁ N ₂)) – NA2		
	(A/swine/IL/A						
Study Animals	Commercial pi controls (place)			1 st vac	ecination; 3	1 vacc	inates and 32
Challenge	All pigs were c	hallenged 3	34 days post	secon	d vaccination	on witl	h swine
Description	influenza strair						
Interval	Lung lesion sco			ys pos	t challenge	on a s	ubgroup of 20
observed after	vaccinates and	20					
observed after	vaccinates and	20 controls	•				
challenge Results	vaccinates and	20 controls	•				
challenge	Five number su			scores	s*:		
challenge		ımmary for		scores	s*: Median	<i>Q3</i>	Maximum
challenge	Five number su	ımmary for	lung lesion			Q3 1.2	Maximum 6.9
challenge	Five number su	ımmary for	lung lesion Minimum	Q1	Median		
challenge	Five number su Group Vaccinate	Number 20 20 were calcu	lung lesion Minimum 0.1 1.9 lated as the	<i>Q1</i> 0.3 4.3	Median 0.6 7.2	1.2 9.8	6.9 17.2
challenge	Five number su Group Vaccinate Placebo *Lesion scores	Number 20 20 were calcu	lung lesion Minimum 0.1 1.9 lated as the	<i>Q1</i> 0.3 4.3	Median 0.6 7.2	1.2 9.8	6.9 17.2

165A 19A5.R8 Page 11 of 18

Table 1: Lung Lesion Scoring (LLS) by 1st Scorer

Pig ID	Treatment	DLA	DLC	DLD	DRA	DRC	DRD	VLA	VLC	VLD	VRA	VRC	VRD	INT	Total Lung Score	LLS
3	Placebo	2 00	2.50	2.00	1.50	9.50	1.00	3.50	3.00	1.50	3.00	15.00	2 50	4 50	51.50	4.36
5	Placebo	1.00	18.50	29.50	4.50	24.50	51.50	5.50	19.00	15.50	6.00	20.50	19.00	8.00	223.00	18.88
12	Placebo	1.50	8.50	2.50	8.00	6.00	1.00	2.00	8.50	3.00	7.00	6.00	3.00	2.00	59.00	5.00
16	Placebo	2.00	23.00	2.50	6.00	16.50	2.00	5.50	11.50	2.00	6.00	18.00	0.00	6.50	101.50	8.59
23	Placebo	2.00	8.50	1.50	3.00	10.50	3.00	3.00	4.50	1.50	2.00	12.00	3.00	2.50	57.00	4.83
25	Placebo	0.50	1.50	1.00	1.00	3.50	1.00	1.50	1.50	1.50	2.00	3.50	0.00	0.00	18.50	1.57
29	Placebo	1.50	13.50	0.00	2.50	21.00	3.50	2.50	11.00	0.00	2.00	16.50	1.50	5.50	81.00	6.86
32	Placebo	6.50	27.00	6.50	7.00	23.50	12.00	10.50	19.00	8.50	7.50	33.50	9.50	6.00	177.00	14.99
38	Placebo	0.00	6.50	4.00	2.00	5.00	5.00	1.50	4.00	3.00	2.50	6.50	2.50	0.00	42.50	3.60
39	Placebo	1.50	19.00	7.50	6.00	19.50	2.00	4.50	10.00	9.50	6.50	12.50	6.50	4.50	109.50	9.27
49	Placebo	3.00	25.00	2.00	7.50	26.00	7.50	3.00	32.50	8.00	6.00	51.00	10.50	8.50	190.50	16.13
50	Placebo	1.50	32.00	6.50	7.00	18.00	3.50	1.00	31.50	5.00	8.50	24.00	1.50	6.00	146.00	12.36
66	Placebo	0.50	9.00	0.00	3.50	6.50	0.50	0.00	11.50	0.50	4.00	8.50	1.00	5.00	50.50	4.28
68	Placebo	1.50	17.50	4.50	7.00	12.00	9.00	4.00	11.50	9.00	10.00	13.00	2.00	9.50	110.50	9.36
75	Placebo	0.50	15.50	6.00	7.50	23.50	21.50	9.00	20.50	18.00	7.00	32.50	15.00	13.00	189.50	16.05
76	Placebo	0.00	5.50	1.50	3.00	7.00	4.50	0.00	6.00	1.50	3.00	6.50	3.50	1.50	43.50	3.68
87	Placebo	0.50	16.00	3.50	2.50	19.00	1.00	2.00	12.50	0.50	3.00	15.50	2.50	5.00	83.50	7.07
88	Placebo	0.00	6.00	2.50	1.50	20.50	3.00	1.00	11.50	2.50	4.00	19.50	2.00	1.50	75.50	6.39
97	Placebo	0.00	0.00	0.50	8.50	24.00	10.50	0.00	0.00	0.00	8.00	23.00	8.00	5.00	87.50	7.41
99	Placebo	0.00	0.00	0.00	0.00	20.00	0.00	0.00	0.00	0.00	0.00	20.00	0.00	2.00	42.00	3.56
1	Vaccinate	0.00	8.00	6.50	0.00	16.50	11.50	0.00	8.00	8.50	0.00	19.50	8.50	1.00	88.00	7.45
6	Vaccinate	0.00	0.00	0.00	0.50	0.00	0.00	0.00	0.00	0.50	0.00	0.00	0.00	0.00	1.00	0.08
10	Vaccinate	1.00	4.50	1.50	1.00	1.50	1.00	0.50	2.50	1.00	0.00	0.00	1.50	0.50	16.50	1.40
13	Vaccinate	0.00	0.50	0.50	0.00	0.50	0.00	0.00	0.50	0.00	0.00	0.50	0.00	0.00	2.50	0.21
20	Vaccinate	0.00	1.50	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	1.00	0.00	0.00	3.50	0.30
24	Vaccinate	0.50	3.00	2.50	0.50	2.50	2.00	0.50	2.50	1.00	0.50	1.00	0.00	0.00	16.50	1.40
27	Vaccinate	0.00	1.50	2.00	0.00	3.00	1.50	0.00	1.00	0.50	0.00	3.00	1.00	0.00	13.50	1.14
28	Vaccinate	0.00	1.00	0.50	0.00	0.00	0.00	0.00	1.00	1.00	0.00	0.00	0.00	0.00	3.50	0.30
35	Vaccinate	0.00	1.50	2.00	0.00	1.00	0.00	0.00	1.00	1.50	0.00	1.00	0.50	0.00	8.50	0.72
37	Vaccinate	0.00	5.00	2.50	1.50	4.50	5.00	0.00	8.50	1.50	1.50	5.00	2.00	0.50	37.50	3.18
51	Vaccinate	0.00	3.50	0.00	0.50	1.50	0.50	0.00	1.00	1.00	0.50	1.00	0.50	0.50	10.50	0.89
55	Vaccinate	0.00	1.00	0.00	0.00	0.50	0.00	0.00	1.00	0.00	0.00	0.50	0.00	0.50	3.50	0.30
64	Vaccinate	0.00	2.50	1.00	0.00	4.50	0.00	0.50	2.50	0.50	0.50	3.50	0.00	1.50	17.00	1.44
69	Vaccinate	0.00	0.00	0.00	0.00	1.50	0.00	0.00	0.00	0.00	0.00	1.00	0.00	0.00	2.50	0.21
72	Vaccinate	0.00	1.00	0.00	0.00	2.00	0.00	0.00	1.00	0.00	0.00	1.50	0.00	0.00	5.50	0.47
77	Vaccinate	0.00	1.00	0.00	0.50	1.00	0.00	0.00	0.50	0.00	0.00	0.50	0.00	0.00	3.50	0.30
89	Vaccinate	1.00	16.50	2.50	0.00	3.50	0.00	0.00	4.50	1.00	0.00	3.00	0.50	1.00	33.50	2.84
90	Vaccinate	0.00	0.00	0.00	1.50	0.50	0.00	0.00	0.00	0.00	2.00	0.00	0.00	0.00	4.00	0.34
98	Vaccinate	0.00	1.50	1.00	0.00	1.50	0.50	0.00	1.50	0.50	0.00	1.00	1.00	0.50	9.00	0.76
100	Vaccinate	0.00	1.00	0.00	0.50	1.50	0.00	0.00	0.50	0.00	0.00	3.50	0.00	0.00	7.00	0.59

DLA = Dorsal Left Apical Lobe

DLC = Dorsal Left Cardiac Lobe

DLD = Dorsal Left Diaphragmatic Lobe

DRA = Dorsal Right Apical Lobe

DRC = Dorsal Right Cardiac Lobe

VRA = Ventral Left Diaphragmatic Lobe

VRA = Ventral Right Apical Lobe

VRC = Ventral Right Cardiac Lobe

DRD = Dorsal Right Diaphragmatic Lobe

VRD = Ventral Right Diaphragmatic Lobe

INT = Intermediate Lobe

165A 19A5.R8 Page 12 of 18

Table 2: Lung Lesion Scoring (LLS) by 2nd Scorer

Pig ID	Treatment	DLA	DLC	DLD	DRA	DRC	DRD	VLA	VLC	VLD	VRA	VRC	VRD	INT	Total Lung Score	LLS
3	Placebo	2.50	1.00	1.00	2.00	14.00	1.00	3.50	3.00	1.00	4.00	15.00	1.00	3.00	52.00	4.40
5	Placebo	1.50	20.00	17.50	3.50	16.00	42.50	7.00	18.00	8.50	4.00	16.00	21.50	8.00	184.00	15.58
12	Placebo	1.50	10.00	2.50	6.00	4.50	0.50	2.00	10.00	2.00	6.00	4.50	3.50	1.00	54.00	4.57
16	Placebo	3.00	16.00	2.00	11.00	11.50	1.50	5.00	15.00	1.00	10.50	17.50	1.50	4.00	99.50	8.43
23	Placebo	2.00	7.00	1.50	2.50	7.50	3.00	3.00	6.00	0.50	2.50	3.50	3.00	1.00	43.00	3.64
25	Placebo	0.50	2.00	2.00	2.00	7.00	1.50	1.00	1.50	1.50	2.00	4.50	0.50	1.00	27.00	2.29
29	Placebo	1.00	9.50	0.50	2.00	19.00	2.50	0.00	14.00	1.00	2.50	26.50	4.00	5.00	87.50	7.41
32	Placebo	9.00	23.50	8.00	3.00	24.50	7.50	10.50	18.50	7.00	10.00	36.00	9.00	1.00	167.50	14.18
38	Placebo	0.50	4.00	2.50	2.00	3.00	1.50	1.50	4.00	1.50	2.00	5.00	2.00	0.50	30.00	2.54
39	Placebo	2.50	18.50	6.00	5.50	13.50	3.00	3.50	14.50	6.00	7.00	20.50	2.00	2.50	105.00	8.89
49	Placebo	2.00	30.50	3.50	5.00	20.50	6.00	4.00	31.00	8.50	13.00	48.00	10.50	5.00	187.50	15.88
50	Placebo	1.00	30.50	3.50	5.00	19.50	1.00	1.00	31.00	3.00	6.50	24.50	2.50	12.00	141.00	11.94
66	Placebo	1.00	14.00	1.50	6.50	14.50	0.00	0.50	8.50	0.50	6.50	10.00	1.00	5.50	70.00	5.93
68	Placebo	1.00	13.50	4.50	6.00	6.00	4.50	2.50	10.00	5.50	12.00	12.50	2.50	5.00	85.50	7.24
75	Placebo	1.50	13.00	6.00	6.50	28.50	8.00	6.00	19.50	19.00	10.50	36.00	20.00	17.00	191.50	16.22
76	Placebo	0.50	5.00	0.50	2.00	5.00	2.00	0.00	5.50	0.50	3.00	5.50	2.00	1.00	32.50	2.75
87	Placebo	1.50	20.00	5.00	2.00	11.00	2.00	4.00	14.00	0.50	3.00	15.50	3.50	4.00	86.00	7.28
88	Placebo	0.00	7.00	4.00	2.50	13.50	5.50	1.00	12.00	2.50	4.50	22.00	3.50	3.00	81.00	6.86
97	Placebo	0.50	0.00	1.00	6.50	25.50	7.00	0.00	0.50	0.50	6.00	32.00	5.50	2.00	87.00	7.37
99	Placebo	0.00	1.00	0.00	0.00	22.50	0.00	0.00	1.00	0.00	0.50	15.50	0.00	3.50	44.00	3.73
1	Vaccinate	0.00	5.00	8.50	0.50	15.00	10.50	0.50	4.00	4.50	1.50	15.50	8.00	1.00	74.50	6.31
6	Vaccinate	0.00	0.00	0.50	0.50	0.00	0.00	0.00	0.00	0.50	0.00	0.00	0.50	0.50	2.50	0.21
10	Vaccinate	0.50	3.50	1.50	1.00	3.50	1.00	1.00	4.00	1.00	0.50	0.50	1.00	0.50	19.50	1.65
13	Vaccinate	0.00	0.50	0.50	0.00	0.50	0.50	0.00	0.50	0.50	0.50	0.50	0.00	0.50	4.50	0.38
20	Vaccinate	0.00	1.50	0.00	0.00	0.50	0.00	0.00	1.50	0.00	0.00	1.00	0.00	0.00	4.50	0.38
24	Vaccinate	0.00	1.00	1.50	0.00	1.00	0.00	0.50	3.50	1.00	0.00	2.00	0.50	0.50	11.50	0.97
27	Vaccinate	0.50	1.50	0.50	0.00	2.00	0.50	1.00	1.00	1.50	0.00	2.00	0.50	0.50	11.50	0.97
28	Vaccinate	0.00	1.00	1.00	0.00	0.00	1.00	0.00	1.00	1.00	0.00	1.00	0.00	0.00	6.00	0.51
35	Vaccinate	0.00	1.50	0.50	0.50	0.50	0.00	0.00	1.00	1.50	0.00	0.50	1.00	0.00	7.00	0.59
37	Vaccinate	0.00	8.50	3.50	1.00	4.00	3.50	1.00	9.00	1.50	2.00	8.00	2.50	0.50	45.00	3.81
51	Vaccinate	0.00	2.50	1.00	1.00	1.50	1.00	0.00	2.50	1.00	1.00	2.00	1.00	1.00	15.50	1.31
55	Vaccinate	0.00	0.50	0.00	0.00	0.50	0.00	0.50	1.00	0.00	0.50	0.50	0.00	0.00	3.50	0.30
64	Vaccinate	0.00	2.00	0.50	0.50	2.00	0.00	0.50	1.50	0.50	0.50	2.50	0.00	1.50	12.00	1.02
69	Vaccinate	0.00	0.00	0.50	0.00	0.50	0.00	0.00	1.00	0.00	0.00	1.00	0.00	0.50	3.50	0.30
72	Vaccinate	0.00	1.50	0.00	0.00	2.50	0.00	0.00	1.50	0.00	0.00	1.50	0.00	0.50	7.50	0.64
77	Vaccinate	0.00	1.50	0.00	0.50	1.00	0.00	0.00	0.50	0.50	0.00	0.50	0.00	0.00	4.50	0.38
89	Vaccinate	2.00	8.00	3.00	0.50	4.00	0.00	0.50	5.50	1.50	0.50	4.50	0.50	0.50	31.00	2.62
90	Vaccinate	0.50	0.00	0.50	1.00	0.00	0.00	0.00	0.00	0.00	2.00	0.00	0.00	0.00	4.00	0.34
98	Vaccinate	0.00	1.00	1.50	0.50	1.50	0.50	0.00	1.50	0.50	0.50	1.00	2.00	0.50	11.00	0.93
100	Vaccinate	0.00	1.00	0.00	0.50	1.50	0.00	0.00	1.00	0.00	0.50	2.00	0.50	0.00	7.00	0.59

DLA = Dorsal Left Apical Lobe

DLC = Dorsal Left Cardiac Lobe

DLD = Dorsal Left Diaphragmatic Lobe

VLC = Ventral Left Cardiac Lobe

VLD = Ventral Left Diaphragmatic Lobe

VLD = Ventral Left Diaphragmatic Lobe

VRA = Ventral Right Apical Lobe

VRA = Ventral Right Apical Lobe

VRC = Ventral Right Cardiac Lobe

VRC = Ventral Right Cardiac Lobe

VRD = Ventral Right Diaphragmatic Lobe

INT = Intermediate Lobe

165A 19A5.R8 Page 13 of 18

Study Type	Efficacy							
Pertaining to	Swine Influenz	a Virus, H	3N2					
Study Purpose	Demonstrate et	fficacy aga	inst swine ir	ıfluen	za virus, H.	3N2		
Product	Two doses, adr	ministered	intramuscul	arly, tl	hree weeks	apart.		
Administration	NA1 (A/swine/	/IA/A0141	0307/2014 (H1N1)) – NA6			
	(A/swine/MN/							
	NA4 (A/swine/	/MI/A0207	7465/2015 ((H1N2	2)) – NA2			
	(A/swine/IL/A	01475495/	2014 (H1N2	2))				
Study Animals	Commercial pi			t 1 st va	ecination;	32 vacc	inates and 32	
	controls (placebo vaccinated).							
Challenge	All pigs were c							
Description	influenza strair							
Interval	Lung lesion scores were assessed 5 days post challenge on a subgroup of 20							
observed after	vaccinates and 20 controls.							
challenge Results								
	Five number su	ımmary fo	r lung lesion	score	·s*:			
	Group	Number	Minimum	Q 1	Median	Q3	Maximum	
	Vaccinate	20	0.7	1.4	2.3	3.5	9.2	
	Placebo	20	4	5.7	10.5	13.7	21.2	
	*Lesion scores Raw data are sl			perce	ntage of to	tal lung	area	
USDA Approval Date	September 24,	2020						

165A 19A5.R8 Page 14 of 18

Table 1: Lung Lesion Scoring (LLS) by 1st Scorer

Pig ID	Treatment	DLA	DLC	DLD	DRA	DRC	DRD	VLA	VLC	VLD	VRA	VRC	VRD	INT	Total Lung	LLS
rigio	rreadiiciit	5	DEO	DLD	DIVA	DICO	DIAD	¥L.			VICA		VICE		Score	
3111	Placebo	0.00	19.00	5.00	1.00	13.00	6.00	1.50	8.50	2.50	0.00	8.00	4.50	1.00	70.00	5.93
3114	Placebo	0.00	16.50	1.00	0.00	10.00	1.50	1.00	10.00	0.50	0.00	6.50	1.00	0.00	48.00	4.06
3116	Placebo	0.00	4.50	1.50	0.00	13.00	3.00	0.00	7.00	1.00	0.00	8.00	4.50	3.50	46.00	3.90
3120	Placebo	1.00	23.00	10.50	5.00	22.00	5.00	4.50	20.00	13.00	3.50	21.00	4.50	3.00	136.00	11.52
3121	Placebo	9.50	31.50	2.50	7.00	22.50	13.00	9.00	30.00	2.50	17.00	37.00	15.50	8.00	205.00	17.36
3122	Placebo	0.00	29.00	7.00	0.00	13.50	7.50	0.00	17.00	5.50	0.00	16.50	6.00	2.00	104.00	8.81
3126	Placebo	1.00	29.00	4.50	0.00	23.50	6.00	6.00	25.50	7.50	0.00	38.00	4.00	1.00	146.00	12.36
3128	Placebo	1.50	23.50	4.00	4.50	34.00	9.00	8.00	22.50	2.00	5.50	28.50	10.00	9.00	162.00	13.72
3132	Placebo	6.00	27.00	38.00	4.50	27.00	28.00	12.00	24.00	20.00	3.50	34.00	22.00	5.50	251.50	21.30
3133	Placebo	0.00	22.00	17.50	0.00	23.00	9.00	3.00	19.00	12.00	0.00	12.00	11.00	2.50	131.00	11.09
3142	Placebo	0.00	8.50	7.50	2.00	7.00	3.00	1.00	6.00	5.00	1.50	4.50	3.50	0.00	49.50	4.19
3143	Placebo	1.00	7.00	6.00	1.00	13.00	5.00	0.50	8.00	4.50	1.00	12.00	3.00	0.00	62.00	5.25
3156	Placebo	5.50	28.50	6.50	13.50	27.00	21.50	3.00	23.50	4.50	21.00	55.00	17.00	14.00	240.50	20.36
3159	Placebo	2.00	21.50	16.50	2.00	25.00	8.00	2.50	16.50	9.00	4.00	17.50	4.00	1.50	130.00	11.01
3163	Placebo	0.00	23.50	9.00	1.00	9.00	3.00	1.00	16.00	7.00	1.50	8.00	4.00	3.00	86.00	7.28
3164	Placebo	0.00	11.00	6.50	1.00	12.00	2.50	2.00	8.50	3.50	0.50	10.00	3.00	2.00	62.50	5.29
3172	Placebo	2.00	12.00	2.50	1.50	22.00	8.00	3.00	10.50	2.50	1.50	26.00	4.00	3.50	99.00	8.38
3182	Placebo	1.50	35.50	10.00	4.00	24.00	6.50	6.00	30.00	5.50	6.00	26.00	7.00	9.00	171.00	14.48
3185	Placebo	1.00	19.00	4.00	10.00	27.00	6.50	5.00	16.00	3.00	13.00	35.50	7.00	4.50	151.50	12.83
3191	Placebo	1.00	22.00	9.50	3.00	18.50	9.00	1.00	18.00	8.50	3.50	18.00	6.50	8.00	126.50	10.71
3113	Vaccinate	0.00	2.00	2.00	0.00	1.00	0.00	0.00	1.00	1.00	0.00	1.00	0.00	0.00	8.00	0.68
3115	Vaccinate	0.00	0.00	3.00	0.50	0.50	0.50	0.00	2.00	3.50	1.00	1.00	2.00	0.50	14.50	1.23
3117	Vaccinate	0.00	2.50	1.50	1.00	1.50	2.50	0.00	3.50	3.00	0.00	1.50	2.00	0.00	19.00	1.61
3118	Vaccinate	0.00	2.00	0.50	0.50	3.00	1.00	0.00	1.50	0.00	0.00	4.00	1.00	1.50	15.00	1.27
3123	Vaccinate	1.50	10.50	4.50	0.50	6.00	3.00	1.50	8.00	0.00	0.00	3.50	3.00	0.50	42.50	3.60
3127	Vaccinate	0.00	1.50	3.00	0.00	1.50	2.50	0.00	1.50	1.00	0.00	1.00	1.00	0.00	13.00	1.10
3129	Vaccinate	0.00	2.50	1.00	0.00	1.00	1.50	0.00	1.50	0.00	0.00	1.00	0.00	0.00	8.50	0.72
3130	Vaccinate	0.00	11.00	13.00	1.00	12.00	19.00	0.00	8.50	12.00	1.00	10.00	12.00	2.50	102.00	8.64
3136	Vaccinate	0.00	1.00	2.50	0.00	2.00	1.50	0.00	1.50	0.00	0.00	3.00	1.00	0.00	12.50	1.06
3140	Vaccinate	0.00	4.50	1.50	1.00	9.00	6.00	0.00	3.00	3.00	1.50	7.50	5.00	1.50	43.50	3.68
3144	Vaccinate	0.00	6.00	4.00	0.50	3.00	1.50	0.00	5.00	2.00	0.00	4.50	1.50	0.50	28.50	2.41
3145	Vaccinate	0.00	3.00	3.50	2.00	4.00	1.50	0.00	4.00	5.00	3.00	5.00	1.50	1.00	33.50	2.84
3154	Vaccinate	0.50	4.50	2.00	1.50	4.00	0.50	0.50	3.00	1.50	1.00	4.50	1.00	0.50	25.00	2.12
3155	Vaccinate	0.00	2.50	1.00	0.50	5.00	1.00	1.00	5.00	1.00	1.00	5.00	1.50	0.00	24.50	2.07
3162	Vaccinate	0.00	2.50	2.00	0.00	2.50	0.00	0.00	3.00	1.00	0.00	2.00	0.00	0.00	13.00	1.10
3166	Vaccinate	4.50	14.50	7.00	3.50	11.50	5.00	3.00	14.00	7.00	3.00	14.00	10.50	8.00	105.50	8.93
3179	Vaccinate	0.00	2.00	4.00	3.00	6.00	4.00	0.50	3.00	1.50	3.00	2.00	3.00	1.00	33.00	2.79
3180	Vaccinate	0.00	16.00	4.50	1.00	9.00	1.00	1.00	11.00	6.00	1.00	11.00	2.00	1.50	65.00	5.50
3186	Vaccinate	0.50	2.50	3.50	1.50	4.00	1.00	1.50	2.00	2.00	1.50	3.00	1.00	1.00	25.00	2.12
3188	Vaccinate	0.50	2.50	3.50	2.00	2.00	0.00	0.50	2.50	2.50	2.50	2.00	0.00	1.00	21.50	1.82

DLA = Dorsal Left Apical Lobe

DLC = Dorsal Left Cardiac Lobe

VLC = Ventral Left Cardiac Lobe

VLD = Ventral Left Cardiac Lobe

VLD = Ventral Left Diaphragmatic Lobe

DRA = Dorsal Right Apical Lobe

VRA = Ventral Right Apical Lobe

VRA = Ventral Right Apical Lobe

VRC = Ventral Right Cardiac Lobe

VRC = Ventral Right Cardiac Lobe

VRD = Ventral Right Diaphragmatic Lobe

INT = Intermediate Lobe

165A 19A5.R8 Page 15 of 18

Table 2: Lung Lesion Scoring (LLS) by 2nd Scorer

Pig ID	Treatment	DLA	DLC	DLD	DRA	DRC	DRD	VLA	VLC	VLD	VRA	VRC	VRD	INT	Total Lung Score	LLS
3111	Placebo	0.00	12.50	3.00	1.00	10.00	4.50	1.50	9.50	4.50	1.00	10.50	4.50	2.00	64.50	5.46
3114	Placebo	0.00	13.00	1.50	0.00	7.00	1.50	1.00	12.50	0.50	0.50	6.00	1.00	1.00	45.50	3.85
3116	Placebo	1.00	9.00	2.50	0.00	12.00	2.50	1.50	8.50	4.00	0.00	20.00	5.00	4.00	70.00	5.93
3120	Placebo	1.00	21.50	9.50	3.00	22.00	3.50	4.00	19.50	9.50	3.00	21.00	3.50	2.00	123.00	10.41
3121	Placebo	9.00	38.50	2.50	14.00	26.00	12.00	10.00	27.00	2.00	12.00	45.00	15.50	7.00	220.50	18.67
3122	Placebo	0.50	28.50	5.00	0.50	13.50	7.50	0.50	19.00	3.50	1.00	13.00	4.50	2.00	99.00	8.38
3126	Placebo	4.50	30.00	6.00	0.00	28.50	7.00	10.00	24.00	9.50	0.00	41.00	7.00	3.50	171.00	14.48
3128	Placebo	4.50	24.00	5.00	3.50	23.00	24.50	9.50	25.00	3.50	5.50	28.00	20.00	11.50	187.50	15.88
3132	Placebo	8.00	33.00	31.00	4.00	20.50	18.00	12.00	27.50	19.50	4.50	42.00	18.00	10.50	248.50	21.04
3133	Placebo	1.50	21.00	16.00	0.50	11.00	5.00	4.50	20.00	8.50	0.00	15.00	6.00	1.50	110.50	9.36
3142	Placebo	0.00	14.00	6.00	2.00	6.50	3.00	0.50	8.00	4.50	2.50	4.00	5.00	0.50	56.50	4.78
3143	Placebo	0.50	12.50	4.00	1.00	15.00	4.50	1.00	7.00	4.50	2.00	15.00	4.50	0.50	72.00	6.10
3156	Placebo	5.00	50.00	22.00	6.00	34.00	8.00	11.00	29.50	11.50	4.00	36.50	5.50	7.00	230.00	19.48
3159	Placebo	2.00	23.50	10.50	3.50	24.00	9.00	3.00	25.00	11.00	4.00	16.00	5.00	1.50	138.00	11.69
3163	Placebo	0.50	22.50	11.00	2.00	15.00	5.00	1.50	17.00	8.50	3.00	11.50	6.00	5.00	108.50	9.19
3164	Placebo	0.00	8.50	4.50	0.50	12.50	9.00	2.00	8.00	3.50	0.50	14.00	6.00	1.50	70.50	5.97
3172	Placebo	1.50	14.00	2.50	2.00	24.00	4.00	5.00	11.50	2.50	2.50	21.00	5.00	5.00	100.50	8.51
3182	Placebo	2.50	31.00	6.00	5.00	27.50	6.50	4.00	21.00	6.50	9.00	38.00	6.00	6.50	169.50	14.35
3185	Placebo	1.00	21.50	6.50	6.50	25.00	5.50	4.00	17.50	2.50	8.00	28.50	8.00	6.00	140.50	11.90
3191	Placebo	1.00	21.00	8.50	4.50	18.00	5.50	3.00	17.50	7.00	4.50	23.00	5.50	8.00	127.00	10.75
3113	Vaccinate	0.00	3.00	1.00	0.00	1.50	0.50	0.00	2.00	1.00	0.00	0.50	0.00	0.00	9.50	0.80
3115	Vaccinate	0.50	3.00	2.00	0.50	1.00	0.50	1.00	2.00	4.00	0.50	2.50	3.00	1.00	21.50	1.82
3117	Vaccinate	0.00	3.00	0.00	0.50	1.50	2.00	0.00	3.00	3.00	0.00	3.00	2.50	0.00	18.50	1.57
3118	Vaccinate	0.50	2.50	1.00	1.00	3.00	0.50	0.00	2.50	0.00	0.50	4.00	2.00	1.50	19.00	1.61
3123	Vaccinate	2.00	13.00	3.00	1.50	5.00	4.00	1.50	9.00	2.00	0.00	4.50	3.00	0.50	49.00	4.15
3127	Vaccinate	0.00	4.50	2.50	0.00	2.00	2.00	0.00	4.00	0.50	0.00	3.00	1.00	0.50	20.00	1.69
3129	Vaccinate	0.00	2.50	2.00	0.00	1.50	1.00	0.00	3.00	1.00	0.00	2.50	1.00	0.50	15.00	1.27
3130	Vaccinate	0.00	11.50	11.00	1.00	11.50	13.00	0.00	11.00	9.50	2.00	14.00	13.50	2.50	100.50	8.51
3136	Vaccinate	0.00	1.00	1.50	0.00	2.00	0.50	0.00	2.00	0.50	0.00	2.50	1.00	0.00	11.00	0.93
3140	Vaccinate	0.00	6.50	3.50	3.00	6.00	5.50	0.00	7.00	4.00	4.00	6.00	5.00	1.50	52.00	4.40
3144	Vaccinate	0.50	5.50	4.00	1.00	3.50	2.00	1.00	4.00	2.00	2.00	5.50	1.50	0.50	33.00	2.79
3145	Vaccinate	0.00	2.50	4.50	2.00	5.50	1.50	0.00	3.00	4.50	2.00	6.00	2.50	0.50	34.50	2.92
3154	Vaccinate	1.00	5.50	2.00	1.50	7.00	0.50	2.00	6.00	2.00	0.00	6.00	0.50	1.00	35.00	2.96
3155	Vaccinate	1.50	6.00	2.00	0.50	7.50	2.50	1.00	5.00	1.50	1.50	7.00	2.00	0.50	38.50	3.26
3162	Vaccinate	0.00	1.50	1.00	0.00	2.00	0.50	0.50	2.00	1.00	0.00	3.00	0.00	0.00	11.50	0.97
3166	Vaccinate	3.00	12.50	5.50	3.50	13.00	7.50	8.00	15.00	7.00	6.00	14.00	10.00	7.00	112.00	9.48
3179	Vaccinate	0.50	4.00	4.00	4.00	8.00	3.50	1.00	4.50	3.00	3.50	5.50	4.00	1.00	46.50	3.94
3180	Vaccinate	1.50	12.00	5.00	1.50	15.00	1.50	1.50	3.00	6.00	2.00	13.50	4.50	2.00	69.00	5.84
3186	Vaccinate	1.00	3.00	2.50	1.00	2.00	1.50	1.50	3.00	2.00	1.00	2.00	1.00	0.00	21.50	1.82
3188	Vaccinate	0.00	5.00	2.50	2.00	3.50	0.00	0.50	3.50	2.00	3.00	2.00	0.50	0.50	25.00	2.12

INT = Intermediate Lobe

DLA = Dorsal Left Apical Lobe

DLC = Dorsal Left Cardiac Lobe

VLC = Ventral Left Cardiac Lobe

VLD = Ventral Left Cardiac Lobe

VLD = Ventral Left Diaphragmatic Lobe

DRA = Dorsal Right Apical Lobe

VRA = Ventral Right Apical Lobe

VRC = Ventral Right Cardiac Lobe

DRD = Dorsal Right Diaphragmatic Lobe

VRD = Ventral Right Diaphragmatic Lobe

165A 19A5.R8 Page 16 of 18

Study Type	Safety								
Pertaining	All								
to									
Study	Demonstrate s	safety of p	roduct ui	nder typic	al use co	nditions.			
Purpose									
Product	2 doses administered intramuscularly (IM) 3 weeks apart.								
Administra									
tion									
Study	748 pigs, 3-5	days of ag	ge, distrib	uted amo	ng 3 stud	y sites.			
Animals									
Challenge	Not applicable	е							
Description									
Interval	Animals were observed for systemic and/or local injection site reactions, and								
observed	various adverse events (AEs) per VeDDRA guidance for 21 days after each								
after	vaccination, or until resolution.								
challenge									
Results			Max. Si	ze of inject	ion site				
	_	Total		reaction			Injection site		
		Number		1.5 to 5	5 to 10	1st or 2nd	reactions not		
	Site	animals	<1.5 cm	cm	cm	Vaccination	observed		
	1	240	0	0	0	1	240		
	,	226	33	19	1	2	173		
	2	247	8	0	0	1	239		
		235	22	5	0	_	208		
	3	259	20	2	0	1	237		
		253	7	2	0		244		
	Total All Sites	746	28	2	0	1	716		
		714	62	26	1	2	625		

165A 19A5.R8 Page 17 of 18

		Total	Percent of
	VeDDRA Code	Animals	All Animals
	No adverse events	525	70.20%
	Anorexia	55	7.40%
	Death	24	3.20%
	Lameness	20	2.70%
	Loss of Condition	12	1.60%
	Diarrhea	11	1.50%
	Unthrifty	7	0.90%
	Anaphylaxis^	3	0.40%
	Central Nervous System Disorder*	3	0.40%
	Lethargy	3	0.40%
	Respiratory Tract Infection*	3	0.40%
	Arthritis	2	0.30%
	Meningitis	2	0.30%
	Musculoskeletal Disorder*	2	0.30%
	Trauma*	2	0.30%
	Abdominal Caviry Hernia	1	0.10%
	Abscess*	1	0.10%
	*Not otherwise specified		
	^Related to IVP		
USDA Approval Date	December 13, 2021		

165A 19A5.R8 Page 18 of 18