

## **Summary of Studies Supporting USDA Product Licensure**

Establishment Name	Zoetis Inc.
USDA Vet Biologics Establishment Number	190
Product Code	4847.26
True Name	Encephalomyelitis-Rhinopneumonitis-Influenza Vaccine, Eastern & Western & Venezuelan, Killed Virus, Tetanus Toxoid
Tradename(s) / Distributor or Subsidiary (if different from manufacturer)	Fluvac Innovator 6 - No distributor specified
Date of Compilation Summary	January 10, 2023

Disclaimer: Do not use the following studies to compare one product to another. Slight differences in study design and execution can render the comparisons meaningless.

190 4847.26 Page 1 of 18

Study Type	Efficacy
Pertaining to	Tetanus Toxoid
Study Purpose	Efficacy against Clostridum tetani in horses
<b>Product Administration</b>	
Study Animals	Guinea pigs
<b>Challenge Description</b>	NA
Interval observed after	NA
challenge	
Results	Efficacy requirements were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance per 9 CFR 113.114.
<b>USDA Approval Date</b>	04/19/1984

190 4847.26 Page 2 of 18

Study Type	Efficacy							
Pertaining to	Eastern Equine Encephalomyelitis Virus (EEE)							
Study Purpose	Efficacy against EEE							
<b>Product Administration</b>	Each product serial is tested in accordance with 9 CFR							
	113.207(b)(2) requirements							
Study Animals	Guinea pigs							
Challenge Description	NA							
Interval observed after	NA							
challenge								
Results	Efficacy requirements were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance per 9 CFR 113.207(b)(2).							
<b>USDA Approval Date</b>	NA							

190 4847.26 Page 3 of 18

Study Type	Efficacy								
Pertaining to	Venezuelan Equine Encephalomyelitis Virus (VEE)								
Study Purpose	Efficacy against VEE								
<b>Product Administration</b>	Each product serial is tested in accordance with 9 CFR								
	113.207(b)(2) requirements								
Study Animals	Guinea pigs								
Challenge Description	NA								
Interval observed after	NA								
challenge									
Results	Efficacy requirements were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance per 9 CFR 113.207(b)(2).								
<b>USDA Approval Date</b>	NA								

190 4847.26 Page 4 of 18

Study Type	Efficacy								
Pertaining to	Western Equine Encephalomyelitis Virus (WEE)								
Study Purpose	Efficacy against WEE								
<b>Product Administration</b>	Each product serial is tested in accordance with 9 CFR								
	113.207(b)(2) requirements								
Study Animals	Guinea pigs								
<b>Challenge Description</b>	NA								
Interval observed after	NA								
challenge									
Results	Efficacy requirements were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance per 9 CFR 113.207(b)(2).								
<b>USDA Approval Date</b>	NA								

190 4847.26 Page 5 of 18

Study Type	Efficacy
Pertaining to	Equine Herpesvirus Type 1 and Type 4 (EHV 1 and EHV 4)
<b>Study Purpose</b>	To demonstrate efficacy against EHV 1 and EHV 4
<b>Product Administration</b>	
Study Animals	
Challenge Description	
Interval observed after	
challenge	
Results	Study data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance at the time of submission. No data are published because this study was submitted to USDA-APHIS prior to January 1, 2007, and APHIS only requires publication of data submitted after that date.
<b>USDA Approval Date</b>	May 30, 1997

190 4847.26 Page 6 of 18

Study Type	Efficacy
Pertaining to	Equine Influenza Virus (EIV)
Study Purpose	To demonstrate efficacy against EIV
<b>Product Administration</b>	
Study Animals	
Challenge Description	
Interval observed after	
challenge	
Results	Study data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance at the time of submission. No data are published because this study was submitted to USDA-APHIS prior to January 1, 2007, and APHIS only requires publication of data submitted after that date.
<b>USDA Approval Date</b>	June 05, 2001

190 4847.26 Page 7 of 18

Study Type	Efficacy									
Pertaining to	Equine Influenza Virus	Equine Influenza Virus								
Study Purpose	Demonstrate duration of efficacy against Influenza virus									
Product Administration	Two doses administered intramuscularly 21 days apart									
Study Animals	15 vaccinated and 15 c	15 vaccinated and 15 control horses, 11-12 months of age, and								
	seronegative to equine influenza virus (HAI antibody titers									
	<1:8).									
Challenge Description	Equine Influenza Virus – Strain Influenza A/equi-2/Ohio/03									
	(Clade 1) administered 93 days after 2 <sup>nd</sup> vaccination.									
Interval observed after	Horses were observed daily following challenge for 21 days for									
challenge	signs of clinical disease, and fever.									
Results	A horse was considered affected if at least one occurrence of									
	coughing or mucopurul	lent nas	al discharge was display	ved.						
	Table 1: Number of A	nimals	with Clinical Disease							
			Number of Animals							
	Treatment	N	with Clinical							
			Disease							
	Vaccinates (Group 1)	15	8							
	vaccinates (Group 1)	13								
	Controls (Crove 2)	15	15							
	Controls (Group 2)	13	13							
			found below for the pres							
		empera	atures, and presence of ea	ach						
	clinical sign.									
USDA Approval Date	June 24, 2009									

190 4847.26 Page 8 of 18

Table 2 Summary of Clinical Signs in Study Animals Challenged

Assigned Number	Group	Coughinga	Nasal Discharge <sup>b</sup>	Clinical Disease <sup>e</sup>	Fever <sup>d</sup>
1	1	N	N	N	Y
2	1	N	Y	Y	N
4	1	N	N	N	N
5	1	N	Y	Y	N
6	1	Y	N	Y	N
7	1	N	N	N	N
10	1	N	N	N	N
17	1	N	Y	Y	N
19	1	N	N	N	N
21	1	Y	N	Y	N
22	1	N	N	N	N
27	1	N	Y	Y	N
30	1	Y	Y	Y	N
31	1	N	Y	Y	N
32	1	N	N	N	N
3	2	Y	Y	Y	Y
8	2	Y	Y	Y	N
9	2	Y	N	Y	N
11	2	Y	N	Y	N
14	2	Y	Y	Y	N
15	2	Y	Y	Y	N
16	2	Y	Y	Y	N
18	2	Y	Y	Y	Y
20	2	Y	Y	Y	Y
23	2	Y	Y	Y	N
24	2	Y	Y	Y	Y
25	2	Y	Y	Y	N
26	2	Y	Y	Y	Y
28	2	Y	Y	Y	N
29	2	Y	N	Y	N

<sup>a</sup> Animal displayed at least	1 instances of coughing					
<sup>b</sup> Animal displayed at least	1 instances of mucopurulent nasal discl	narge				
<sup>c</sup> Animal has meet case def	inition for disease by meeting any of the	two clinica	al criteria (1 occurrences o	f coughing, 1 occurrences	of mucopurulent nasal disc	harge)
d Animal displayed at least	1 instance of fever (> 103.5°F and 1°F abo	e).				
• •						
Group 1 = Vaccinates						
Group 2 = Controls						

190 4847.26 Page 9 of 18

**Table 3 Clinical Observations of Coughing in Study Animals Challenged** 

Assigned Number	Group	-2 DPC	-1 DPC	0 DPC	1 DPC	2 DPC	3 DPC	4 DPC	5 DPC	6 DPC	7DPC	8 DPC	9 DPC	10 DPC	11 DPC	12 DPC
1	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
2	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
4	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
5	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
6	1	A	A	A	A	A	C1	A	A	A	A	A	A	A	A	A
7	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
10	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
17	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
19	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
21	1	A	A	A	A	A	C1	C1	A	A	A	A	A	A	A	A
22	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
27	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
30	1	A	A	A	A	A	A	A	A	A	A	A	A	C1	A	A
31	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
32	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
3	2	A	A	A	A	A	C2	C1	C1	A	C2	C2	C2	C2	A	A
8	2	A	A	A	A	A	A	A	A	C1	C2	C2	A	A	C1	A
9	2	A	A	A	A	A	A	A	C1	A	A	C1	A	A	A	A
11	2	A	A	A	A	A	C2	Α	A	A	C2	C1	A	C1	A	A
14	2	A	A	A	A	A	A	C1	A	A	A	A	A	A	A	A
15	2	A	A	A	A	A	A	A	A	A	C2	A	A	C1	A	A
16	2	A	A	A	A	A	C2	A	A	A	C1	A	A	C1	A	A
18	2	A	A	A	A	A	A	C1	A	A	A	A	A	C1	A	A
20	2	A	A	A	A	A	A	C1	A	A	C1	A	A	A	A	A
23	2	A	A	A	A	A	A	A	A	A	C2	A	C1	C1	A	A
24	2	A	A	A	A	Α	A	A	A	A	A	A	A	C2	A	A
25	2	A	A	A	A	C1	C1	A	A	A	C1	A	C1	C1	C1	A
26	2	A	A	A	A	A	C1	C1	A	C1	C2	C1	C2	C1	C2	C2
28	2	A	A	A	A	A	C2	A	C1	A	A	A	C2	C2	A	A
29	2	A	A	A	A	A	A	C1	A	A	A	A	A	A	A	A

Group 1 = Vaccinates

Group 2 = Controls

Clinical Codes for Coughing (highlighted in yellow)

C1: Infrequent Coughing C2: Frequent Coughing

190 4847.26 Page 10 of 18

**Table 3 continued** 

Assigned Number	13 DPC	14 DPC	15 DPC	16 DPC	17 DPC	18 DPC	19 DPC	20 DPC	21 DPC
1	A	Α	A	Α	Α	Α	Α	Α	Α
2	Α	Α	A	Α	Α	Α	Α	Α	Α
4	Α	Α	A	Α	Α	Α	Α	Α	Α
5	Α	Α	A	Α	Α	Α	Α	Α	Α
6	Α	Α	A	Α	Α	Α	Α	Α	Α
7	Α	Α	A	Α	Α	Α	Α	A	Α
10	A	Α	A	Α	Α	Α	Α	Α	Α
17	Α	Α	A	Α	Α	Α	Α	Α	Α
19	Α	Α	A	Α	Α	Α	Α	Α	Α
21	Α	Α	A	Α	Α	Α	Α	Α	Α
22	A	Α	A	Α	Α	Α	Α	Α	Α
27	Α	Α	A	Α	Α	Α	Α	Α	Α
30	Α	Α	A	Α	Α	Α	Α	Α	Α
31	A	Α	A	Α	Α	Α	Α	Α	Α
32	Α	Α	Α	Α	Α	Α	Α	Α	Α
3	Α	Α	A	Α	Α	Α	Α	Α	Α
8	Α	Α	Α	Α	Α	Α	Α	Α	Α
9	Α	Α	A	Α	Α	Α	Α	Α	Α
11	A	Α	A	Α	Α	Α	Α	A	Α
14	Α	Α	A	Α	Α	Α	Α	Α	Α
15	A	Α	A	Α	Α	Α	Α	Α	Α
16	A	Α	A	Α	Α	Α	Α	Α	Α
18	Α	Α	A	Α	Α	Α	Α	Α	Α
20	A	Α	A	Α	Α	Α	Α	A	A
23	Α	Α	Α	Α	Α	Α	Α	Α	Α
24	A	Α	Α	Α	Α	Α	Α	Α	Α
25	Α	Α	A	Α	Α	Α	Α	A	Α
26	Α	C2	C1	Α	Α	Α	Α	Α	А
28	Α	Α	Α	Α	Α	Α	Α	Α	Α
29	Α	Α	A	Α	Α	Α	Α	A	А

Group 1 = Vaccinates

Group 2 = Controls

Clinical Codes for Coughing (highlighted in yellow)

C1: Infrequent Coughing

C2: Frequent Coughing

190 4847.26 Page 11 of 18

Table 4 Clinical Observations of Mucopurulent Nasal Discharge in Study Animals Challenged

												J				
Assigned Number	Group	-2 DPC	-1 DPC	0 DPC	1 DPC	2 DPC	3 DPC	4 DPC	5 DPC	6 DPC	7DPC	8 DPC	9 DPC	10 DPC	11 DPC	12 DPC
1	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
2	1	A	A	A	A	A	A	Ml	A	A	A	A	A	A	A	A
4	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
5	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
6	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
7	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
10	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
17	1	A	A	A	A	A	A	A	A	A	A	A	Ml	A	A	A
19	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
21	1	A	A	A	A	Α	A	A	A	A	A	A	A	A	A	A
22	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
27	1	A	A	A	A	A	A	A	A	A	Ml	A	A	A	A	A
30	1	A	A	A	A	A	A	A	A	A	A	A	A	М	Ml	A
31	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
32	1	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
3	2	A	A	A	A	A	A	A	MΩ	Ml	A	М	A	М	A	Ml
8	2	A	A	A	A	A	A	A	М	A	A	М	Ml	М	Ml	A
9	2	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
11	2	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
14	2	A	A	A	A	A	A	A	A	A	Ml	A	A	М	A	A
15	2	A	A	A	A	A	A	Ml	A	Ml	A	A	A	М	A	A
16	2	A	A	A	A	A	A	Ml	М	Ml	A	A	A	A	Ml	A
18	2	A	A	A	A	A	A	A	A	A	A	М	A	М	A	A
20	2	A	A	A	A	A	A	A	М	A	Ml	М	A	М	A	A
23	2	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
24	2	A	A	A	A	A	A	Ml	М	A	A	М	Ml	М	Ml	A
25	2	A	A	A	A	A	A	A	A	A	A	A	Ml	М	A	A
26	2	A	A	A	A	A	A	A	A	M2	A	A	Ml	М	A	A
28	2	A	A	A	A	A	A	A	A	A	A	м	A	м	A	A
29	2	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A

Group 1 = Vaccinates

Group 2 = Controls

Clinical Codes for Mucopurulent Nasal Discharge (highlighted in yellow)

M1: Mild Discharge M2: Moderate Discharge

M3: Severe Discharge

190 4847.26 Page 12 of 18

**Table 4 continued** 

Assigned Number	13 DPC	14 DPC	15 DPC	16 DPC	17 DPC	18 DPC	19 DPC	20 DPC	21 DPC
1	A	A	Α	A	A	Α	Α	A	A
2	A	A	A	A	A	A	A	A	A
4	A	A	A	A	A	A	A	A	A
5	M1	A	Α	Α	A	A	Α	A	A
6	A	A	A	A	A	A	A	A	A
7	A	A	A	A	A	A	A	A	A
10	A	A	A	A	A	A	A	A	A
17	A	A	A	A	A	A	A	A	A
19	A	A	A	A	A	A	A	A	A
21	A	A	A	A	A	A	A	A	A
22	A	A	A	A	A	A	A	A	A
27	A	A	A	A	A	M1	A	A	A
30	A	A	M1	A	A	A	A	A	A
31	A	A	A	A	A	A	M1	A	A
32	A	A	Α	Α	Α	Α	Α	A	A
3	M2	M2	M2	A	M1	A	A	A	A
8	A	A	A	A	A	A	A	A	A
9	A	A	A	A	A	A	A	A	A
11	A	A	A	A	A	A	A	A	A
14	A	A	A	A	A	A	A	A	A
15	A	A	Α	A	A	Α	A	A	A
16	A	A	Α	Α	A	Α	Α	A	A
18	A	A	Α	Α	A	Α	A	A	A
20	A	A	Α	Α	A	Α	Α	A	A
23	Mi	A	A	A	A	A	A	A	A
24	M1	Α	Α	Α	A	Α	Α	A	A
25	Mi	Α	Α	Α	A	Α	Α	A	A
26	A	A	Α	Α	Α	Α	Α	A	A
28	A	A	A	A	M1	A	A	A	A
29	A	A	Α	Α	A	Α	Α	A	A

Group 1 = Vaccinates

Group 2 = Controls

Clinical Codes for Mucopurulent Nasal Discharge (highlighted in yellow)

(inginighteen in ) elle ii

M1: Mild Discharge M2: Moderate Discharge

M3: Severe Discharge

190 4847.26 Page 13 of 18

Table 5
Daily Rectal Temperatures (°F) in Horses Challenged

Assigned Number	Group	-2 DPC	-1DPC	0 DPC	Base line	1DPC	2DPC	3DPC	4DPC	5DPC	@DPC	7DPC	SDPC	9DPC	10DPC	11DPC	12DPC
1	1	100.6	100.0	100.0	100.2	101.3	100.8	103.5	99.7	99.9	99.1	100.4	99.9	100.6	99.9	100.2	99.9
2	1	101.1	100.4	100.8	100.8	100.0	100.9	101.3	100.4	100.8	100.6	100.8	100.8	101.3	100.8	100.6	99.5
4	1	100.6	100.6	100.4	100.5	99.5	1011	100.6	100.8	100.4	100.0	99.7	100.0	100.2	101.7	100.2	99.7
5	1	100.9	100.8	101.1	100.9	100.8	1027	100.8	100.0	100.4	99.9	100.0	99.9	100.8	100.2	100.9	100.6
6	1	100.0	99.7	99.7	99.8	99.9	100.2	99.7	100.2	100.0	99.9	100.0	99.5	99.9	100.2	99.7	99.5
7	1	99.9	100.0	100.4	100.1	100.2	100.0	100.9	99.7	99.9	99.5	100.0	99.5	988	100.0	100.4	99.5
10	1	100.4	100.6	100.0	100.3	99.9	100.2	100.4	99.5	103.1	102.6	101.8	100.4	100.2	99.9	100.6	100.0
17	1	99.7	100.0	100.0	99.9	99.5	100.4	100.2	99.7	100.0	100.0	99.9	99.7	100.4	100.6	100.0	100.0
19	1	99.7	100.2	99.5	99.8	100.0	100.0	100.2	99.3	100.6	99.5	99.7	100.0	100.0	100.0	100.2	100.0
21	1	100.4	100.2	99.9	100.2	99.7	100.6	100.6	100.4	100.0	99.5	100.0	100.0	100.2	99.9	100.2	100.0
22	1	100.0	99.9	100.0	100.0	99.9	100.0	99.5	100.4	100.0	99.1	99.7	99.5	100.0	100.0	100.4	99.7
27	1	100.4	100.0	99.9	100.1	100.4	100.2	100.6	99.7	100.4	100.0	100.4	100.2	100.8	100.0	100.0	100.0
30	1	100.6	99.9	99.7	100.0	100.0	100.6	99.9	99.5	99.9	99.9	99.9	100.4	100.2	100.0	100.0	99.9
31	1	99.7	100.0	100.2	100.0	100.6	99.1	100.8	99.5	99.7	99.3	100.2	99.7	100.4	100.0	99.7	99.5
32	1	100.8	100.4	100.2	100.5	100.0	100.6	99.9	99.7	100.4	100.0	100.4	100.0	100.6	100.4	100.6	99.9
3	2	100.9	100.4	100.0	100.5	100.0	1027	103.5	101.7	100.8	100.0	103.5	101.8	100.6	100.0	100.0	99.9
8	2	100.4	99.9	99.1	99.8	99.1	100.2	99.9	100.0	100.0	100.2	100.6	102.7	100.8	100.6	100.8	99.9
9	2	100.0	99.9	100.0	100.0	100.2	100.9	100.6	99.7	100.6	100.0	100.0	100.4	100.9	99.5	99.9	100.0
11	2	99.9	99.5	99.9	99.7	99.7	100.4	101.7	100.0	102.0	100.8	100.4	100.4	100.6	99.9	99.9	100.4
14	2	99.9	99.7	99.7	99.7	99.7	100.0	100.0	100.0	99.1	100.4	100.0	100.0	100.6	99.5	99.9	99.7
15	2	100.6	100.2	100.6	100.5	100.0	100.8	101.8	99.9	100.6	99.9	100.6	100.9	100.8	100.6	99.9	99.9
16	2	100.8	100.6	100.4	100.6	100.2	101.5	102.9	100.0	100.8	100.6	100.8	100.4	100.9	100.2	100.6	100.2
18	2	100.0	100.0	100.0	100.0	100.4	103.5	101.7	98.8	103.5	100.9	100.4	99.7	100.4	100.0	100.6	100.0
20	2	100.9	100.6	100.4	100.6	99.9	100.9	101.1	99.7	100.6	101.3	100.6	100.0	100.0	100.8	1013	101.3
23	2	99.7	99.9	99.7	99.7	99.1	99.9	101.5	99.7	100.4	100.6	100.4	99.9	100.4	99.9	100.4	99.7
24	2	100.6	99.9	100.0	100.2	99.3	102.6	100.9	100.2	1029	102.0	104.7	102.6	101.7	100.8	100.6	99.7
25	2	100.8	100.4	100.0	100.4	100.4	102.7	100.4	99.9	100.0	100.9	100.4	99.9	100.2	99.7	100.0	99.9
26	2	99.9	99.7	99.9	99.8	99.9	101.5	104.4	101.5	101.5	100.9	1029	102.2	103.3	101.7	101.8	100.2
28	2	100.0	100.0	99.9	100.0	99.5	100.2	101.7	100.6	101.5	100.6	100.2	99.7	100.4	99.7	99.9	99.3
29	2	99.7	100.4	100.4	100.2	100.0	1018	102.7	101.1	102.4	100.8	100.6	100.8	100.2	99.9	100.2	99.5

Rectal temperatures were recorded in °C, however they have been converted to °F.

Temperatures greater than or equal to 103.5°F are fever and highlighted in yellow

DPC = Days post challenge

Group 1 = Vaccinates

Group 2 = Controls

190 4847.26 Page 14 of 18

**Table 5 continued** 

Assigned Number	13DPC	14DPC	15DPC	16DPC	17DPC	18DPC	19DPC	20DPC	21DPC
1	99.1	99.7	99.7	99.9	100.4	99.5	100.4	99.9	99.9
2	100.4	100.8	99.9	100.4	101.5	101.8	100.8	100.0	100.4
4	99.5	99.5	100.0	100.4	100.0	99.9	100.4	100.0	100.0
5	100.6	100.2	99.9	100.6	99.5	99.5	100.0	99.9	99.9
6	98.8	100.0	99.3	99.5	99.9	99.3	99.7	99.9	99.0
7	99.5	99.9	99.9	99.7	99.3	100.0	100.4	100.0	100.0
10	99.9	100.2	100.4	101.1	100.2	100.6	100.2	100.0	99.9
17	99.7	100.2	99.9	99.9	99.9	101.3	100.6	99.5	100.0
19	99.7	99.5	99.9	100.0	99.7	100.0	100.0	100.6	100.2
21	99.5	100.2	100.2	100.4	99.7	99.9	99.7	100.4	99.9
22	100.0	100.0	99.9	99.7	100.2	99.7	100.2	99.7	99.7
27	99.9	100.8	99.5	100.0	100.0	100.2	100.6	100.6	100.4
30	99.9	99.9	99.9	99.9	99.1	99.7	100.4	100.4	99.3
31	100.0	99.5	99.1	100.2	99.7	99.5	100.0	100.0	100.0
32	99.9	99.9	99.5	99.9	100.0	100.0	100.6	100.4	99.5
3	99.7	99.5	99.7	100.2	99.9	100.0	100.6	99.9	100.0
8	99.9	99.5	99.3	100.4	99.7	99.7	100.9	100.4	99.1
9	99.7	99.5	99.5	99.7	99.1	100.0	100.0	99.3	99.5
11	99.0	99.9	99.9	100.0	99.7	99.5	100.6	100.2	100.0
14	99.7	99.7	99.7	99.7	99.5	99.9	100.0	99.7	100.2
15	99.0	100.0	99.9	100.2	99.9	102.2	100.8	100.8	100.6
16	99.5	100.6	100.0	99.5	100.2	100.4	100.6	100.0	100.0
18	100.0	100.4	100.0	100.9	100.0	100.2	100.0	100.2	100.0
20	100.0	100.8	99.5	100.2	100.0	103.5	100.4	99.1	100.8
23	99.9	99.9	99.5	99.7	100.0	100.6	100.0	99.7	99.5
24	99.5	99.9	99.5	99.9	99.9	99.9	100.0	99.9	99.7
25	99.7	100.0	99.9	100.4	99.9	100.0	100.0	99.9	99.7
26	99.9	99.5	99.7	99.9	99.3	99.5	99.1	99.7	99.5
28	99.3	100.0	99.7	100.2	99.7	99.1	100.0	99.9	99.5
29	100.0	100.0	100.9	100.9	100.0	100.4	100.6	100.4	100.4

Rectal temperatures were recorded in °C, however they have been converted to °F.

Temperatures greater than or equal to 103.5°F are fever and highlighted in yellow.

DPC = Days post challenge

Group 1 = Vaccinates

Group 2 = Controls

190 4847.26 Page 15 of 18

Study Type	Safety
Pertaining to	ALL
Study Purpose	Demonstration of safety under typical field conditions
<b>Product Administration</b>	
Study Animals	809 horses
Challenge Description	
Interval observed after	
challenge	
Results	Study data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance at the time of submission. No data are published because this study was submitted to USDA-APHIS prior to January 1, 2007, and APHIS only requires publication of data submitted after that date.
<b>USDA Approval Date</b>	September 26, 2001

190 4847.26 Page 16 of 18

Study Type	Safety								
Pertaining to	ALL								
Study Purpose	Determine safety of product in horses 3 months of age in typical								
	field conditions  2 descend descriptions distributed introduced and the description of th								
<b>Product Administration</b>	2 doses administered intramuscularly 3 to 4 weeks apart								
Study Animals	247 foals approximately 3 months of age were enrolled at 3								
	different geographical sites								
Challenge Description	N/A								
Interval observed after	Animals were observed	d for immediate post-v	accination reactions						
challenge	30 minutes after vaccin	nation, and observed d	aily for 21 days						
	after each vaccination								
Results	Two hundred and forty	` ,	*						
	Four (3) horses did not								
	to the vaccine. There v		temic or local						
	reactions using 490 do	ses of product.							
	Table 1: Frequency Di	stribution of Abnorma	ıl Health Events ın						
	<u>Vaccinates:</u>								
	Number of	Abnormal Health	Nymah an (Danaant						
	Vaccinations	Event	Number (Percent of Vaccinations)						
	Vaccinations	Cough	4 (0.82%)						
		Depression	1 (0.20%)						
		Diarrhea	3 (0.61%)						
		Fever	5 (1.02%)						
		Hematoma	1 (0.20%)						
		Lameness	3 (0.61%)						
	490 Vaccinations	Leukocytosis	1 (0.20%)						
		Lymphadenopathy	1 (0.20%)						
		Nasal Discharge	3 (0.61%)						
		Pneumonia	5 (1.02%)						
	Skin Lesion NOS*         3 (0.61%)           Skin Edema         2 (0.41%)								
	*Not otherwise specifi		2 (0.7170)						
	110t offici wise specifi	-u							
	Additional data is prov	rided on the next nage							
USDA Approval Date	May 02, 2016	inca on the next page							
OSDA Appiovai Daic	11109 02, 2010								

190 4847.26 Page 17 of 18

Table 2: Abnormal Health Events and Relation to Investigational Veterinary Product (IVP) for Individual Animals

Animal #	Start Day	End Day	Abnormal Health Event	Outcome
ND001	2	4	Skin Lesion NOS*	Resolved
KS078	2	2	Diarrhea	Resolved
KY001	29	32	Lameness	Resolved
KTOOT	29	29	Fever	Resolved
KY002	13	29	Pneumonia	Resolved
KY027	34	46	Lameness	Resolved
KY034	25	28	Nasal Discharge	Resolved
	25	28	Cough	Resolved
	25	28	Leukocytosis	Resolved
KY035	41	41	Fever	Resolved
	41	42	Leukocytosis	Resolved
	41	67	Pneumonia	Resolved
L/V027	13	15	Nasal Discharge	Resolved
KY037	45	46	Skin Lesion NOS*	Resolved
KY038	22	23	Lymphadenopathy	Resolved
KY041	25	97	Cough	Resolved
K1041	25	97	Pneumonia	Resolved
KY042	29	29	Fever	Resolved
KY043	29	29	Fever	Resolved
KY044	23	26	Diarrhea	Resolved
K1044	23	24	Depression	Resolved
KY045	29	29	Diarrhea	Resolved
KY053	6	8	Lameness	Resolved
KY058	6	13	Hematoma	Resolved
KY059	29	60	Pneumonia	Resolved
KY061	9	14	Skin Edema	Resolved
KY062	10	12	Skin Edema	Resolved
KY063	29	60	Pneumonia	Resolved
KY083	34	48	Skin Lesion NOS*	Resolved
KY089	22	24	Cough	Resolved
K1009	22	24	Nasal Discharge	Resolved
KY102	7	11	Cough	Resolved
KT 102	7	7	Fever	Resolved

<sup>\*</sup> NOS = Not otherwise specified

190 4847.26 Page 18 of 18