

Summary of Studies Supporting USDA Product Licensure

| Establishment Name | Biomune Company |
|---|---|
| USDA Vet Biologics Establishment Number | 368 |
| Product Code | 1231.1J |
| True Name | Bronchitis Vaccine, Georgia Type, Live Virus |
| Tradename(s) / Distributor or Subsidiary (if different from manufacturer) | CEVAC IBRON - No distributor specified CEVAC IBRON GA L - No distributor specified |
| Date of Compilation Summary | November 09, 2017 |

Disclaimer: Do not use the following studies to compare one product to another. Slight differences in study design and execution can render the comparisons meaningless.

| Study Type | Efficacy | | | | |
|-------------------------|---|------------------------|--|--|--|
| Pertaining to | Infectious Bronchitis Virus (IBV) | | | | |
| Study Purpose | Pivotal efficacy against IBV, Georgia 13 Type | | | | |
| Product Administration | One dose administered by the coarse spray route | | | | |
| Study Animals | 30 chickens per treatment group vaccinated at day of age | | | | |
| Challenge Description | Heterologous IBV Georgia 13 Type administered at 28 days post vaccination | | | | |
| Interval observed after | Daily observation for 5 days post challenge; IBV evaluated in the | | | | |
| challenge | target tissue day 5 post challenge | | | | |
| Results | A chicken was considered affected by the challenge (positive) if | | | | |
| | IBV was recovered from the target tissue. | | | | |
| | The study fulfilled 9 CFR 113.327(c) | | | | |
| | Treatment | Number protected/Total | | | |
| | Vaccinated, challenged 26/30 | | | | |
| | Placebo-vaccinated, challenged control 0/30 | | | | |
| | Raw data are shown on attached page. | | | | |
| USDA Approval Date | July 22, 2015 | | | | |

| Vaccinate ID | Virus | Control ID | Virus |
|--------------|----------|------------|----------|
| | Recovery | | Recovery |
| 1 | Neg | 1 | Pos |
| 2 | Pos | 2 | Pos |
| 3 | Neg | 3 | Pos |
| 4 | Neg | 4 | Pos |
| 5 | Neg | 5 | Pos |
| 6 | Neg | 6 | Pos |
| 7 | Neg | 7 | Pos |
| 8 | Neg | 8 | Pos |
| 9 | Neg | 9 | Pos |
| 10 | Neg | 10 | Pos |
| 11 | Neg | 11 | Pos |
| 12 | Neg | 12 | Pos |
| 13 | Neg | 13 | Pos |
| 14 | Neg | 14 | Pos |
| 15 | Pos | 15 | Pos |
| 16 | Neg | 16 | Pos |
| 17 | Neg | 17 | Pos |
| 18 | Neg | 18 | Pos |
| 19 | Neg | 19 | Pos |
| 20 | Neg | 20 | Pos |
| 21 | Neg | 21 | Pos |
| 22 | Pos | 22 | Pos |
| 23 | Neg | 23 | Pos |
| 24 | Neg | 24 | Pos |
| 25 | Neg | 25 | Pos |
| 26 | Neg | 26 | Pos |
| 27 | Neg | 27 | Pos |
| 28 | Neg | 28 | Pos |
| 29 | Neg | 29 | Pos |
| 30 | Pos | 30 | Pos |

| Study Type | Efficacy | | | | |
|-------------------------|---|------------------------|--|--|--|
| Pertaining to | Infectious Bronchitis Virus (IBV) | | | | |
| Study Purpose | Pivotal efficacy against IBV, Georgia 08 Type infection | | | | |
| Product Administration | One dose administered by the coarse spray route | | | | |
| Study Animals | 30 chickens per treatment group vaccinated at day of age | | | | |
| Challenge Description | Homologous IBV Georgia 08 administered at 26 days post | | | | |
| | vaccination | | | | |
| Interval observed after | Daily observation for 5 days post challenge; IBV evaluated in the | | | | |
| challenge | target tissue day 5 post cha | llenge | | | |
| Results | A chicken was considered affected by the challenge (positive) if | | | | |
| | IBV was recovered from the target tissue. | | | | |
| | | | | | |
| | The study fulfilled 9 CFR 113.327(c). | | | | |
| | | | | | |
| | | | | | |
| | Treatment | Number protected/Total | | | |
| | Vaccinated, challenged 27/30 | | | | |
| | Placebo-vaccinated, 1/20 | | | | |
| | challenged control | | | | |
| | | | | | |
| | Kaw data are snown on attached page. | | | | |
| USDA Approval Date | July 22, 2015 | | | | |

| Vaccinate ID | Virus | Control ID | Virus | |
|--------------|----------|------------|----------|--|
| | Recovery | | Recovery | |
| 1 | Neg | 1 | Pos | |
| 2 | Neg | 2 | Pos | |
| 3 | Neg | 3 | Pos | |
| 4 | Neg | 4 | Pos | |
| 5 | Neg | 5 | Pos | |
| 6 | Neg | 6 | Pos | |
| 7 | Pos | 7 | Pos | |
| 8 | Neg | 8 | Pos | |
| 9 | Neg | 9 | Pos | |
| 10 | Neg | 10 | Pos | |
| 11 | Neg | 11 | Pos | |
| 12 | Neg | 12 | Pos | |
| 13 | Pos | 13 | Pos | |
| 14 | Neg | 14 | Pos | |
| 15 | Neg | 15 | Pos | |
| 16 | Neg | 16 | Pos | |
| 17 | Pos | 17 | Pos | |
| 18 | Neg | 18 | Pos | |
| 19 | Neg | 19 | Pos | |
| 20 | Neg | 20 | Neg | |
| 21 | Neg | 21 | Pos | |
| 22 | Neg | 22 | Pos | |
| 23 | Neg | 23 | Pos | |
| 24 | Neg | 24 | Pos | |
| 25 | Neg | 25 | Pos | |
| 26 | Neg | 26 | Pos | |
| 27 | Neg | 27 | Pos | |
| 28 | Neg | 28 | Pos | |
| 29 | Neg | 29 | Pos | |
| 30 | Neg | 30 | Pos | |

| Study Type | Efficacy | | | | |
|-------------------------|---|---|--|--|--|
| Pertaining to | Infectious Bronchitis Virus (IBV) | | | | |
| Study Purpose | Pivotal efficacy against IBV, DMV/1639/11 type infection | | | | |
| Product Administration | One dose administered by the gel spray route (gel droplet by oral | | | | |
| | administration) | | | | |
| Study Animals | 30 chickens per treatment | group vaccinated at day of age | | | |
| Challenge Description | Heterologous IBV DMV/1639/11 administered at 28 days post | | | | |
| | vaccination | | | | |
| Interval observed after | Daily observation for 5 day | ys post challenge; IBV evaluated in the | | | |
| challenge | target tissue day 5 post cha | lllenge. | | | |
| Results | A chicken was considered affected by the challenge (positive) if | | | | |
| | IBV was recovered from the target tissue. | | | | |
| | | | | | |
| | The study fulfilled 9 CFR 113.327(c). | | | | |
| | | | | | |
| | | | | | |
| | Treatment | Number protected/Total | | | |
| | Vaccinated, challenged | 30/30 | | | |
| | Placebo-vaccinated, 0/20 | | | | |
| | challenged control | | | | |
| | Raw data are shown on attached page. | | | | |
| USDA Approval Date | December 21, 2015 | | | | |

| Vaccinate ID | Virus | Control ID | Virus |
|--------------|----------|------------|----------|
| | Recovery | | Recovery |
| 1 | Neg | 1 | Pos |
| 2 | Neg | 2 | Pos |
| 3 | Neg | 3 | Pos |
| 4 | Neg | 4 | Pos |
| 5 | Neg | 5 | Pos |
| 6 | Neg | 6 | Pos |
| 7 | Neg | 7 | Pos |
| 8 | Neg | 8 | Pos |
| 9 | Neg | 9 | Pos |
| 10 | Neg | 10 | Pos |
| 11 | Neg | 11 | Pos |
| 12 | Neg | 12 | Pos |
| 13 | Neg | 13 | Pos |
| 14 | Neg | 14 | Pos |
| 15 | Neg | 15 | Pos |
| 16 | Neg | 16 | Pos |
| 17 | Neg | 17 | Pos |
| 18 | Neg | 18 | Pos |
| 19 | Neg | 19 | Pos |
| 20 | Neg | 20 | Pos |
| 21 | Neg | 21 | Pos |
| 22 | Neg | 22 | Pos |
| 23 | Neg | 23 | Pos |
| 24 | Neg | 24 | Pos |
| 25 | Neg | 25 | Pos |
| 26 | Neg | 26 | Pos |
| 27 | Neg | 27 | Pos |
| 28 | Neg | 28 | Pos |
| 29 | Neg | 29 | Pos |
| 30 | Neg | 30 | Pos |

| Study Type | Efficacy | | | | |
|-------------------------|---|---|--|--|--|
| Pertaining to | Infectious Bronchitis Virus (IBV) | | | | |
| Study Purpose | Pivotal efficacy against IBV, Georgia 08 Type infection | | | | |
| Product Administration | One dose administered by the gel spray route (gel droplet by oral administration) | | | | |
| Study Animals | 30 chickens per treatment group vaccinated at day of age | | | | |
| Challenge Description | Homologous IBV Georgia 08 administered at 28 days post vaccination | | | | |
| Interval observed after | Daily observation for 5 day | ys post challenge; IBV evaluated in the | | | |
| challenge | target tissue day 5 post cha | llenge | | | |
| Results | A chicken was considered affected by the challenge (positive) if | | | | |
| | IBV was recovered from the target tissue. | | | | |
| | The study fulfilled 9 CFR 113.327(c). | | | | |
| | Treatment | Number protected/Total | | | |
| | Vaccinated, challenged | 30/30 | | | |
| | Placebo-vaccinated, challenged control 1/30 | | | | |
| | Raw data are shown on attached page. | | | | |
| USDA Approval Date | December 21, 2015 | | | | |

| Vaccinate ID | Virus | Control ID | Virus |
|--------------|----------|------------|----------|
| | Recovery | | Recovery |
| 1 | Neg | 1 | Pos |
| 2 | Neg | 2 | Pos |
| 3 | Neg | 3 | Pos |
| 4 | Neg | 4 | Pos |
| 5 | Neg | 5 | Pos |
| 6 | Neg | 6 | Pos |
| 7 | Neg | 7 | Pos |
| 8 | Neg | 8 | Pos |
| 9 | Neg | 9 | Pos |
| 10 | Neg | 10 | Pos |
| 11 | Neg | 11 | Pos |
| 12 | Neg | 12 | Pos |
| 13 | Neg | 13 | Pos |
| 14 | Neg | 14 | Pos |
| 15 | Neg | 15 | Pos |
| 16 | Neg | 16 | Pos |
| 17 | Neg | 17 | Pos |
| 18 | Neg | 18 | Pos |
| 19 | Neg | 19 | Pos |
| 20 | Neg | 20 | Pos |
| 21 | Neg | 21 | Pos |
| 22 | Neg | 22 | Pos |
| 23 | Neg | 23 | Pos |
| 24 | Neg | 24 | Pos |
| 25 | Neg | 25 | Pos |
| 26 | Neg | 26 | Pos |
| 27 | Neg | 27 | Pos |
| 28 | Neg | 28 | Neg |
| 29 | Neg | 29 | Pos |
| 30 | Neg | 30 | Pos |

| Study Type | Safety | | | | | | |
|-------------------------|--|---|---|--|----|--|--|
| Pertaining to | ALL | | | | | | |
| Study Purpose | Demonstrate safety of product under typical use conditions. | | | | | | |
| Product Administration | One dose adu | One dose administered via the coarse-spray application. | | | | | |
| Study Animals | Broiler chickens at day-of-age. | | | | | | |
| | 107,800 were vaccinated with product vaccine and 107,800 were | | | | | | |
| | kept as controls. Animal were observed daily for mortality through | | | | | | |
| | 14 days after vaccination. | | | | | | |
| Challenge Description | Not applicab | le | | | | | |
| Interval observed after | Not applicab | le | | | | | |
| challenge | | | | | | | |
| Results | | 1 | 1 | | T1 | | |
| | Location Treatment Total Placed 14 Day Mortality % Mortality | | | | | | |
| | 1 Product Vaccine 24,100 611 2.54% 1 Control 24,100 560 2.32% | | | | | | |
| | | | | | | | |
| | 2 Product 38,600 946 2.45% | | | | | | |
| | 2 Control 38,600 515 1.33% | | | | | | |
| | 3 Product 45,100 483 1.07% | | | | | | |
| | 3 Control 45,100 542 1.20% | | | | | | |
| | No adverse reactions attributable to the vaccine were recorded. | | | | | | |
| USDA Approval Date | August $1\overline{3}, 2$ | August 13, 2015 | | | | | |

| Study Type | Safety | Safety | | | | | | |
|-------------------------|---|---|-----------|--------|---|---|--|--|
| Pertaining to | ALL | | | | | | | |
| Study Purpose | Demonstr | Demonstrate safety of product under typical use conditions. | | | | | | |
| Product Administration | One dose | One dose administered via the gel droplet application (oral route). | | | | | | |
| Study Animals | Broiler ch | ickens at da | ay-of-age | • | | | | |
| - | 44,000 we | 44,000 were vaccinated with product vaccine and 44,000 were | | | | | | |
| | kept as controls. Animals were observed daily for mortality | | | | | | | |
| | through 21 days after vaccination. | | | | | | | |
| Challenge Description | Not applie | cable | | | | | | |
| Interval observed after | Not applie | cable | | | | | | |
| challenge | | | | | | | | |
| Results | | | | | | | | |
| | Location | Treatment | Total | 21 Day | % | % | | |
| | Location | Placed Mortality Mortality Condemnation | | | | | | |
| | Product 23 000 247 1 07% 0 17% | | | | | | | |
| | $\begin{array}{ c c c c c c c c c c c c c c c c c c c$ | | | | | | | |
| | | | | | | | | |
| | | | , | | | | | |
| | 2 Product Vaccine 21,000 674 3.21% 0.22% | | | | | | | |
| | 2 Control 21,000 481 2.29% 0.19% | | | | | | | |
| | No adverse reactions attributable to the vaccine were recorded. | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| USDA Approval Data | Iuly 11 2 | 017 | | | | | | |