



## Summary of Studies Supporting USDA Product Licensure

Establishment Name	Ceva Animal Health, LLC
USDA Vet Biologics Establishment Number	368
Product Code	17H1.R2
True Name	Marek's Disease-Newcastle Disease Vaccine, Serotypes 2 & 3, Live Virus, Live Marek's Disease Vector
Tradename(s) / Distributor or Subsidiary (if different from manufacturer)	Biomune Company Vectormune HVT NDV & SB-1 - No distributor specified
Date of Compilation Summary	July 12, 2021

**Disclaimer: Do not use the following studies to compare one product to another. Slight differences in study design and execution can render the comparisons meaningless.**

<b>Study Type</b>	Efficacy															
<b>Pertaining to</b>	Marek's Disease Virus (MDV)															
<b>Study Purpose</b>	To demonstrate efficacy against MDV RB1/B strain															
<b>Product Administration</b>	One dose administered via the <i>in ovo</i> route															
<b>Study Animals</b>	40 SPF chicken embryos per treatment group (vaccinates and positive controls) vaccinated at 18 days of incubation 40 SPF chickens vaccinated subcutaneously (SC) at day of age with commercial HVT vaccine (MDV, Serotype 3) (MDV controls) 30 SPF chicks non-vaccinated, non-challenged (negative controls)															
<b>Challenge Description</b>	MDV RB1/B challenge strain at five days of age															
<b>Interval observed after challenge</b>	Daily observation for 44 days post challenge; necropsy at 44 days post challenge															
<b>Results</b>	<p>A chicken was considered affected by the challenge (positive) if grossly observable lesions caused by the MDV RB1/B challenge were present.</p> <table border="1"> <thead> <tr> <th>Treatment Group</th> <th>Number Affected</th> <th>Percentage Affected</th> </tr> </thead> <tbody> <tr> <td>Non-vaccinated, non-challenged negative controls</td> <td>0/30</td> <td>0%</td> </tr> <tr> <td>Placebo, challenged positive controls</td> <td>35/40</td> <td>88%</td> </tr> <tr> <td><i>In ovo</i> Vaccine</td> <td>8/40</td> <td>20%</td> </tr> <tr> <td>Commercial HVT SC MDV Controls</td> <td>17/40</td> <td>42%</td> </tr> </tbody> </table> <p>Raw data are shown on the attached page.</p>	Treatment Group	Number Affected	Percentage Affected	Non-vaccinated, non-challenged negative controls	0/30	0%	Placebo, challenged positive controls	35/40	88%	<i>In ovo</i> Vaccine	8/40	20%	Commercial HVT SC MDV Controls	17/40	42%
Treatment Group	Number Affected	Percentage Affected														
Non-vaccinated, non-challenged negative controls	0/30	0%														
Placebo, challenged positive controls	35/40	88%														
<i>In ovo</i> Vaccine	8/40	20%														
Commercial HVT SC MDV Controls	17/40	42%														
<b>USDA Approval Date</b>	January 9, 2013															

<b><i>In ovo</i></b> <b>Vaccinate ID</b>	<b>Marek's</b> <b>Lesions<sup>1</sup></b>	<b>SC</b> <b>MDV Control</b> <b>ID</b>	<b>Marek's</b> <b>Lesions<sup>1</sup></b>	<b>Positive Control</b> <b>ID</b>	<b>Marek's</b> <b>Lesions<sup>1</sup></b>
191	G, M	169	K	166	H
198	K	178	K,G	170	L,H,G
211	K,G	187	S,G	181	K,H,G
212	S,G	190	K	189	K,S,H,G
225	K,S,H	207	K,S,L	193	K,H
276	K,G	216	K,G	195	K,L,H
298	K,S,G	238	S,G	201	K,S,L,H,G
304	K,S,L,H	253	K,S,L,H,G,M	206	K,H,G
		260	K,S,L,G	210	S,L
		261	G	220	K,H,G
		263	K	229	K,S,L,H
		270	S,G	232	L,S,H
		282	G	233	H
		289	K,S,L,H,G	235	H
		302	K,L,G	244	H
		322	S,L,H	247	H
		344	K	256	K
				259	S,H
				262	K,S,H,G
				271	K
				273	K,S,H
				280	H,G
				283	H
				290	H
				294	K,S,H,G
				299	K,L,H,G
				305	K,S,L,G
				306	I, H
				311	H
				324	H
				325	K,G
				332	H
				334	K,S,H
				337	K,H,G
				347	K,S,H,G

<sup>1</sup>Tissues with Marek's Disease lesions: K=kidney, S=spleen, L=liver, H=heart, G=gonad, I=intestine, M=muscle

<b>Study Type</b>	Efficacy												
<b>Pertaining to</b>	Newcastle Disease Virus (NDV)												
<b>Study Purpose</b>	To demonstrate effectiveness against NDV												
<b>Product Administration</b>	One dose administered via the <i>in ovo</i> route												
<b>Study Animals</b>	SPF chickens; 36 vaccinates vaccinated at 18 day embryonation; 31 non-vaccinated, challenged positive controls: 10 non-vaccinated, non-challenged negative controls												
<b>Challenge Description</b>	NDV Texas GB Standard strain at four weeks of age												
<b>Interval observed after challenge</b>	Daily observation for 14 days post challenge												
<b>Results</b>	<p>A chicken was considered affected by the challenge (positive) if clinical signs of Newcastle disease were present. The clinical signs included:</p> <ol style="list-style-type: none"> <li>1. Respiratory signs: Increased respiration, nasal exudate, and swelling of eyes and head</li> <li>2. Neurological signs: Tremors, loss of coordination, and paralysis</li> <li>3. Viscerotropic signs: Listlessness, weakness, diarrhea, and prostration</li> </ol> <table border="1" data-bbox="587 1137 1428 1368"> <thead> <tr> <th><b>Treatment Group</b></th> <th><b>Number Affected</b></th> <th><b>Percentage Affected</b></th> </tr> </thead> <tbody> <tr> <td><i>In ovo</i> vaccinates</td> <td>3/36</td> <td>8%</td> </tr> <tr> <td>NDV challenged, positive controls</td> <td>31/31</td> <td>100%</td> </tr> <tr> <td>Negative Controls</td> <td>0/10</td> <td>0%</td> </tr> </tbody> </table> <p>The study fulfilled 9CFR 113.329(c)</p> <p>Raw data are shown on the attached page.</p>	<b>Treatment Group</b>	<b>Number Affected</b>	<b>Percentage Affected</b>	<i>In ovo</i> vaccinates	3/36	8%	NDV challenged, positive controls	31/31	100%	Negative Controls	0/10	0%
<b>Treatment Group</b>	<b>Number Affected</b>	<b>Percentage Affected</b>											
<i>In ovo</i> vaccinates	3/36	8%											
NDV challenged, positive controls	31/31	100%											
Negative Controls	0/10	0%											
<b>USDA Approval Date</b>	May 20, 2003												

Vaccinate ID	Clinical Signs of Newcastle Disease	Positive Control ID	Clinical Signs of Newcastle Disease	Negative Control ID	Clinical Signs of Newcastle Disease
1	Pos	1	Pos	1	Neg
2	Pos	2	Pos	2	Neg
3	Pos	3	Pos	3	Neg
4	Neg	4	Pos	4	Neg
5	Neg	5	Pos	5	Neg
6	Neg	6	Pos	6	Neg
7	Neg	7	Pos	7	Neg
8	Neg	8	Pos	8	Neg
9	Neg	9	Pos	9	Neg
10	Neg	10	Pos	10	Neg
11	Neg	11	Pos		
12	Neg	12	Pos		
13	Neg	13	Pos		
14	Neg	14	Pos		
15	Neg	15	Pos		
16	Neg	16	Pos		
17	Neg	17	Pos		
18	Neg	18	Pos		
19	Neg	19	Pos		
20	Neg	20	Pos		
21	Neg	21	Pos		
22	Neg	22	Pos		
23	Neg	23	Pos		
24	Neg	24	Pos		
25	Neg	25	Pos		
26	Neg	26	Pos		
27	Neg	27	Pos		
28	Neg	28	Pos		
29	Neg	29	Pos		
30	Neg	30	Pos		
31	Neg	31	Pos		
32	Neg				
33	Neg				
34	Neg				
35	Neg				
36	Neg				

<b>Study Type</b>	Safety
<b>Pertaining to</b>	ALL
<b>Study Purpose</b>	Demonstrate safety under typical use conditions
<b>Product Administration</b>	<i>in ovo</i> route
<b>Study Animals</b>	Chickens at 18-19 days of embryonation
<b>Challenge Description</b>	
<b>Interval observed after challenge</b>	
<b>Results</b>	Study data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance at the time of submission. No data are published because this study was submitted to USDA-APHIS prior to January 1, 2007, and APHIS only requires publication of data submitted after that date.
<b>USDA Approval Date</b>	February 12, 2007