

Section 1. Chemical Product and Company Identification			
Product Name	Product Code		
Formalin Solution 10% Neutral Buff. pH 7.0	28600		
Manufacturer's Name	Emergency Telephone Number		
StatLab Medical Products, Inc.	800-424-9300		
Address (Number, Street, City, State, and ZIP Code)	Telephone Number for Informatior		
407 Interchange st.	800-442-3573 x 2		
	Date Preparec		
McKinney Tx 75071	10/14/2003 (rev 10/20/05)		
	Signature of Preparer (optional		

Section 2. Composition/Information on Ingredients

				Other Limits	
Component	CAS#	OSHA PEL	ACGIH TLV	Recommended	Percent
Formaldehyde	50-00-0	0.75 ppm	$C 0.3 \text{ mg/m}^3$		3-4
Methyl Alcohol	67-56-1	200 ppm	250 ppm		1-1.5
Sodium Phosphate Monobasic	10049-21-5	N/A	N/A		<1
Monohydrate					
Sodium Phosphate Dibasic	7558-79-4	N/A	N/A		<1
Water, Deionized	7732-18-5	N/A	N/A		Balance

Section 3. Hazards Identification

Emergency Overview

Contains Formaldehyde, a suspected carcinogen. Irritating to the eyes, respiratory system and skin. May cause sensitization by inhalation or skin contact. May be fatal if swallowed. If ingested, dilute with water, induce vomiting then call a physician. Wash areas of contact with water. If inhaled, remove to fresh air.

Potential	Health	Fffocts

Target Organs	Eyes, skin, respiratory system.			
Eye	Causes irritation, redness and pain.			
Skin	May cause irritation, redness and pain. Frequent or prolonged			
exposure may cause	hypersensitivity leading to contact dermatitis.			
Ingestion	May cause severe abdominal pain, vomiting, headache and diarrhea.			
Inhalation	Causes irritation of respiratory tract. Symptoms may include			
sore throat, cough:	ing and shortness of breath.			
Chronic/Carcinogenicity	IARC-Formaldehyde is probably carcinogenic. NTP-Formaldehyde			
is reasonably antic	cipated to be a carcinogen. OSHA-Yes (Formaldehyde)			
Teratology	Mutation data cited in "Registry of Toxic Effects of Chemical			
Substances" on Form	maldehyde.			
Reproduction	Reproductive effects cited in "Registry of Toxic Effects			
of Chemical Substan	nces" on Formaldehyde.			
Mutagenicity				

Product Name Formalin Solution 10% Neutral Buff. pH 7.0

28600



Section 4. First Aid Meas	sures
Eye	Irrigate immediately with large quantity of water for at
least 15 minutes.	
Skin	Flush with water for at least 15 minutes.
Ingestion	Dilute immediately with water or milk. Induce vomiting.
Call a physician.	
Inhalation	Remove to fresh air. Give artificial respiration if necessary.
All Other Means of Exposure	CONTACT POISON CONTROL CENTER IMMEDIATELY. Be prepared to
provide hazardous i	ngredient information from Section 2.
Section 5. Fire Fighting	Measures
Flammable Properties	Flash Point N/A Method N/A
Flammable Limits	Lower N/A Upper N/A
Autoignition Temperature	
Hazardous Combustion Products	;
Extinguishing Media	Use any means suitable for extinguishing the surrounding
fire. (Water spray	, dry chemical, alcohol foam, or carbon dioxide.)
Fire & Explosion Hazards	Not considered to be a fire or explosion hazard.
Fire Fighting Instructions	Use normal procedures/instructions.
Fire Fighting Equipment	Use protective clothing and breathing equipment appropriate
for the surrounding	fire.
Section 6. Accidental Re	elease Measures
	eak or spill. Cover spill with 1:1:1 mixture of Sodium Carbonate, clay
cat litter and sand	
	er (about 10 mL water for each 1 mL of Formaldehyde solution).
	d bleach (2.5 mL bleach for each 1 mL of Formaldehyde solution).
Allow to stand for	
solid residue as no	
Section 7. Handling and	Storage
Handling/Storage	As with all chemicals, wash hands thoroughly after handling.
0 0	eyes. Protect from freezing and physical damage. Use with
adequate ventilatio	
SAFETY STORAGE CODE	

Product Name Formalin Solution 10% Neutral BufiProduct Code

28600



Section 8. Exposure Cont	•					
Engineering Controls	Use of a fume hood is recommended.					
Respiratory Protection	If the exp	posure leve	el is exceede	ed, wear a fu	ll facepiece	
respirator equipped v	with a formal	dehyde car	tridge.			
Skin Protection	Gloves					
Eye Protection	Safety glasses or goggles.					
Permissible Exposure Levels (se	ee also Section 2)					
Component		CAS#	OSHA PEL	ACGIH TLV	Other Limits Recommended	Percent
Formaldehyde		50-00-0	0.75 ppm	C 0.3 mg/m ³		3-4
Methyl Alcohol		67-56-1	200 ppm	250 ppm		1-1.5
Sodium Phosphate Mono	obasic	10049-21-5	N/A	N/A		<1
Monohydrate						
Sodium Phosphate Diba	asic	7558-79-4	N/A	N/A		<1
Water, Deionized		7732-18-5	N/A	N/A		Balance
Section 9. Physical and Cl	hemical Propert	ies				
Boiling Point		approx.	Specific Gravity (H2	2O = 1)		approx. 1.02
Vapor Pressure (mm Hg)		N/A	Melting Point			approx. 0°C
Vapor Density (AIR = 1)			Evaporation rate (Butyl Acetate = 1)			
Solubility in Water		Infinite	Physical State			
Appearance and Odor	orless/pungen	t odor	Other	рн: 7.0		
Section 10. Stability and R				P11 7.0		
		Ctable was	lor normal a	onditions of	ugo and atam	200
Chemical Stability		prable diff	ret Hotiliat Co	JIGICIOIIS OL	use and stor	aye.
Incompatibility		Strong oxidizers, strong alkalies, acids, phenol, urea.				
Hazardous Decomposition Product	'S	May form Carbon Dioxide, Carbon Monoxide and				
Formaldehyde when hea	ated to decom	position.				
Hazardous Polymerization		Nonhazardo	ous polymeri:	zation may oc	cur, forming	
paraformaldehyde, a v	white solid.					
Section 11. Toxological In	formation					
LD ₅₀ , Oral, Rat: (For		00 mg/kg;	LD ₀ , Oral, R	at: (Sodium P	hosphate	
Diabasic) 17,000 mg/}	κα; Details o	f toxic ef	fects not re	ported other	than lethal	

Product Name Formalin Solution 10% Neutral BufiProduct Code

28600



Section 12. Ecological Information

Ecotoxicological Information: Formaldehyde is expected to be slightly toxic to aquatic life.

Chemical Fate Information: Formaldehyde is expected to readily biodegrade when released into water.

Section 13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be disposed of in a RCRA approved waste disposal facility. Dispose of in accordance with local, state, and federal regulations.

Section 14. Transport Information

GROUND SHIPMENTS: Not regulated

AIR SHIPMENTS: Aviation Regulated Liquid n.o.s. (formaldehyde), 9, UN3334

NOTE: It is ultimately the shippers responsibility to make hazard class determination based on their best information available.

Section 15. Regulatory Information

OSHA Status: This item meets the OSHA Hazard Communication Standard (29 CFR 1910.1200) definition of a hazardous material.

TSCA Status: All components of this solution are listed on the TSCA Inventory.

CERCLA Reportable Quantity: Formaldehyde, RQ 100 pounds.

SARA TITLE III:

Section 302 Extremely Hazardous Substances: Formaldehyde TPQ 500 pounds Section 311/312 Hazardous Categories: No

Section 313 Toxic Chemicals: Formaldehyde, 0.1% De Minimus concentration

RCRA Status: No

California Proposition 65: No listed (Formaldehyde gas is listed)

Florida: Formaldehyde is listed on the state Toxic Substances List.

Pennsylvania: Formaldehyde is listed as an environmental and special hazard on the Hazardous Substances List.

Section 16. Other Information

NFPA Ratings: Health: 2 Flammability: 2 Reactivity: 0 Special Notice Key: None HMIS® Ratings: Health: 4 Flammability: 2 Reactivity: 0 Protective Equipment: C

(protective eyewear and gloves)

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration to its characteristics by concentration, evaporation, addition of other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and STATLAB MEDICAL PRODUCTS, INC. assumes no legal responsibility or liability whatsoever resulting from its use.