



Animal and Plant  
Health Inspection  
Service

Veterinary Services

Center for Veterinary  
Biologics

1920 Dayton Avenue  
PO Box 844  
Ames, IA 50010

(515) 337-6100

## **Erysipelothrix rhusiopathiae Challenge Culture - Lot ID IRP 592**

**Document Number: CVB-DAT-0108**

**Revision: 03**

**Previous Number: BB DAT0130.03**

**Vault: CVB-Released**

**Section/Area: CVB-DAT**

**Effective Date: 21 Apr 2022**

**Notes: *Strain or Source: E1-6P, Fill date: August 26, 2010***

**United States Department of Agriculture  
Animal and Plant Health Inspection Service  
Center for Veterinary Biologics  
P. O. Box 844  
Ames, IA 50010**

1. **Reagent Name:** *Erysipelothrix rhusiopathiae* Challenge Culture
2. **Strain or Source:** E1-6P
3. **Lot Number:** IRP 592
4. **Fill Date:** August 26, 2010
5. **Expiration Date:** Jan 31, 2027

**Precautions:** *E. rhusiopathiae* can cause serious wound infections in humans (erysipeloid). This reagent should be handled under a biological safety hood while wearing gloves.

6. **Intended Use:** Challenge material for potency testing of *E. rhusiopathiae* biologicals.
7. **Instructions for Use:** For mouse potency tests, use this reagent according to current version of **Supplemental Assay Method 611 (SAM 611)**. Reconstitute each vial with 1.5 mL of 1% peptone buffer. Use the entire contents of the vial to inoculate 100 mL of Erysipelas broth (a horse meat infusion buffer – formulation available upon request). After 18-24 hours of incubation, adjust the challenge culture to an optical density of 74-78%T at 600 nm using a Spectronic 20D+ spectrophotometer, or equivalent. The mouse challenge dose is 0.2 mL of a  $10^{-5}$  dilution of the standardized culture, administered subcutaneously.
8. **Test of Reagent:** Purity according to 9 CFR 113.27. When prepared and administered to mice as described above, the material was found to contain from  $10^{7.8}$  to  $10^{8.9}$  mouse lethal dose fifty (LD50) per 0.2 mL.
9. **Container Size, Type, Weight, or Volume:** 2 mL of lyophilized culture in 5-mL serum vials.
10. **Storage Conditions:** 4°C or less
11. **CVB Technical Contact:** Bacteriology Section, Center for Veterinary Biologics, (515) 337-6100 or FAX (515) 337-7673.
12. **Origin and Passage History:** Porcine isolate obtained from Dr. Richard G. Wood, USDA-ARS-NADC, Ames, Iowa. Passage history is not available.

**13. Method of Preparation:** Stock culture was rehydrated and grown in Erysipelas broth. An equal volume of double-strength skim milk was added as a stabilizer prior to lyophilization.

**14. Other:** None

**Restrictions:** For use in potency testing of *E. rhusiopathiae* biologicals.

Reagent orders and feedback should be sent *including phone number* to the following email address: [VS.DB.CVB.Reagent.Requests@usda.gov](mailto:VS.DB.CVB.Reagent.Requests@usda.gov)

Reagent orders forms (APHIS Form 2018) can be found on the CVB website.