# Health Certificate for Live Crustaceans Exported from the United States of America to Japan

1. Competen	t Aut	hority	:					
2. Consignor	-							
Name:								
Address:								
3. Consignee	e							
Name:								
Address:								
4. Place of or	rigin							
Name:								
Address:								
5. Place of de	estina	tion			_			
Name:								
Address:								
6.Port of em	barka	tion:			7. Dat	e of dep	arture:	
8. Means of transport:					9. Flight number/ship name:			
10. Container and seal number:					11. Source (cultured/wild):			
12. Commod	lities i	intend	ed for use a	ls:				
□Aquacultu	are	□Orna	amental	□Researc	h □F	eed	⊐Other(	)
13. Identific	ation	of com	modities					
Species		Total quantity Tot		Total	weight (kg)	Age/		
Scientific name Comm		mon name					Life stage	
14. Latest ex	xamin	ation						
Disease	Isola	tion	Date of	Samp	le I	Date of	Test method	l Test result
	per	iod	sampling	size		test		
YHD								
NHP								
TS								
10								

AHPND			
IMN			
BP			
CMD			
GAV			
MBV			

15. Zoosanitary information

I, the undersigned official inspector, hereby certify that the aquatic animals above satisfy the following requirements.

## General information

1. The Japanese authority consults with the competent authority in the exporting country in light of occurrences of the target diseases and regulatory framework for disease control in the exporting country, and notifies beforehand the competent authority in the exporting country of which status will be assigned to the country for each target disease, status 1.A, status 1.B or status 1.B'. Status 1.B' is applicable only to Non OIE listed diseases.

1.A) The country, zone, compartment or establishment is free of the target disease:

 Image: Second second

a) The exported aquatic animal is confirmed to be from the country, zone, compartment or establishment that is confirmed to be free of the target disease under the surveillance by the competent authority in the exporting country based on the OIE code or, if relevant OIE code does not exist, by reference to the OIE code.

AND

b) In the event of an outbreak of the target disease, it shall be notified to the competent authority in the exporting country.

AND

c) The target disease is designated as the target of the official surveillance program of the exporting country in accordance with the OIE code.

- 1.B
   The country, zone, compartment or establishment is not free of the target disease:

   □Yellow head disease
   □Necrotising hepatopancreatitis

   □Taura syndrome
   □Infectious hypodermal and haematopoietic necrosis

   □Acute hepatopancreatic necrosis disease
   □Infectious myonecrosis

   □Tetrahedral baculovirosis (BP)
   □Covert mortality disease of shrimp

   □Gill-associated disease
   □Spherical baculovirosis (MBV)
  - a) No occurrence of the target disease has been reported in aquaculture facilities or fishing areas of the exported aquatic animal at least for one year before the export. Mass mortality of unknown cause has not occurred and the competent authority in the exporting country has not imposed any restriction with the intent of disease control.

AND

b) Before exports, the exported aquatic animals (if the exported aquatic animal is eggs or juvenile shrimp, including their broodstock) should be isolated from aquatic animals under different health situation at least for detention periods in the attachment at the isolation facility designated by the competent authority in the exporting country. No clinical signs of diseases should be observed during the isolation period.

During the isolation period, a sample of the exported aquatic animals should be taken based on the sampling criteria in accordance with the OIE code (prevalence: 2%, confidence: 95%) under the supervision of the competent authority in the exporting country. All tests must be thoroughly conducted in the following methods and all test results should be negative.

- 1.B' The country, zone, compartment or establishment is not free of the target disease:

   □Tetrahedral baculovirosis (BP)
   □Covert mortality disease of shrimp

   □Gill-associated disease
   □Spherical baculovirosis (MBV)
  - a) Mass mortality of unknown cause has not occurred at least for one year before the export and the competent authority in the exporting country has not imposed any restriction with the intent of disease control.

AND

b) Before exports, the exported aquatic animals (or, if the exported animal is eggs or juvenile shrimp, including their broodstock) should be isolated from aquatic animals under different health situation at least for detention periods indicated in the attachment at the isolation facility designated by the competent authority in the exporting country. No clinical signs of the target disease should be observed during the isolation period.

During the isolation period, a sample of the exported aquatic animals should be taken based on the sampling criteria in accordance with the OIE code (prevalence: 5%, confidence: 95%) under the supervision of the competent authority in the exporting country. All tests must be thoroughly conducted in the following methods and all test results should be negative.

	Diseases	Samples	Diagnostic	
			methods	
i	Yellow head disease	The gills, lymphoid organ or	RT-PCR	
		pleopod		
ii	Necrotising	DNA extracted from	Real-time PCR	
	hepatopancreatitis	hepatopancreas	or PCR	
iii	Taura syndrome	RNA extracted from hemolymph	RT-PCR	
		or pleopod		
iv	Infectious	DNA extracted from gills,	PCR	
	hypodermal and	cuticular epithelium,		
	haematopoietic	hemolymph or pleopod		
	necrosis			
V	Acute	DNA extracted from	Nested-PCR of	
	hepatopancreatic	hepatopancreas	Duplex PCR	
	necrosis disease			
vi	Infectious	RNA extracted from muscle or	Nested-PCR of	
	myonecrosis	lymphoid organ or pleopod	Real-time RT	
			PCR	
vii	Tetrahedral	DNA extracted from	PCR	
	baculovirosis (BP)	hepatopancreas		
viii	Covert mortality	RNA extracted from	Nested-PCR	
	disease of shrimp	hepatopancreas and midgut	or RT-PCR	
		or pleopod		
ix	Spherical	DNA extracted from	PCR	
	Baculovirusis	hepatopancreas and midgut		
	(MBV)			
x	Gill-associated virus	RNA extracted from the gills or	RT-nested PCR	
	disease	lymphoid organ		

- 2. The thorough inspections must be conducted by the competent authority or at the facility designated by the competent authority in the exporting country.
- 3. Aquaculture facilities of the exported aquaculture animals must be equipped with basic biosecurity control in accordance with the OIE code under the supervision of the competent authority in the exporting country.
- 4. The exported aquatic animal should be inspected within 10 days prior to the export and should not demonstrate any clinical signs of infectious diseases.
- 5. The exported aquatic animal should not be given any live vaccine for the target disease.

## Transport information

- 1. Materials such as containers and equipment used for transporting the exported aquatic animal should be new, or washed and disinfected properly.
- 2. Water used for transporting the animals should be free of the pathogen of the target disease or disinfected properly.

### USDA-Accredited Veterinarian

Date of Health Inspection:

Name and Address of Veterinarian:

Signature:

### Certifying Official

Date of Issue:

Name and address of Issuing Authority:

Position and Name of Certifying Official:

Signature:

Stamp

	, , , ,	arantine and detention periods
[CRUSTACEANS]		
Aquatic animals	Diseases subject to import quarantine	Detention periods
	· · · ·	Detention periods
Marsupenaeus japonicus	Yellow head disease: YHD	
	Necrotising hepatopancreatitis: NHP	
	Taura syndrome	
	Infectious hypodermal and haematopoietic necrosis: IHHN	
	Acute hepatopancreatic necrosis disease: AHPND	
	Tetrahedral baculovirosis	
	Covert mortality disease of shrimp : CMD	
	Gill-associated virus disease	
Litopenaeus vannamei	Yellow head disease: YHD	7
Enoponadao rannamor		***
	Necrotising hepatopancreatitis: NHP	
	Taura syndrome	
	Infectious hypodermal and haematopoietic necrosis: IHHN	
	Acute hepatopancreatic necrosis disease: AHPND	
	Infectious myonecrosis : IMN	
	Tetrahedral baculovirosis	
	Covert mortality disease of shrimp: CMD	
Penaeus monodon	Yellow head disease: YHD	
	Necrotising hepatopancreatitis: NHP	
	Taura syndrome	
	Infectious hypodermal and haematopoietic necrosis: IHHN	
	Acute hepatopancreatic necrosis disease: AHPND	
	Infectious myonecrosis : IMN	
	Tetrahedral baculovirosis	
	Gill-associated virus disease	
	Spherical Baculovirosis	
Fenneropenaeus chinensis	Yellow head disease: YHD	-
	Necrotising hepatopancreatitis: NHP	
	Taura syndrome	
	Infectious hypodermal and haematopoietic necrosis: IHHN	
	Acute hepatopancreatic necrosis disease: AHPND	
	Tetrahedral baculovirosis	
	Covert mortality disease of shrimp: CMD	
	Gill-associated virus disease	
	Spherical Baculovirosis	
Species of genus Litopenaeus	Yellow head disease: YHD	
(excluging Litopenaeus vannamei)	Necrotising hepatopancreatitis: NHP	
	Taura syndrome	·····
	Infectious hypodermal and haematopoietic necrosis: IHHN	10 days
	Infectious myonecrosis: IMN	(18 days in case that MAFF considers that imported live shrimp
	Tetrahedral baculovirosis	may be infected with Necrotising hepatopancreatitis(NHP), 20
Species of genus Penaeus (excluding	Yellow head disease: YHD	days in case that MAFF considers that imported live shrimp may
Penaeus monodon)		
renaeus monouon)	Necrotising hepatopancreatitis: NHP	be infected with Taura syndrome, 30 days in case that MAFF
	Taura syndrome	considers that imported live shrimp may be infected with Covert
	Infectious hypodermal and haematopoietic necrosis: IHHN	mortality disease of shrimp(CMD), and 50 days in case that MAF
	Infectious myonecrosis : IMN	considers that imported live shrimp may be infected with Infectiou
	Tetrahedral baculovirosis	myonecrosis(IMN))
	Gill-associated virus disease	
	Spherical Baculovirosis	
Species of genus Fenneropenaeus	Yellow head disease: YHD	
(excluding Fenneropenaeus	Necrotising hepatopancreatitis: NHP	~~~~
chinensis)	· · · · · · · · · · · · · · · · · · ·	
chinensis j	Taura syndrome	
	Infectious hypodermal and haematopoietic necrosis: IHHN	
	Tetrahedral baculovirosis	
	Gill-associated virus disease	
	Spherical Baculovirosis	
Species of genus Melicertus	Yellow head disease: YHD	
species of genus Metapenaeus	Necrotising hepatopancreatitis: NHP	
	Taura syndrome	
		-
	Infectious hypodermal and haematopoietic necrosis: IHHN	
	Tetrahedral baculovirosis	
	Spherical Baculovirosis	
Penaeidae (excluding Marsupenaeus	Yellow head disease: YHD	1
japonicus, species of genera	Necrotising hepatopancreatitis: NHP	
Litopenaeus, Penaeus,	Taura syndrome	
Fenneropenaeus, Melicertus and	Infectious hypodermal and haematopoietic necrosis: IHHN	~~~
Metapenaeus)	Tetrahedral baculovirosis	
Species of genus Acetes	Yellow head disease: YHD	_