# U.S. ORIGIN HEALTH CERTIFICATE FOR EXPORT OF BOVINE EMBRYOS TO THE REPUBLIC OF THE PHILIPPINES

I.	MINISTRY: United States Department of Agriculture
II.	AGENCY: Animal and Plant Health Inspection Service
III.	NAME AND ADDRESS OF CONSIGNOR:
IV.	NAME AND ADDRESS OF CONSIGNEE:
V.	NAME AND ADDRESS OF EMBRYO COLLECTION FACILITY:
VI	. NAME AND ADDRESS OF EMBRYO COLLECTION TEAM VETERINARIAN:

### VII. EMBRYO IDENTIFICATION: See attached sheet.

#### **VIII. CERTIFICATION STATEMENTS:**

- 1. The United States is free of foot-and-mouth disease (FMD) without vaccination, rinderpest and contagious bovine pleuropneumonia.
- 2. The embryo collection facility and premises of origin of the embryo donors (if different from the embryo collection facility) were: free of foot-and-mouth disease for at least 3 years before embryo collection; free of bovine brucellosis, bovine tuberculosis, and vesicular stomatitis for at least 12 months before embryo collection.
- 3. For the 12 months prior to collection, the State of origin of the donor animal(s) is free of bovine brucellosis, bovine tuberculosis, and/or vesicular stomatitis. If the State is not free of one or more of these diseases, the animal(s) must be tested negative as indicated in the testing requirement section (\*).

May 2020 \_/\_

Health Certificate No
(Valid only if the USDA Veterinary
Seal appears over the Certificate No.)

- 4. The embryo collection facility and premises of origin of the embryo donors were clinically free of bluetongue, bovine genital campylobacteriosis (BGC), trichomoniasis, bovine virus diarrhea/mucosal disease (BVD/MD), brucellosis, enzootic bovine leukosis, infectious bovine rhinotracheitis/infectious pustular vulvovaginitis (IBR/IPV), Johne's disease, leptospirosis, mycoplasmosis, and tuberculosis during the 12 months prior to embryo collection.
- 5. For the 30 days prior to embryo collection, the embryo donors resided only on the premises of origin or at the embryo collection facility which are recognized by a USDA Accredited Veterinarian as suitable for export to the Republic of the Philippines.
- 6. Each donor animal is of U.S. origin or legally imported from countries which were granted system accreditation<sup>1</sup> by the Philippines.
- 7. The semen used to produce the embryos meets the guidelines/recommendations of the OIE Terrestrial Animal Health Code, Certified Semen Services, or U.S. export requirements for bovine semen to the Republic of the Philippines.
- 8. The embryos were collected, processed (including washed and trypsin treated), and stored in accordance with the guidelines of the OIE Terrestrial Animal Health Code and/or International Embryo Transfer Society or equivalent.
- 9. The embryos were examined microscopically and found to have an intact zona pellucida and were free of adherent debris.
- 10. The donor females showed no clinical signs of bluetongue on the day of collection.

#### IX. PROCESSING REQUIREMENTS:

The embryos were collected, processed, and stored in conformance with current OIE Code and with the operation manual of the International Embryo Transfer Society (IETS).

The embryos were successively washed and microscopically examined in accordance with procedures recommended by IETS under the supervision of a USDA-accredited veterinarian.

May 2020

<sup>&</sup>lt;sup>1</sup> Australia, Belgium, Canada, Denmark, France, Germany, Ireland, Japan, Netherlands, New Zealand, Spain, United Kingdom

Health Certificate No
(Valid only if the USDA Veterinary
Seal appears over the Certificate No.)

### X. TESTING REQUIREMENTS:

Within 6 months prior to embryo collection (or otherwise listed), the donor animals were test negative using APHIS approved testing methods or other methods recommended by the World Organization for Animal Health (OIE). Testing method and date are listed in the enclosed chart.

- 1. \*Vesicular Stomatitis SNT(@1:32) OR ELISA OR CFT
- 2. Leptospirosis Microtiter agglutination test (@1:100) OR PCR OR ELISA
- 3. \*Brucellosis Standard tube test OR CF OR Rose Bengal card test, OR Fluorescence Polarization Assay
- 4. \*Tuberculosis Intradermal test using bovine PPD tuberculin
- 5. Bluetongue serological test to detect antibodies to the BTV group, between 28 and 60 days after collection, with negative results OR were subjected to agent identification on blood sample taken on the day of collection, with negative results.

Name of Issuing Authorized Veterinarian	Name of Endorsing Federal Veterinarian				
	Ç				
Signature of Issuing Authorized Veterinarian	Signature of Endorsing Federal Veterinarian				
	6				
Date	Date				

May 2020 \_/\_

## Attachment

## EMBRYO IDENTIFICATION AND TESTING DATE AND METHOD

BREED AND REGISTERED NAME AND NUMBER* OF EMBRYO DONOR	BREED AND REGISTERED NAME AND NUMBER* OF SEMEN DONOR	NO. OF EMBRYOS	EMBRYO COLLECTION DATE (DD/MM/YYYY)	Vesicular Stomatitis	Leptospirosis	ТВ	Brucellosis	Bluetongue

<sup>\*</sup>With breed association or equivalent