

**USDA, APHIS, VETERINARY SERVICES (VS)  
STRATEGY & POLICY  
PROTOCOL TO IMPORT BREEDING SWINE  
FROM A REGION OF THE EUROPEAN UNION (EU)  
RECOGNIZED AS LOW-RISK FOR CLASSICAL SWINE FEVER (CSF)**

December 2009; Update February 2019

This protocol describes the conditions required to import live domestic breeding swine according to regulations found in 9 CFR Part 93.

**Note:** In accordance with this protocol, USDA APHIS reserves the right to inspect the quarantine and export facilities as needed in order to ensure USDA APHIS imports standards are met.

## **1. GENERAL REQUIREMENTS**

This protocol is only applicable to live swine for breeding purposes exported from Member States of the EU recognized by the USDA as low-risk for CSF, listed in Title 9, Code of Federal Regulations (9 CFR), Parts 93 and 94, as an “APHIS-defined EU CSF region.” This protocol may also be used for the importation of pet swine (intact or neutered) from this region.

- 1.1. The importer must obtain an **Import Permit** from the:

U.S. Department of Agriculture (USDA)  
Animal and Plant Health Inspection Service (APHIS) Veterinary Services (VS)  
Strategy & Policy, (S&P) Unit 39  
4700 River Road  
Riverdale, MD 20737-1231

Telephone: (301) 851-3300, option #2  
Fax: (301) 734- 4704

The application, **VS Form 17-129, “Application for Import or in Transit Permit”** may be obtained by writing or telephoning S&P, or by downloading it from the APHIS web site: [http://www.aphis.usda.gov/import\\_export/forms.shtml](http://www.aphis.usda.gov/import_export/forms.shtml)

- 1.2. The importer must reserve quarantine space at the following USDA animal import center (AIC). Information on the Import Center may be found at the following web site: [https://www.aphis.usda.gov/animal\\_health/downloads/nies\\_contacts/aic.pdf](https://www.aphis.usda.gov/animal_health/downloads/nies_contacts/aic.pdf)

New York AIC  
474 Animal Import Center  
Newburg, NY 12550  
845-838-5500  
[vspsnic@aphis.usda.gov](mailto:vspsnic@aphis.usda.gov)

- 1.3. An official **health certificate** is required on entry into the United States.

- 1.3.1. The official health certificate must be issued by a veterinarian accredited and recognized by the competent veterinary authority of the\_\_\_(EU Member State) and must be endorsed by the competent veterinary authority certifying the attestations and tests required in this protocol.

- 1.3.2. The official health certificate must include:

**USDA, APHIS, VETERINARY SERVICES (VS)  
STRATEGY & POLICY  
PROTOCOL TO IMPORT BREEDING SWINE  
FROM A REGION OF THE EUROPEAN UNION (EU)  
RECOGNIZED AS LOW-RISK FOR CLASSICAL SWINE FEVER (CSF)**

December 2009; Update February 2019

- name and address of the importer;
- species, breed, and number of animals to be imported;
- purpose of importation
- individual identification, which includes an official eartag number or other approved forms of individual identification for the country of origin, and any other identification present on the animal, including registration number and brands;
- description of the animals, including age in months, sex, breed, and markings (if any);
- region/country of origin;
- address or other means of identifying the premises of origin and any other premises where the animals resided immediately prior to export;
- name and address of the exporter;
- name and address of the receiving facility;
- port of embarkation, the mode of transportation, route of travel, and port of entry in the United States.

1.3.3. Results and dates of all required official tests must be included in the certification.

1.3.4. Records with animal identification numbers and dates must be included for all animals vaccinated for Pseudorabies.

## **2. CERTIFICATIONS**

Certification Statements are performed by the accredited Veterinarian and Official Government Veterinarian per the negotiated and approved official health certificate (HC). Please refer to parts 11 and 13 of the official model Health Certificate.

21. The EU Member State is free of foot-and-mouth disease (FMD), African swine fever (ASF), and swine vesicular disease (SVD).
22. The breeding swine have **not** been imported into the EU Member State from countries/regions affected with FMD, African swine fever (ASF), or swine vesicular disease.
23. The breeding swine have **not** been in a country/region where classical swine fever (CSF), African swine fever (ASF) or swine vesicular disease (SVD) is known to exist (except for an APHIS-defined EU CSF region), as indicated in 9 CFR Part 94; nor have they commingled with other swine that at any time were in any of these regions or zones.
24. The breeding swine have **not** transited such countries/regions where ASF is known to exist.
25. The breeding swine have not been in a restricted zone in an APHIS-defined EU CSF region established because of the detection of classical swine fever in domestic swine, from the time of detection until the designation of the zone as a restricted zone is removed by the competent veterinary authority of the EU Member State or until 6 months following depopulation of the swine on affected premises in the restricted zone and the cleaning and disinfection of the last affected premises in the zone, whichever period of time is later.

**USDA, APHIS, VETERINARY SERVICES (VS)**  
**STRATEGY & POLICY**  
**PROTOCOL TO IMPORT BREEDING SWINE**  
**FROM A REGION OF THE EUROPEAN UNION (EU)**  
**RECOGNIZED AS LOW-RISK FOR CLASSICAL SWINE FEVER (CSF)**

December 2009; Update February 2019

26. The breeding swine have not been in a restricted zone in an APHIS-defined EU CSF region established because of the detection of classical swine fever in wild boar, from the time of detection until the designation of the zone as a restricted zone is removed by the competent authority of the EU Member State.
  27. The breeding swine have not commingled with swine that have at any time been in any of the regions or zones described in sections 2.4 and 2.5, unless the swine are exported after the periods described in these sections.
  28. The breeding swine have not transited any region or zone described in section 2.5, unless the swine were moved directly through the region or zone in a sealed means of conveyance with the seal determined to be intact upon arrival at the point of destination, or unless the swine are exported after the periods described in these sections.
  29. Since birth or within the 12 months prior to export to the United States, there was no clinical or pathological evidence of tuberculosis (TB), brucellosis, or Aujeszky's disease found in the swine or any other animals in contact with them.
  210. **Swine vaccinated for Pseudorabies, must be accompanied by all vaccination records, animals clearly identified individually by official ID numbers, with dates of the vaccinations, to document this treatment.**
  211. For 60 days prior to export, no swine erysipelas or swine plague (acute Pasteurellosis) existed on the originating or any subsequent premises.
  212. During the 60 days (minimum) prior to export, the swine were isolated from all other livestock in an embarkation quarantine facility approved by and under the supervision of the competent veterinary authority of \_\_\_\_\_ (EU Member State).
  213. During the 60 days prior to export, the swine were not held with animals of lesser health status or with animals under any restrictions which would make them ineligible for export to the United States.
  214. A salaried veterinary officer of the competent veterinary authority of \_\_\_\_\_ (EU Member State) inspected the animals at the embarkation quarantine facility within 24 hours prior to export and found the swine to be free of clinical evidence of contagious or communicable disease and, as far as may be determined, exposure thereto, during the preceding 60 days in isolation.
3. **PRE-EMBARKATION QUARANTINE:** The pre-embarkation period is for a minimum of 90 days (3 months) in an approved quarantine facility approved and overseen by the competent veterinary authority of the EU Member State but may be extended to allow for all testing requirements.
  4. **TESTING:** Within the 90-day (3 months) pre-embarkation isolation period prior to export, the breeding swine were subjected to the following tests at least once with negative results:

**USDA, APHIS, VETERINARY SERVICES (VS)  
STRATEGY & POLICY  
PROTOCOL TO IMPORT BREEDING SWINE  
FROM A REGION OF THE EUROPEAN UNION (EU)  
RECOGNIZED AS LOW-RISK FOR CLASSICAL SWINE FEVER (CSF)**

December 2009; Update February 2019

41. Tuberculosis: An intradermal tuberculin test with animals injected with 0.1 mL of *Mycobacterium bovis* tuberculin.
  - 4.1.1. The sites of injection must be the lips of the vulva (boars may be injected at the junction of the skin and mucous membrane of the anus) and the soft skin just posterior to the ear.
  - 4.1.2. The injection sites must be visually observed and palpated 48 hours (plus or minus 6 hours) following injection. A negative test result is the lack of any response that may be seen or palpated. Swine with tissue reactions that may be observed or palpated are classified as reactors to *M. bovis*.
  - 4.1.3. If reactors are observed, all the reactors must be necropsied, and tissues submitted to the National Veterinary Services Laboratories (NVSL) for culture.
  - 4.1.4. If no gross lesions are observed and all cultures are negative, the remaining non-reactors in the shipment may be released.
  - 4.1.5. APHIS recommends the testing be performed as soon as possible after entering the quarantine facility.
42. Brucellosis - a buffered Brucella antigen test (card test, Rose Bengal test, or the buffered plate agglutination test) or an ELISA (indirect or competitive) test. Fluorescence polarization assay (FPA) for Brucellosis is an acceptable alternative. Samples with non-negative results must be retested with negative results using a suitable confirmatory test, such as the complement fixation test.
43. Aujeszky's disease (Pseudorabies):
  - 4.3.1. A serum neutralization at a dilution of 1:4 or an ELISA test using all the Aujeszky's disease viral antigens in the case of non-vaccinated swine, OR
  - 4.3.2. An ELISA test for Aujeszky's disease g1 (gE) antigens in the case of swine vaccinated with a g1 (gE) deleted vaccine; g1 or gB ELISA test are acceptable alternative tests.
  - 4.3.3. **Note:** Test records must accompany the shipment. All diagnostic tests must be conducted at a laboratory approved by the competent veterinary authority of EU Member State.

**5. TRANSPORTATION TO PORT OF EMBARKATION AND TO THE UNITED STATES**

51. The animals must be transported to the port of embarkation in a vehicle thoroughly cleaned and disinfected prior to use.
52. The swine must be transported from the embarkation quarantine facility to the port of embarkation in a vehicle sealed with an official seal issued by the competent veterinary

**USDA, APHIS, VETERINARY SERVICES (VS)  
STRATEGY & POLICY  
PROTOCOL TO IMPORT BREEDING SWINE  
FROM A REGION OF THE EUROPEAN UNION (EU)  
RECOGNIZED AS LOW-RISK FOR CLASSICAL SWINE FEVER (CSF)**

December 2009; Update February 2019

authority. The seal must be broken at the port of embarkation by a veterinarian officially recognized by the competent veterinary authority.

53. Transportation of swine from the quarantine facility to the port of embarkation must follow all guidelines for movement of swine in the European Union, including regulations for feed, water and rest periods (FWR).
54. No livestock, other than those intended for export to the United States, are permitted aboard the vehicle that transports the swine to the port of embarkation.
55. The shipping containers housing the animal(s) will be wrapped underneath and up the side to a minimum height of two (2) feet with heavy gauge, impermeable plastic to prevent contact of bedding or wastes with the environment or be specifically designed to contain bedding and waste.
56. All hay, straw, forage, feed, and bedding aboard the transporting aircraft or vessel must originate from a Member State designated by the USDA to be free of foot-and-mouth disease (FMD), African swine fever, and swine vesicular disease, as indicated in 9 CFR Part 94 and other official publications. No equipment or materials used in exporting the swine to the United States may have previously been used for transporting swine that do not meet the requirements of this protocol, unless the equipment and materials have first been cleaned and disinfected.
57. The transporting aircraft or vessel must be cleaned and disinfected under the supervision of the competent veterinary authority prior to loading.
58. No livestock, other than those intended for export to the United States, are permitted aboard the transporting aircraft or vessel.
59. The shipment must be routed directly to the United States with no stops en route other than those provided on the USDA import permit. This shipment may not transit a region considered by USDA APHIS to have foot and mouth disease (FMD), Classical Swine Fever (CSF) or African Swine Fever (ASF) as noted on the USDA APHIS webpage Animal Health Statuses of Regions.
510. Transport must be arranged so the arrival at the U.S. port of entry will be accomplished with minimal transiting of other U.S. ports of entry. Transit of another U.S. port is only allowed if authorized on the import permit issued by USDA APHIS. The import permit must accompany the shipment.
511. The captain of the transport carrier must be advised of the transportation requirements.
512. The import permit and the required certifications relating to the health of the swine, tests conducted and results, cleaning and disinfecting, and feed and bedding must accompany the swine to the U.S. port of entry.

**USDA, APHIS, VETERINARY SERVICES (VS)  
STRATEGY & POLICY  
PROTOCOL TO IMPORT BREEDING SWINE  
FROM A REGION OF THE EUROPEAN UNION (EU)  
RECOGNIZED AS LOW-RISK FOR CLASSICAL SWINE FEVER (CSF)**

December 2009; Update February 2019

**6. U.S. PORT OF ENTRY REQUIREMENTS**

61. All hay, straw, bedding, manure, and similar material scattered outside of the animal crates (except pelleted feed stored separate and apart from the animals) must be removed and disposed of in accordance with the International Convention for the Prevention of Pollution from Ships (MARPOL) guidance upon arrival at the first U.S. port of entry. The animal area of the aircraft, ship or transport vehicles, and equipment, must be cleaned and disinfected once livestock have been unloaded (per regulations in 9 CFR 93.402 and 93.502).
62. The means of conveyance to the entry quarantine facility must be in a closed vehicle and the transport crates must be thoroughly covered with mesh to prevent loss of bedding, etc. from escaping into the environment, and sealed with official government seals.
63. Any debris, manure, leftover food, and/ or bedding in the secondary transport conveyance, and within the crate(s), must be collected and incinerated as international waste, and the vehicle cleaned and disinfected under the supervision of APHIS personnel.
64. The port inspection, required testing, and quarantine must be completed at the USDA-approved animal import center at the first port of entry, as specified on the import permit.
65. On arrival, the swine will be quarantined at a USDA Animal Import Center facility for a minimum of 30 days, with the Aujeszky's, tuberculosis and brucellosis tests repeated once during the quarantine period.
66. If all test results are negative and no other infectious and communicable disease conditions become evident, and the animals are considered fit for travel, the swine will be released to the importer.

**7. ADDITIONAL IMPORTER RESPONSIBILITIES**

71. Other relevant agency regulations may be applicable and must also be complied with completely; this is the responsibility of the importer.
72. Importers are advised that individual states may have other import regulations than those required by the USDA. It is the importer's responsibility to verify these conditions and to meet them. The exporter may contact the U.S. State veterinarian ([State Regulations and Import Requirements](#)) of the destination state to determine the state requirements and, among other things, whether a state import permit is needed, additional testing is necessary, or non-vaccination status is required.

**8. ANIMALS REFUSED ENTRY:**

Any animal refused entry into the United States for noncompliance with the requirements of this protocol must be removed from the United States within a time period specified by the

**USDA, APHIS, VETERINARY SERVICES (VS)  
STRATEGY & POLICY  
PROTOCOL TO IMPORT BREEDING SWINE  
FROM A REGION OF THE EUROPEAN UNION (EU)  
RECOGNIZED AS LOW-RISK FOR CLASSICAL SWINE FEVER (CSF)**

December 2009; Update February 2019

Administrator, or will be considered abandoned by the importer. Pending removal or abandonment, the animal will be subject to such safeguards as the APHIS inspector determines necessary to prevent the possible introduction of ectoparasites or disease into the United States. If an animal that has been refused entry is not removed from the United States within the prescribed period or is abandoned, it may be seized and destroyed, or otherwise disposed of as the Administrator determines necessary to prevent the possible introduction of ectoparasites or disease into the United States.