According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0579-0127. The time required to complete this information collection is estimated to average between 2.5 and .5 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

OMB Approved 0579-0127 EXP.: 06/2026

UNITED STATES DEPARTMENT OF AGRICULTURE ANIMAL AND PLANT HEALTH INSPECTION SERVICE VETERINARY SERVICES

APPLICATION TO CONDUCT LABORATORY EQUINE INFECTIOUS ANEMIA (EIA) TESTING

This document serves as a reference point to begin the application process for APHIS VS approval of a laboratory to conduct EIA testing. Include the requirements in VS 15201.1 in your responses.			
Describe anticipated client base (check all that apply).			
U Veterinary Practice Specific Sales Barn Region	ul University	Statewide	National
Describe anticipated hours of operation and staffing plan.			
State the anticipated annual number of samples to be tested.			
5. State the antiopated annual number of samples to be tested.			
Are there plans for mobile or satellite laboratory testing? Yes	No		
Describe proposed operational start date and training plans for personnel.			
e. Socialise proposed operational start date and training plane to personner.			
6. Describe the proposed laboratory space or plans for creating the proposed laboratory space.			
7. List attached documentation (e.g. photographs or plans), as appropriate, of the proposed	facility laboratory space.		
ct allatina accamonation (e.g. priotographic or plane), ac appropriate, or the proposed actinity accases, opened			
8. By signing below I am acknowledging the requirements and regulatory obligations inherent in the operation of an EIA testing laboratory; they include, but are not limited to:			
a. Facility requirements;b. Personnel and training requirements;			
c. Proficiency testing requirements;			
 d. Testing only acceptable samples, accompanied by official forms, and submitted by accredited veterinarians; e. Prompt referral of non-negative samples to NVSL; 			
 f. Prompt and accurate reporting; and g. Inspection requirements. 			
In addition, I am acknowledging familiarity with VS Guidance 15201.1 Laboratory Approval t	Conduct EIA Testing and discussion	one with the APHIS Associate	District Director or
State Animal Health Official or both.	O Conduct EIA Testing and discussion	nis with the Al The Associate	District Director of
Some or all of these requirements may incur costs to be borne by the laboratory.			
Laboratory Name:	Laboratory Physical Address:		
Laborator Talashara Markar(a)			
Laboratory Telephone Number(s):			
Lebourton, Francii Addonos(a)			
Laboratory Email Address(s):			
Laboratory Director Name:			
Education Street Hame.			
Laboratory Director Signature:		Date Signed:	
•		ū	