



## Summary of Studies Supporting USDA Product Licensure

Establishment Name	Elanco US Inc.
USDA Vet Biologics Establishment Number	196
Product Code	14R7.29
True Name	Canine Coronavirus-Parvovirus Vaccine, Modified Live & Killed Virus
Tradename(s) / Distributor or Subsidiary (if different from manufacturer)	Duramune Max PC - Elanco US Inc.
Date of Compilation Summary	October 12, 2017

**Disclaimer: Do not use the following studies to compare one product to another. Slight differences in study design and execution can render the comparisons meaningless.**

<b>Study Type</b>	Efficacy
<b>Pertaining to</b>	Canine coronavirus
<b>Study Purpose</b>	To demonstrate effectiveness against intestinal disease due to canine coronavirus
<b>Product Administration</b>	
<b>Study Animals</b>	
<b>Challenge Description</b>	
<b>Interval observed after challenge</b>	
<b>Results</b>	Study data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance. Study data, however, are no longer available.
<b>USDA Approval Date</b>	December 3, 1984

<b>Study Type</b>	Efficacy
<b>Pertaining to</b>	Canine Parvovirus (CPV)
<b>Study Purpose</b>	To demonstrate effectiveness against CPV in 6-week-old puppies.
<b>Product Administration</b>	Two doses, given at an interval of 21 days, were administered subcutaneously (SC).
<b>Study Animals</b>	Study analysis was conducted on twenty-one 6-week-old puppies seronegative for CPV, 17 vaccinates and 4 non-vaccinated controls.
<b>Challenge Description</b>	Twenty-one (21) days after second vaccination puppies were challenged with CPV 2b strain.
<b>Interval observed after challenge</b>	Puppies were observed daily for 14 days after challenge
<b>Results</b>	<p>The data were analyzed according to 9CFR 113.317</p> <p>Number affected by challenge according to 9CFR 113.317:  Vaccinates: 0/17 (0%)  Controls: 2/4 (50%)</p> <p>Raw data:  Data table are appended to the end of this summary.</p>
<b>USDA Approval Date</b>	August 31, 2001

CPV Post Challenge Daily Observations

Non-Vaccinated Controls															
Dog ID	0DPC	1DPC	2DPC	3DPC	4DPC	5DPC	6DPC	7DPC	8DPC	9DPC	10DPC	11DPC	12DPC	13DPC	14DPC
1		D					E,H								
2							B,C,H	C	C						
3					H	D	B,G,H	I							
4						G,H	B,C,D,F,G,H	I							

Vaccinates															
Dog ID	0DPC	1DPC	2DPC	3DPC	4DPC	5DPC	6DPC	7DPC	8DPC	9DPC	10DPC	11DPC	12DPC	13DPC	14DPC
1															
2															
3	D						H				E				
4															
5											D				
6															
7												E			
8															
9															
10										D					
11		D				D									
12															
13			D												
14															
15															
16															
17															

B - Lethargy  
 C - Dehydration  
 D - Mucous Stool  
 E - Watery Stool  
 F - Bloody Stool  
 G - Anorexia  
 H - Vomiting  
 I - Death  
 DPC = Days Post Challenge

**Daily Rectal Temperature (°F)**

Non-Vaccinated Controls															
Cat ID	0DPC	1DPC	2DPC	3DPC	4DPC	5DPC	6DPC	7DPC	8DPC	9DPC	10DPC	11DPC	12DPC	13DPC	14DPC
1	100.4	101.3	101.3	101.1	102.1	101.9	100.7	101.3	101.3	101.0	100.8	101.4	100.6	101.4	101.2
2	99.7	101.2	101.7	100.9	103.0	102.6	99.3	101.0	101.0	101.0	101.5	101.6	101.3	102.4	102.0
3	101.2	101.6	102.5	101.3	104.5	101.3	100.0	Na	Na	Na	Na	Na	Na	Na	Na
4	100.4	101.2	101.4	101.2	104.1	101.7	93.4	Na	Na	Na	Na	Na	Na	Na	Na

Vaccinates																				
Cat ID	0DPC	1DPC	2DPC	3DPC	4DPC	5DPC	6DPC	7DPC	8DPC	9DPC	10DPC	11DPC	12DPC	13DPC	14DPC					
5	101.1	101.9	101.2	101.3	101.7	101.5	101.0	101.0	101.5	101.7	101.1	101.8	101.7	101.3	101.8					
6	101.1	100.5	101.5	101.3	101.1	101.5	101.5	101.3	101.7	101.6	101.4	101.7	101.7	101.3	102.1					
7	101.0	100.5	101.0	100.8	101.3	101.1	100.6	100.5	101.4	101.2	100.9	101.0	101.3	101.4	100.8					
8	100.7	100.9	101.4	101.7	101.4	101.1	101.3	101.3	101.7	101.4	101.3	101.4	101.2	100.9	102.3					
9	101.0	101.0	101.4	101.5	101.2	101.0	101.3	101.1	101.3	101.5	101.6	101.7	101.5	101.3	101.8					
10	101.3	101.9	102.1	101.5	102.0	101.6	101.1	101.4	101.5	101.8	102.3	102.4	102.5	102.7	102.0					
11	100.5	100.8	101.0	101.2	100.9	100.8	100.8	101.2	101.3	101.0	101.2	101.0	101.3	101.1	101.6					
12	99.7	100.7	101.5	101.1	101.1	101.3	100.9	101.0	101.1	101.1	101.1	101.3	101.0	101.3	101.2					
13	100.5	101.6	102.1	101.0	101.2	101.0	101.1	100.9	101.5	101.3	101.7	102.3	101.4	101.8	102.1					
14	101.3	100.8	101.6	101.4	101.2	101.2	100.6	100.9	101.1	101.1	101.1	101.2	101.1	101.0	101.6					
15	101.3	101.5	10.2	101.8	102.1	102.2	101.8	101.5	102.3	102.3	101.7	102.5	101.9	102.1	102.2					
16	100.9	102.2	101.4	101.5	101.4	101.8	101.3	101.5	101.0	101.2	101.3	101.6	101.4	101.8	101.9					
17	99.9	100.4	101.8	101.3	101.0	101.5	100.3	101.7	101.1	101.3	101.1	101.1	101.2	101.1	101.3					
18	99.7	101.1	101.0	101.4	101.0	101.4	101.5	100.7	100.7	100.4	101.4	100.8	101.0	100.5	101.7					
19	100.7	101.2	101.1	101.0	101.6	101.4	100.8	100.7	101.4	101.8	101.2	101.4	101.3	101.7	102.3					
20	100.9	102.1	101.9	101.7	101.8	102.5	100.9	101.3	101.6	101.9	101.7	101.3	101.4	101.8	102.3					
21	101.8	101.6	102.0	102.1	101.2	101.9	100.8	101.3	101.7	101.4	101.6	101.2	101.4	101.2	101.7					

DPC = Days Post Challenge

**Total White Blood Cell Counts (x1000/uL)**

Non-Vaccinated Controls											
CatID	0DPC	1DPC	2DPC	3DPC	4DPC	5DPC	6DPC	7DPC	8DPC	9DPC	10DPC
1	12.3	10.7	13.2	11.5	11.2	13.9	8.2	9.0	9.7	10.5	10.3
2	9.9	12.3	14.4	11.7	17.0	12.7	13.0	7.5	10.0	9.0	12.9
3	20.6	18.0	23.0	Na	30.2	15.6	13.7	Na	Na	Na	Na
4	14.7	18.4	17.4	17.4	19.9	6.3	0.3	Na	Na	Na	Na

Vaccinates											
CatID	0DPC	1DPC	2DPC	3DPC	4DPC	5DPC	6DPC	7DPC	8DPC	9DPC	10DPC
5	10.2	11.8	11.8	8.4	10.3	12.7	9.18	9.1	9.8	10.3	10.7
6	11.0	10.2	12.7	11.0	9.3	10.1	9.61	9.8	10.3	9.3	10.0
7	13.5	9.0	9.3	9.1	9.4	10.2	8.73	8.9	10.9	10.0	8.4
8	11.9	10.4	10.2	10.0	9.0	9.3	8.40	8.6	8.2	8.4	9.7
9	12.5	12.8	12.8	10.3	9.7	9.3	8.17	8.1	8.2	7.3	7.3
10	12.7	13.7	15.1	12.3	9.9	10.0	8.00	10.2	20.3	12.0	9.9
11	11.3	11.7	9.8	Na	9.4	8.8	7.71	10.7	18.9	8.8	14.9
12	27.2	18.5	21.8	15.3	13.9	10.4	10.70	12.1	11.2	10.8	10.1
13	7.8	17.6	16.1	15.1	11.0	11.2	11.80	11.5	14.1	13.9	9.5
14	20.4	21.6	17.6	Na	20.4	14.0	17.10	14.1	11.4	10.0	10.3
15	16.7	17.6	14.5	12.6	10.6	10.9	11.0	10.4	10.3	14.2	23.2
16	21.6	18.5	16.0	16.0	16.0	14.7	12.6	15.4	12.0	12.8	13.1
17	13.6	10.8	9.1	Na	9.3	12.7	7.8	9.9	11.0	14.4	8.5
18	12.4	14.8	11.0	14.6	14.7	14.9	11.8	9.4	9.4	10.0	8.8
19	37.0	28.2	27.7	20.0	21.9	28.6	17.2	20.3	16.3	17.7	16.2
20	19.0	21.3	18.7	17.4	18.9	28.2	14.1	19.6	18.3	19.6	16.2
21	16.7	11.6	14.3	15.9	12.8	14.4	12.9	14.5	10.1	12.1	14.3

DPC = Days Post Challenge

**CPV Titer From Fecal Material (Log FAID<sub>50</sub>/mg Feces)**

Non-Vaccinated Controls											
Cat ID	0DPC	1DPC	2DPC	3DPC	4DPC	5DPC	6DPC	7DPC	8DPC	9DPC	10DPC
1	<1.5	<1.5	<1.5	<1.5	2.4	4.2	5.8	5.5	5.2	2.0	1.5
2	<1.5	<1.5	<1.5	<1.5	1.5	3.8	5.6	5.4	4.5	3.5	3.4
3	<1.5	<1.5	<1.5	<1.5	3.2	5.5	NS	NS	NS	NS	NS
4	<1.5	<1.5	<1.5	<1.5	3.5	NS	6.2	NS	NS	NS	NS

Vaccinates											
Cat ID	0DPC	1DPC	2DPC	3DPC	4DPC	5DPC	6DPC	7DPC	8DPC	9DPC	10DPC
5	<1.5	<1.5	<1.5	<1.5	<1.5	NS	<1.5	<1.5	<1.5	<1.5	<1.5
6	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
7	<1.5	<1.5	<1.5	<1.5	<1.5	NS	<1.5	<1.5	<1.5	<1.5	<1.5
8	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
9	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
10	<1.5	<1.5	<1.5	<1.5	<1.5	NS	<1.5	<1.5	<1.5	<1.5	<1.5
11	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
12	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
13	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
14	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
15	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
16	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
17	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
18	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
19	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5
20	<1.5	<1.5	<1.5	<1.5	<1.5	NS	<1.5	<1.5	<1.5	<1.5	<1.5
21	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5	<1.5

<1.5 is considered negative  
 NS = No sample  
 DPC = Days Post Challenge

C

<b>Study Type</b>	Efficacy
<b>Pertaining to</b>	Canine Parvovirus (CPV)
<b>Study Purpose</b>	To demonstrate effectiveness against CPV
<b>Product Administration</b>	Two doses given at an interval of 28 days were administered subcutaneously (SC).
<b>Study Animals</b>	6-week-old puppies, 20 vaccinates and 5 non-vaccinated controls.
<b>Challenge Description</b>	Fifty-six days (56) after second vaccination puppies were challenged with CPV type 2c strain.
<b>Interval observed after challenge</b>	Puppies were observed for clinical signs daily for 14 days after challenge
<b>Results</b>	<p>Dogs were determined affected by the criteria of 9CFR 113.317(c)(3)(i)</p> <p>Number affected:  Vaccinates: 1/20 (5%)  Controls: 4/5 (80%)</p> <p>Requirements of 9CFR 113.317 (c)(3)(i) were met.</p> <p>Raw data:  Data tables are appended to the end of this summary.</p>
<b>USDA Approval Date</b>	January 31, 2012



**CPV Post challenge Clinical Observations**

Non-Vaccinated Controls															
Dog ID	0DPC	1DPC	2DPC	3DPC	4DPC	5DPC	6DPC	7DPC	8DPC	9DPC	10DPC	11DPC	12DPC	13DPC	14DPC
9						1,2,3	1,2,3	1,2,3	2,3,4	Na	Na	Na	Na	Na	Na
11						1,2,3	1,2,3	1,2,3	2,3						
19						1	1	1	1						
21								2,3	1,3						
27															

Vaccinates															
Dog ID	0DPC	1DPC	2DPC	3DPC	4DPC	5DPC	6DPC	7DPC	8DPC	9DPC	10DPC	11DPC	12DPC	13DPC	14DPC
1														1,3	
2															
3										1					
4	1														
5															
6															
7															
8	1														
10															
13															
14															
15														1	
16															1
17									1	2					
18															
20															
22															
23	1														
24															
28															

1 - Mucous Stool  
2-Diarrhea (Watery stool)

3-Bloody Stool  
4 -Death

Blank - No clinical signs observed

### Body Temperature Post Challenge °F

Non-Vaccinated Controls											
Dog ID	0DPC	1DPC	2DPC	3DPC	4DPC	5DPC	6DPC	7DPC	8DPC	9DPC	10DPC
9	102.0	102.0	102.6	102.9	103.2	104.6	103.2	100.9	Na	Na	Na
11	102.6	102.9	102.6	102.6	103.1	103.4	102.8	102.2	101.3	101.5	102.2
19	102.5	102.8	102.1	102.3	101.9	103.8	102.3	102.4	101.6	102.1	101.9
21	102.2	102.3	101.3	101.4	102.0	103.4	102.0	101.8	101.5	101.5	101.4
27	102.2	102.1	102.1	102.7	102.5	102.8	103.0	102.4	100.9	101.6	101.9
Vaccinates											
Dog ID	0DPC	1DPC	2DPC	3DPC	4DPC	5DPC	6DPC	7DPC	8DPC	9DPC	10DPC
1	101.9	102.0	101.9	101.9	101.7	102.0	101.5	101.9	101.3	101.6	101.7
2	102.7	103.5	103.1	103.1	103.5	102.3	103.1	102.9	102.4	102.6	102.6
3	103.0	103.0	102.5	102.2	102.7	102.7	103.1	103.0	102.1	102.5	101.9
4	101.6	102.4	102.3	102.1	102.4	102.1	103.4	102.7	102.1	102.1	102.1
5	103.5	103.4	103.2	103.3	103.5	102.6	102.8	103.4	102.8	103.1	102.7
6	102.7	102.6	101.7	102.8	102.4	102.4	102.8	102.7	102.2	102.4	102.1
7	101.7	102.5	102.5	103.3	103.0	103.1	103.1	103.1	102.9	102.6	102.1
8	102.7	102.9	102.5	102.4	102.6	102.2	102.2	102.5	101.7	101.2	102.2
10	103.1	103.3	102.3	102.8	103.0	102.5	102.2	102.7	102.8	101.9	101.9
13	103.0	102.5	102.8	102.2	103.2	102.6	102.7	103.0	102.4	102.9	102.7
14	102.3	102.8	102.4	102.4	102.7	102.4	102.6	102.4	102.0	101.9	102.1
15	102.5	102.7	102.3	102.0	102.8	102.2	102.4	102.4	101.9	102.2	101.7
16	101.7	102.5	102.8	101.9	102.5	102.1	102.1	101.9	101.5	101.1	101.6
17	101.9	102.8	102.3	102.6	102.7	102.1	102.0	101.9	102.0	101.7	102.1
18	102.2	102.5	102.1	101.5	102.3	102.6	102.0	102.0	101.9	101.8	102.0
20	102.2	101.9	101.9	102.0	102.2	101.8	101.8	101.9	101.6	101.4	101.9
22	102.7	102.9	102.4	101.8	102.8	102.5	102.5	102.8	102.0	102.0	101.9
23	102.5	102.8	102.7	102.7	103.2	102.4	102.7	103.1	102.1	102.4	102.2
24	103.3	103.1	102.6	102.2	102.5	102.4	102.2	102.2	102.1	101.8	102.3
28	102.2	102.1	102.0	102.4	102.2	102.2	102.0	102.0	101.8	101.5	101.6

**Lymphocyte Counts Post Challenge (x10<sup>3</sup>/μl)**

Controls														
Cat ID	-2DPC	-1DPC	0DPC	Average	1DPC	2DPC	3DPC	4DPC	5DPC	6DPC	7DPC	8DPC	9DPC	10DPC
9	1.24	1.20	1.38	1.27	1.71	1.45	0.80	0.30	0.28	0.74	0.27	Na	Na	Na
11	2.24	2.59	2.07	2.30	2.28	2.36	1.82	0.29	0.58	0.69	1.04	1.17	1.27	2.13
19	1.57	2.14	1.87	1.86	2.32	2.26	2.42	1.42	0.70	1.59	1.66	1.52	2.11	2.70
21	1.67	2.19	2.52	2.13	2.68	1.92	2.31	1.17	0.67	1.75	2.03	1.52	2.09	3.35
27	2.68	2.26	2.30	2.41	2.29	2.37	2.25	0.92	1.00	1.09	2.04	1.74	2.08	2.60

Vaccinates														
Cat ID	-2DPC	-1DPC	0DPC	Average	1DPC	2DPC	3DPC	4DPC	5DPC	6DPC	7DPC	8DPC	9DPC	10DPC
1	3.05	3.06	2.74	2.95	2.05	2.25	2.42	2.39	2.66	3.31	2.57	3.01	2.64	3.14
2	2.45	2.50	2.34	2.43	3.32	3.05	3.27	3.03	2.73	3.20	3.23	2.92	3.28	1.67
3	2.09	2.40	2.34	2.28	2.42	2.46	2.32	1.65	1.73	2.38	2.16	2.42	2.52	2.10
4	1.10	1.59	2.46	1.72	3.23	2.45	2.91	2.03	2.75	2.34	2.41	2.87	2.66	3.12
5	0.62	0.96	1.16	0.91	1.23	1.32	1.14	1.26	1.19	1.57	1.49	1.36	1.09	1.98
6	1.43	1.84	1.73	1.67	1.84	1.55	1.16	1.79	1.62	2.44	1.97	2.32	2.24	2.77
7	1.23	1.22	1.18	1.21	1.18	1.51	1.53	1.68	1.52	1.81	0.22	1.67	1.91	2.33
8	2.07	1.89	2.00	1.99	1.81	1.93	1.78	1.52	1.64	2.52	2.23	2.51	2.59	2.38
10	2.74	2.80	3.27	2.94	1.93	2.43	2.56	3.01	2.65	2.44	2.65	2.64	2.83	2.76
13	1.26	2.25	2.24	1.92	2.43	1.88	2.57	2.39	2.57	3.09	3.22	3.24	3.17	2.72
14	2.17	2.24	3.02	2.48	3.57	3.62	3.76	3.28	3.07	3.66	4.10	4.18	4.57	4.83
15	2.21	2.30	2.66	2.39	3.10	2.81	3.04	2.85	2.98	3.29	2.51	0.93	2.71	2.59
16	1.68	2.54	2.06	2.09	2.56	2.08	3.35	2.83	2.35	3.13	2.90	2.27	3.24	3.30
17	2.25	2.14	2.11	2.17	2.42	2.84	2.62	2.93	2.69	3.04	2.78	1.34	2.59	3.28
18	2.06	2.82	2.50	2.46	2.97	2.48	2.62	3.05	3.04	3.98	3.27	2.26	3.98	4.78
20	1.83	2.11	2.05	2.00	2.58	2.22	2.39	2.50	1.73	1.98	2.12	2.28	2.35	3.26
22	3.80	3.05	3.35	3.40	3.96	3.18	3.38	3.75	2.36	2.42	3.93	3.23	3.34	4.33
23	0.84	1.46	1.51	1.27	1.63	1.35	1.47	1.45	1.29	1.72	1.53	1.44	1.14	1.22
24	0.97	2.04	2.32	1.78	2.09	2.24	2.67	2.03	2.03	2.70	2.46	2.68	2.86	3.54
28	2.43	2.68	2.15	2.42	2.68	2.89	3.56	3.56	2.52	2.46	3.57	3.61	3.50	0.92

### Fecal Virus Isolation Titer Post Challenge

Controls											
Cat ID	0DPC	1DPC	2DPC	3DPC	4DPC	5DPC	6DPC	7DPC	8DPC	9DPC	10DPC
9	≤1.5	≤1.5	≤1.5	≤1.5	≤2.5	6.6	7.6	5.2	≥9.2	Na	Na
11	≤1.5	≤1.8	≤1.5	≤1.5	5.5	7.2	7.5	≥8.5	≥8.6	≥7.6	6.6
19	≤1.5	≤1.5	≤1.5	≤1.5	2.5	4.2	7.5	7.6	4.2	4	≤1.5
21	≤1.5	≤1.5	≤1.5	≤1.8	4.3	4.7	6.3	6.8	≤2.8	4.5	3.6
27	≤1.5	≤1.5	≤1.5	≤1.5	≤2.8	5.2	7.4	6.6	5.2	≤3.0	≤1.5

Vaccinates											
Cat ID	0DPC	1DPC	2DPC	3DPC	4DPC	5DPC	6DPC	7DPC	8DPC	9DPC	10DPC
1	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5
2	≤1.5	≤1.8	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5
3	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5
4	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5
5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5
6	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5
7	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5
8	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5
10	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5
13	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5
14	≤1.5	≤1.6	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5
15	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5
16	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5
17	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5
18	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5
20	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5
22	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5
23	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5
24	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5
28	≤1.5	≤1.5	≤1.5	≤1.5	≤1.5	≤2.5	≤1.5	≤2.5	≤1.5	≤1.5	≤1.5

Positive For CPV >1.5 log<sup>10</sup> FAID<sub>50</sub>/mL

<b>Study Type</b>	Safety
<b>Pertaining to</b>	All
<b>Study Purpose</b>	Demonstrate safety of product under typical use conditions
<b>Product Administration</b>	A total of 621 dogs, 358 under 6 weeks of age and 263 greater than 6 weeks of age, were administered either one or two doses of vaccine 2-4 weeks apart by the subcutaneous route. A total of 1231 doses were administered.
<b>Study Animals</b>	Privately owned and commercial kennel canines
<b>Challenge Description</b>	NA
<b>Interval observed after challenge</b>	Observed for 30 minutes after vaccination and then daily for 2 weeks after each vaccination.
<b>Results</b>	Frequency of events is appended to the end of this summary.
<b>USDA Approval Date</b>	November 15, 2002

### Summary of Reactions:

Reaction Type	Puppies up to 6 weeks of age				Dogs > 6 Weeks of Age				Sum of Doses	Reaction Rate
	<24hr	>24hrs	Total Reactions by dose	%	<24hr	>24hrs	Total Reactions by dose	%		
None	NA	NA	696	97.21%	NA	NA	506	98.25%	1202	97.64%
Salivation	0	0	0	0.00%	1	0	1	0.19%	1	0.08%
Lethargy	3	6	9	1.26%	0	0	0	0.00%	9	0.73%
Anorexia	3	10	13	1.82%	0	0	0	0.00%	13	1.06%
Injection Site Swelling	0	4	4	0.56%	0	1	1	0.19%	5	0.41%
Injection Site Pain	3	0	3	0.42%	5	0	5	0.97%	8	0.65%
Facial Swelling	0	0	0	0.00%	1	0	1	0.19%	1	0.08%
Vomiting or Diarrhea	3	0	3	0.42%	1	0	1	0.19%	4	0.32%
Mortality*	0	0	0	0.00%	2	0	2	0.39%	2	0.16%
<b>Total Doses</b>	<b>716</b>				<b>515</b>				<b>1231</b>	

\*Confirmed by cooperator to be due to causes other than vaccination

Some dogs had more than one adverse event, so total events do not agree with doses administered.