



## Summary of Studies Supporting USDA Product Licensure

Establishment Name	Elanco US Inc.
USDA Vet Biologics Establishment Number	196
Product Code	4465.20
True Name	Bovine Rhinotracheitis-Virus Diarrhea-Parainfluenza 3-Respiratory Syncytial Virus Vaccine, Killed Virus, Leptospira Canicola-Grippotyphosa-Hardjo-Icterohaemorrhagiae-Pomona Bacterin
Tradename(s) / Distributor or Subsidiary (if different from manufacturer)	Vira Shield 6 + L5 HB - Elanco Canada Limited - Elanco US Inc. Vira Shield 6 + L5 HB - Elanco US Inc. Vira Shield 6 + L5 HB - Elanco, Division Eli Lilly Canada, Inc. - Elanco US Inc. Vira Shield 6 + L5 HB - No distributor specified
Date of Compilation Summary	August 31, 2020

**Disclaimer: Do not use the following studies to compare one product to another. Slight differences in study design and execution can render the comparisons meaningless.**

<b>Study Type</b>	Efficacy
<b>Pertaining to</b>	Bovine Virus Diarrhea (BVD)
<b>Study Purpose</b>	To demonstrate effectiveness against Bovine Virus Diarrhea Type 1b
<b>Product Administration</b>	
<b>Study Animals</b>	Bovine
<b>Challenge Description</b>	BVD isolate NY-1, BVD1b
<b>Interval observed after challenge</b>	
<b>Results</b>	Study data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance at the time of submission. No data are published because this study was submitted to USDA-APHIS prior to January 1, 2007, and APHIS only require publication of data submitted after that date.
<b>USDA Approval Date</b>	July 16, 2003

<b>Study Type</b>	Efficacy
<b>Pertaining to</b>	Bovine Virus Diarrhea (BVD)
<b>Study Purpose</b>	To demonstrate effectiveness against Bovine Virus Diarrhea Type 2a
<b>Product Administration</b>	
<b>Study Animals</b>	Bovine
<b>Challenge Description</b>	BVD isolate 890, Type BVD2a
<b>Interval observed after challenge</b>	
<b>Results</b>	Study data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance at the time of submission. No data are published because this study was submitted to USDA-APHIS prior to January 1, 2007, and APHIS only require publication of data submitted after that date.
<b>USDA Approval Date</b>	November 3, 1998

<b>Study Type</b>	Efficacy
<b>Pertaining to</b>	Bovine Virus Diarrhea
<b>Study Purpose</b>	To demonstrate effectiveness against Bovine Virus Diarrhea Type 2a at 11 months post-vaccination
<b>Product Administration</b>	
<b>Study Animals</b>	Bovine
<b>Challenge Description</b>	BVD Isolate 890, Type BVD2a
<b>Interval observed after challenge</b>	
<b>Results</b>	Study data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance at the time of submission. No data are published because this study was submitted to USDA-APHIS prior to January 1, 2007, and APHIS only require publication of data submitted after that date.
<b>USDA Approval Date</b>	September 24, 1996

<b>Study Type</b>	Efficacy
<b>Pertaining to</b>	Bovine Rhinotracheitis
<b>Study Purpose</b>	To demonstrate effectiveness against Bovine Rhinotracheitis.
<b>Product Administration</b>	
<b>Study Animals</b>	Bovine
<b>Challenge Description</b>	
<b>Interval observed after challenge</b>	
<b>Results</b>	Study data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance at the time of submission. No data are published because this study was submitted to USDA-APHIS prior to January 1, 2007, and APHIS only require publication of data submitted after that date.
<b>USDA Approval Date</b>	October 22, 1986

<b>Study Type</b>	Efficacy
<b>Pertaining to</b>	<i>Leptospira canicola</i> , <i>Leptospira grippotyphosa</i> , <i>Leptospira icterohaemorrhagiae</i> , <i>Leptospira pomona</i>
<b>Study Purpose</b>	To demonstrate effectiveness against <i>Leptospira spp.</i>
<b>Product Administration</b>	
<b>Study Animals</b>	Bovine
<b>Challenge Description</b>	
<b>Interval observed after challenge</b>	
<b>Results</b>	Study data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance at the time of submission. No data are published because this study was submitted to USDA-APHIS prior to January 1, 2007, and APHIS only require publication of data submitted after that date.
<b>USDA Approval Date</b>	March 18, 1983

<b>Study Type</b>	Efficacy
<b>Pertaining to</b>	<i>Leptospira hardjo</i> type <i>hardjo-bovis</i>
<b>Study Purpose</b>	To demonstrate effectiveness against <i>Leptospira hardjo</i> type <i>hardjo-bovis</i>
<b>Product Administration</b>	
<b>Study Animals</b>	Bovine
<b>Challenge Description</b>	
<b>Interval observed after challenge</b>	
<b>Results</b>	Study data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance at the time of submission. No data are published because this study was submitted to USDA-APHIS prior to January 1, 2007, and APHIS only require publication of data submitted after that date.
<b>USDA Approval Date</b>	July 24, 2001 / November 9, 2001

<b>Study Type</b>	Efficacy												
<b>Pertaining to</b>	<i>Leptospira hardjo</i> type <i>hardjo-bovis</i>												
<b>Study Purpose</b>	To demonstrate effectiveness against <i>Leptospira hardjo</i> type <i>hardjo-bovis</i> at 12 months post vaccination.												
<b>Product Administration</b>	Two doses, given subcutaneously, 28 days apart												
<b>Study Animals</b>	18 vaccinates and 18 placebo controls												
<b>Challenge Description</b>	L. hardjo Bovis (10 <sup>7</sup> bacteria/1 mL) administered 397 days after first vaccination.												
<b>Interval observed after challenge</b>	Observed daily after challenge for 57 days. Tissues and organs evaluated at 57 days post challenge.												
<b>Results</b>	<p>The primary outcome for the study was the isolation of L. hardjo bovis organisms from urine, kidney, and reproductive tissues.</p> <table border="1"> <thead> <tr> <th></th> <th><b>Vaccinates (# affected/total)</b></th> <th><b>Controls (# affected/total)</b></th> </tr> </thead> <tbody> <tr> <td>Urine isolation</td> <td>4/18</td> <td>18/18</td> </tr> <tr> <td>Kidney isolation</td> <td>0/18</td> <td>18/18</td> </tr> <tr> <td>Reproductive tissues isolation</td> <td>0/18</td> <td>5/18</td> </tr> </tbody> </table> <p>Raw data shown on attached page.</p>		<b>Vaccinates (# affected/total)</b>	<b>Controls (# affected/total)</b>	Urine isolation	4/18	18/18	Kidney isolation	0/18	18/18	Reproductive tissues isolation	0/18	5/18
	<b>Vaccinates (# affected/total)</b>	<b>Controls (# affected/total)</b>											
Urine isolation	4/18	18/18											
Kidney isolation	0/18	18/18											
Reproductive tissues isolation	0/18	5/18											
<b>USDA Approval Date</b>	February 14, 2011												

### Isolation of L. Hardjo in Urine

Vaccinates									
Calf	-1DPC	7DPC	14DPC	21DPC	28DPC	35DPC	42DPC	49DPC	56DPC
1	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg
2	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg
3	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg
4	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg
5	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Pos
6	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg
7	Neg	Neg	Neg	Neg	Neg	Neg	Pos	Neg	Neg
8	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg
9	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg
10	Neg	Neg	Neg	Neg	Pos	Neg	Neg	Neg	Neg
11	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg
12	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg
13	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg
14	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg
15	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg
16	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg
17	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Pos	Neg
18	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg	Neg

Controls									
Calf	-1DPC	7DPC	14DPC	21DPC	28DPC	35DPC	42DPC	49DPC	56DPC
1	Neg	Neg	Neg	Pos	Pos	Pos	Pos	Pos	Pos
2	Neg	Neg	Neg	Pos	Pos	Pos	Pos	Pos	Pos
3	Neg	Neg	Neg	Neg	Pos	Pos	Neg	Pos	Pos
4	Neg	Neg	Neg	Pos	Pos	Pos	Pos	Pos	Pos
5	Neg	Neg	Neg	Pos	Pos	Pos	Pos	Pos	Pos
6	Neg	Neg	Neg	Neg	Pos	Pos	Pos	Pos	Pos
7	Neg	Neg	Neg	Neg	Pos	Pos	Pos	Pos	Pos
8	Neg	Neg	Neg	Neg	Pos	Pos	Pos	Pos	Pos
9	Neg	Neg	Neg	Pos	Pos	Pos	Neg	Pos	Pos
10	Neg	Neg	Neg	Neg	Pos	Pos	Pos	Pos	Pos
11	Neg	Neg	Neg	Pos	Pos	Pos	Pos	Pos	Pos
12	Neg	Neg	Neg	Pos	Pos	Pos	Pos	Pos	Pos
13	Neg	Neg	Neg	Neg	Pos	Pos	Pos	Pos	Pos
14	Neg	Neg	Neg	Neg	Pos	Pos	Pos	Pos	Pos
15	Neg	Neg	Neg	Pos	Pos	Pos	Pos	Pos	Pos
16	Neg	Neg	Neg	Neg	Pos	Pos	Pos	Pos	Pos
17	Neg	Neg	Neg	Neg	Pos	Pos	Pos	Pos	Pos
18	Neg	Neg	Neg	Pos	Pos	Pos	Pos	Pos	Pos

DPC - Days Post Challenge

Pos - Positive Isolation of L. Hardjo

Neg - No Isolation of L. Hardjo

**Isolation of L. Hardjo in Kidney and Reproductive tissues**

Vaccinates				
Calf	Kidney	Ovary	Oviduct	Uterus
1	Neg	Neg	Neg	Neg
2	Neg	Neg	Neg	Neg
3	Neg	Neg	Neg	Neg
4	Neg	Neg	Neg	Neg
5	Neg	Neg	Neg	Neg
6	Neg	Neg	Neg	Neg
7	Neg	Neg	Neg	Neg
8	Neg	Neg	Neg	Neg
9	Neg	Neg	Neg	Neg
10	Neg	Neg	Neg	Neg
11	Neg	Neg	Neg	Neg
12	Neg	Neg	Neg	Neg
13	Neg	Neg	Neg	Neg
14	Neg	Neg	Neg	Neg
15	Neg	Neg	Neg	Neg
16	Neg	Neg	Neg	Neg
17	Neg	Neg	Neg	Neg
18	Neg	Neg	Neg	Neg

Controls				
Calf	Kidney	Ovary	Oviduct	Uterus
1	Pos	Neg	Neg	Neg
2	Pos	Neg	Neg	Neg
3	Pos	Neg	Neg	Neg
4	Pos	Neg	Neg	Neg
5	Pos	Neg	Pos	Neg
6	Pos	Neg	Neg	Neg
7	Pos	Pos	Neg	Neg
8	Pos	Neg	Neg	Neg
9	Pos	Pos	Pos	Neg
10	Pos	Neg	Neg	Neg
11	Pos	Neg	Neg	Neg
12	Pos	Neg	Neg	Neg
13	Pos	Pos	Neg	Neg
14	Pos	Pos	Neg	Neg
15	Pos	Neg	Neg	Neg
16	Pos	Neg	Neg	Neg
17	Pos	Neg	Neg	Neg
18	Pos	Neg	Neg	Neg

Pos – Positive Isolation of L. hardjo  
 Neg – No isolation of L. hardjo

<b>Study Type</b>	Efficacy
<b>Pertaining to</b>	Bovine Parainfluenza Type 3
<b>Study Purpose</b>	To demonstrate effectiveness against Bovine Parainfluenza Type 3.
<b>Product Administration</b>	
<b>Study Animals</b>	Bovine
<b>Challenge Description</b>	
<b>Interval observed after challenge</b>	
<b>Results</b>	Study data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance at the time of submission. No data are published because this study was submitted to USDA-APHIS prior to January 1, 2007, and APHIS only require publication of data submitted after that date.
<b>USDA Approval Date</b>	March 12, 1987 (License Issued)

<b>Study Type</b>	Efficacy
<b>Pertaining to</b>	Bovine Respiratory Syncytial Virus
<b>Study Purpose</b>	To demonstrate effectiveness against Bovine Respiratory Syncytial Virus
<b>Product Administration</b>	
<b>Study Animals</b>	Bovine
<b>Challenge Description</b>	
<b>Interval observed after challenge</b>	
<b>Results</b>	Study data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance at the time of submission. No data are published because this study was submitted to USDA-APHIS prior to January 1, 2007, and APHIS only require publication of data submitted after that date.
<b>USDA Approval Date</b>	December 18, 1987

<b>Study Type</b>	Safety
<b>Pertaining to</b>	All fractions
<b>Study Purpose</b>	Safety by SQ route in cattle, including pregnant cows and heifers
<b>Product Administration</b>	
<b>Study Animals</b>	
<b>Challenge Description</b>	
<b>Interval observed after challenge</b>	
<b>Results</b>	Scientific data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance at the time of submission.

<b>Study Type</b>	Safety
<b>Pertaining to</b>	All fractions
<b>Study Purpose</b>	To demonstrate safety under field conditions
<b>Product Administration</b>	
<b>Study Animals</b>	Bovine, including pregnant cows and heifers
<b>Challenge Description</b>	
<b>Interval observed after challenge</b>	
<b>Results</b>	Scientific data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance at the time of submission. However, study data are not available.