



## Summary of Studies Supporting USDA Product Licensure

Establishment Name	Zoetis Inc.
USDA Vet Biologics Establishment Number	190
Product Code	7430.00
True Name	Clostridium Chauvoei-Septicum-Novyi-Sordellii-Perfringens Types C & D-Mannheimia Haemolytica Bacterin-Toxoid
Tradename(s) / Distributor or Subsidiary (if different from manufacturer)	One Shot Ultra 7 - No distributor specified One Shot Ultra 7 - Zoetis South Africa Ltd
Date of Compilation Summary	July 05, 2023

**Disclaimer: Do not use the following studies to compare one product to another. Slight differences in study design and execution can render the comparisons meaningless.**

<b>Study Type</b>	Efficacy
<b>Pertaining to</b>	<i>Clostridium chauvoei</i>
<b>Study Purpose</b>	Demonstrate effectiveness against <i>Clostridium chauvoei</i>
<b>Product Administration</b>	Subcutaneous
<b>Study Animals</b>	Bovine
<b>Challenge Description</b>	
<b>Interval observed after challenge</b>	
<b>Results</b>	Study data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance at the time of submission. No data are published because this study was submitted to USDA-APHIS prior to January 1, 2007, and APHIS only requires publication of data submitted after that date.
<b>USDA Approval Date</b>	February 3, 1999

<b>Study Type</b>	Efficacy
<b>Pertaining to</b>	<i>Clostridium novyi</i>
<b>Study Purpose</b>	Demonstrate effectiveness against <i>Clostridium novyi</i>
<b>Product Administration</b>	Subcutaneous
<b>Study Animals</b>	Bovine
<b>Challenge Description</b>	
<b>Interval observed after challenge</b>	
<b>Results</b>	Study data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance at the time of submission. No data are published because this study was submitted to USDA-APHIS prior to January 1, 2007, and APHIS only requires publication of data submitted after that date.
<b>USDA Approval Date</b>	February 3, 1999

<b>Study Type</b>	Efficacy
<b>Pertaining to</b>	<i>Clostridium perfringens</i> Type C
<b>Study Purpose</b>	Demonstrate effectiveness against <i>Clostridium perfringens</i> Type C
<b>Product Administration</b>	Subcutaneous
<b>Study Animals</b>	Bovine
<b>Challenge Description</b>	
<b>Interval observed after challenge</b>	
<b>Results</b>	Study data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance at the time of submission. No data are published because this study was submitted to USDA-APHIS prior to January 1, 2007, and APHIS only requires publication of data submitted after that date.
<b>USDA Approval Date</b>	February 3, 1999

<b>Study Type</b>	Efficacy
<b>Pertaining to</b>	<i>Clostridium perfringens</i> Type D
<b>Study Purpose</b>	Demonstrate effectiveness against <i>Clostridium perfringens</i> Type D
<b>Product Administration</b>	Subcutaneous
<b>Study Animals</b>	Bovine
<b>Challenge Description</b>	
<b>Interval observed after challenge</b>	
<b>Results</b>	Study data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance at the time of submission. No data are published because this study was submitted to USDA-APHIS prior to January 1, 2007, and APHIS only requires publication of data submitted after that date.
<b>USDA Approval Date</b>	February 3, 1999

<b>Study Type</b>	Efficacy
<b>Pertaining to</b>	<i>Clostridium septicum</i>
<b>Study Purpose</b>	Demonstrate effectiveness against <i>Clostridium septicum</i>
<b>Product Administration</b>	Subcutaneous
<b>Study Animals</b>	Bovine
<b>Challenge Description</b>	
<b>Interval observed after challenge</b>	
<b>Results</b>	Study data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance at the time of submission. No data are published because this study was submitted to USDA-APHIS prior to January 1, 2007, and APHIS only requires publication of data submitted after that date.
<b>USDA Approval Date</b>	February 3, 1999

<b>Study Type</b>	Efficacy
<b>Pertaining to</b>	<i>Clostridium sordelli</i>
<b>Study Purpose</b>	Demonstrate effectiveness against <i>Clostridium sordelli</i>
<b>Product Administration</b>	Subcutaneous
<b>Study Animals</b>	Bovine
<b>Challenge Description</b>	
<b>Interval observed after challenge</b>	
<b>Results</b>	Study data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance at the time of submission. No data are published because this study was submitted to USDA-APHIS prior to January 1, 2007, and APHIS only requires publication of data submitted after that date.
<b>USDA Approval Date</b>	February 3, 1999

<b>Study Type</b>	Efficacy
<b>Pertaining to</b>	<i>Mannheimia haemolytica</i>
<b>Study Purpose</b>	Demonstrates effectiveness against <i>Mannheimia haemolytica</i>
<b>Product Administration</b>	Subcutaneous
<b>Study Animals</b>	Bovine
<b>Challenge Description</b>	
<b>Interval observed after challenge</b>	
<b>Results</b>	Study data were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance at the time of submission. No data are published because this study was submitted to USDA-APHIS prior to January 1, 2007, and APHIS only requires publication of data submitted after that date.
<b>USDA Approval Date</b>	June 21, 1991



<b>Study Type</b>	Efficacy																		
<b>Pertaining to</b>	<i>Mannheimia haemolytica</i>																		
<b>Study Purpose</b>	Demonstrate efficacy against respiratory disease caused by <i>Mannheimia haemolytica</i>																		
<b>Product Administration</b>	One dose administered subcutaneously																		
<b>Study Animals</b>	9 vaccinates and 11 controls calves																		
<b>Challenge Description</b>	<i>M. haemolytica</i> administered 14 days post-vaccination																		
<b>Interval observed after challenge</b>	Animals were observed daily from days 12 through 18 post-challenge then lung lesions were evaluated.																		
<b>Results</b>	<p>Lung lesions (%) was the efficacy variable.</p> <p>Lung lesions:</p> <table border="1"> <thead> <tr> <th></th> <th>Minimum</th> <th>25<sup>th</sup> Percentile</th> <th>Median</th> <th>75<sup>th</sup> Percentile</th> <th>Maximum</th> </tr> </thead> <tbody> <tr> <td>Placebo</td> <td>1.6</td> <td>5.6</td> <td>9.5</td> <td>17.1</td> <td>92.9</td> </tr> <tr> <td>Vaccinates</td> <td>0.4</td> <td>1.0</td> <td>1.7</td> <td>2.6</td> <td>14.8</td> </tr> </tbody> </table> <p>Mortality:  Controls: 2/11 (18.2%)  Vaccinates: 0/9 (0%)</p> <p>See individual data attached</p>		Minimum	25 <sup>th</sup> Percentile	Median	75 <sup>th</sup> Percentile	Maximum	Placebo	1.6	5.6	9.5	17.1	92.9	Vaccinates	0.4	1.0	1.7	2.6	14.8
	Minimum	25 <sup>th</sup> Percentile	Median	75 <sup>th</sup> Percentile	Maximum														
Placebo	1.6	5.6	9.5	17.1	92.9														
Vaccinates	0.4	1.0	1.7	2.6	14.8														
<b>USDA Approval Date</b>	08/20/1999																		

**Lung Lesions and Mortality by Treatment and Animal**

**Controls**

<b>Animal</b>	<b>Lung Lesions (%)</b>	<b>Mortality Post-Challenge</b>
281	9.7	No
600	10.1	No
603	4.9	No
605	17.1	No
606	27.0	Yes
610	92.9	Yes
615	7.7	No
616	9.2	No
618	5.6	No
627	1.6	No
628	9.5	No

**Vaccinates**

<b>Animal</b>	<b>Lung Lesions (%)</b>	<b>Mortality Post-Challenge</b>
269	0.4	No
279	1.0	No
287	2.1	No
297	1.7	No
601	0.4	No
602	2.6	No
604	1.0	No
609	9.5	No
625	14.8	No

<b>Study Type</b>	Safety																											
<b>Pertaining to</b>	ALL																											
<b>Study Purpose</b>	Demonstrate safety in cattle under field conditions																											
<b>Product Administration</b>	Two doses administered subcutaneously 28 days apart																											
<b>Study Animals</b>	200 crossbred beef heifers																											
<b>Challenge Description</b>	NA																											
<b>Interval observed after challenge</b>	Calves were observed for one hour after vaccination and daily throughout the study for adverse events. Animals were examined for injection site reactions on days 14, 28, and 42 post-vaccination (left side) and day 14 post-vaccination (right side).																											
<b>Results</b>	<p><u>Number of Animals with Adverse Events</u></p> <table border="1"> <thead> <tr> <th></th> <th>Nasal Discharge</th> <th>Diarrhea</th> <th>Respiration Rate</th> <th>Lameness</th> <th>Leg Abscess</th> </tr> </thead> <tbody> <tr> <td>Vaccinates</td> <td>55</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> </tr> </tbody> </table> <p>All observations were affirmed by licensee to be due to causes other than vaccination.</p> <p><u>Number of Animals with Injection Site Reactions</u></p> <table border="1"> <thead> <tr> <th rowspan="2">Vaccinates</th> <th colspan="3">Days Post-Vaccination</th> </tr> <tr> <th>14</th> <th>28</th> <th>42</th> </tr> </thead> <tbody> <tr> <td>Left Side</td> <td>129</td> <td>41</td> <td>13</td> </tr> <tr> <td>Right Side</td> <td>153</td> <td>-</td> <td>-</td> </tr> </tbody> </table> <p>All injection site reactions were transient and under 4 cm in diameter.</p>		Nasal Discharge	Diarrhea	Respiration Rate	Lameness	Leg Abscess	Vaccinates	55	1	1	1	1	Vaccinates	Days Post-Vaccination			14	28	42	Left Side	129	41	13	Right Side	153	-	-
	Nasal Discharge	Diarrhea	Respiration Rate	Lameness	Leg Abscess																							
Vaccinates	55	1	1	1	1																							
Vaccinates	Days Post-Vaccination																											
	14	28	42																									
Left Side	129	41	13																									
Right Side	153	-	-																									
<b>USDA Approval Date</b>	09/08/1999																											

<b>Study Type</b>	Safety																							
<b>Pertaining to</b>	ALL																							
<b>Study Purpose</b>	Demonstrate safety in cattle under field conditions																							
<b>Product Administration</b>	Two doses administered subcutaneously 28 days apart																							
<b>Study Animals</b>	196 crossbred beef heifers																							
<b>Challenge Description</b>	NA																							
<b>Interval observed after challenge</b>	Calves were observed for one hour after vaccination and daily throughout the study for adverse events. Animals were examined for injection site reactions on days 14, 28, and 42 post-vaccination (left side) and day 14 post-vaccination (right side).																							
<b>Results</b>	<p><u>Number of Animals with Adverse Events</u></p> <table border="1"> <thead> <tr> <th></th> <th>Lameness</th> <th>Pink eye</th> <th>Depression</th> </tr> </thead> <tbody> <tr> <td>Vaccinates</td> <td>15</td> <td>1</td> <td>1</td> </tr> </tbody> </table> <p>All observations were affirmed by licensee to be due to causes other than vaccination.</p> <p><u>Number of Animals with Injection Site Reactions</u></p> <table border="1"> <thead> <tr> <th rowspan="2">Vaccinates</th> <th colspan="3">Days Post-Vaccination</th> </tr> <tr> <th>14</th> <th>28</th> <th>42</th> </tr> </thead> <tbody> <tr> <td>Left Side</td> <td>74</td> <td>7</td> <td>3</td> </tr> <tr> <td>Right Side</td> <td>94</td> <td>-</td> <td>-</td> </tr> </tbody> </table> <p>All injection site reactions were transient and under 2 cm in diameter.</p>		Lameness	Pink eye	Depression	Vaccinates	15	1	1	Vaccinates	Days Post-Vaccination			14	28	42	Left Side	74	7	3	Right Side	94	-	-
	Lameness	Pink eye	Depression																					
Vaccinates	15	1	1																					
Vaccinates	Days Post-Vaccination																							
	14	28	42																					
Left Side	74	7	3																					
Right Side	94	-	-																					
<b>USDA Approval Date</b>	09/08/1999																							

<b>Study Type</b>	Safety																					
<b>Pertaining to</b>	ALL																					
<b>Study Purpose</b>	Demonstrate safety in cattle under field conditions																					
<b>Product Administration</b>	Two doses administered 28 days apart																					
<b>Study Animals</b>	200 crossbred beef heifers																					
<b>Challenge Description</b>	NA																					
<b>Interval observed after challenge</b>	Calves were observed for one hour after vaccination and daily throughout the study for adverse events. Animals were examined for injection site reactions on days 14, 28, and 42 post-vaccination (left side) and day 14 post-vaccination (right side).																					
<b>Results</b>	<p><u>Number of Animals with Adverse Events</u></p> <table border="1"> <tr> <td></td> <td>Lameness</td> <td>Ring worm</td> </tr> <tr> <td>Vaccinates</td> <td>1</td> <td>1</td> </tr> </table> <p>All observations were affirmed by licensee to be due to causes other than vaccination.</p> <p><u>Number of Animals with Injection Site Reactions</u></p> <table border="1"> <thead> <tr> <th rowspan="2">Vaccinates</th> <th colspan="3">Days Post-Vaccination</th> </tr> <tr> <th>14</th> <th>28</th> <th>42</th> </tr> </thead> <tbody> <tr> <td>Left Side</td> <td>80</td> <td>22</td> <td>7</td> </tr> <tr> <td>Right Side</td> <td>95</td> <td>-</td> <td>-</td> </tr> </tbody> </table> <p>All injection site reactions were transient and under 4 cm in diameter.</p>		Lameness	Ring worm	Vaccinates	1	1	Vaccinates	Days Post-Vaccination			14	28	42	Left Side	80	22	7	Right Side	95	-	-
	Lameness	Ring worm																				
Vaccinates	1	1																				
Vaccinates	Days Post-Vaccination																					
	14	28	42																			
Left Side	80	22	7																			
Right Side	95	-	-																			
<b>USDA Approval Date</b>	09/08/1999																					