

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
ALBATROSS, LAYSAN																								
	HI																						156	
	Total for ALBATROSS, LAYSAN																							156
ALLIGATORS, AMERICAN																								
	CA																							1
	LA						1																	1
	MS		1																					1
	Total for ALLIGATORS, AMERICAN		1				1																	3
ARMADILLOS, NINE-BANDED																								
	OK		1																					1
	Total for ARMADILLOS, NINE-BANDED		1																					1
BADGERS																								
	AZ			2																				2
	CA						2																	2
	ID			24																7	2		15	24
	MI			1																				1
	MN			2																				2
	MT			1			1															1		2
	ND			30			1													29	1		1	31
	NM	1		17			4													1	4		17	22
	NV			11								3								5			9	14
	OK			1																				1
	OR			3																	1		2	3
	TX			2			11																13	13
	UT			7			3													1			10	11
	WI	2		1																4				4
	WY			10																3	1		9	13
	Total for BADGERS	3		112			22					8								50	10		85	145

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total								
BATS (ALL)																															
	KS																						2								
	OR																							1							
	TX																							20,101							
	Total for BATS (ALL)																					20,104	20,104	20,104							
BEARS, BLACK																															
	AZ	12				4																	15	1	16						
	CA	8					1					1							1		10	1			11						
	CO	3																			3				3						
	ID			1																		1			1						
	ME	7				5															12				12						
	MI	1		1																	1	1			2						
	MN			8		1																	9		9						
	MT	1																			1				1						
	UT					1																1			1						
	WI	370										1							2		372	1			373						
	WV						1																1		1						
	WY	1				3																4			4						
	Total for BEARS, BLACK																					403	10	14	2	2	3	414	9	11	434
BEARS, GRIZZLY																															
	MT					5															5				5						
	WY					8															6	2			8						
	Total for BEARS, GRIZZLY																					13					11	2	13		
BEARS, LOUISIANA BLACK																															
	LA					1													1		2				2						
	Total for BEARS, LOUISIANA BLACK																					1					1	2	2		
BEAVERS																															

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
BEAVERS																							
	AZ	12																		12			12
	CO	2																		2			2
	GA						1													1			1
	ME	1,002	5																	1,007			1,007
	MS			1																	1		1
	ND	2																		2			2
	OR	1																		1			1
	VT	1																			1		1
	Total for BEAVERS	1,020	5	1			1													1,025	2		1,027
BLACKBIRDS, RED-WINGED																							
	NV	7																			7		7
	OR	2																				2	2
	TX	35																				35	35
	WA	146																		6	135	5	146
	Total for BLACKBIRDS, RED-WINGED	190																		6	142	42	190
BLACKBIRDS, YELLOW-HEADED																							
	TX	45																				45	45
	WA	2																				2	2
	Total for BLACKBIRDS, YELLOW-HEADED	47																				47	47
BLACKBIRDS, z-(MIXED SPECIES)																							
	CA	1																				1	1
	WA	206																				206	206
	Total for BLACKBIRDS, z-(MIXED SPECIES)	207																				207	207
BLACKBIRDS, z-(OTHER)																							
	TX	21																				21	21
	Total for BLACKBIRDS, z-(OTHER)	21																				21	21
BOBCATS																							

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
	AZ			1																		1	1
	CA	1		4		5	3					1								2	11	1	14
	ID			2																	2		2
	MN			3		2														1		4	5
	MO						1													1			1
	MS						1															1	1
	NM			4																		4	4
	NV	1		10			1													4	6	2	12
	OK			1																		1	1
	OR	1		23								1								10	4	11	25
	UT			5																	5		5
	WA			1																	1		1
	WY			7																1	3	3	7
	Total for BOBCATS	3		61		7	6					2								19	32	28	79
CARDINALS, NORTHERN																							
	HI	6																		6			6
	TX	4																				4	4
	Total for CARDINALS, NORTHERN	10																		6		4	10
CARDINALS, RED CRESTED																							
	HI	307																		307			307
	Total for CARDINALS, RED CRESTED	307																		307			307
CATBIRDS, GRAY																							
	NJ	1																				1	1
	Total for CATBIRDS, GRAY	1																				1	1
CATS, FERAL/FREE RANGING																							
	AZ	2																				2	2
	CA	123		12		1						7								102	34	7	143

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
CATS, FERAL/FREE RANGING																							
	FL	4																				4	4
	GU	8																		6	1	1	8
	HI	32										2								32		2	34
	ID	8	4																	2	2	8	12
	IL	1																		1			1
	MA	2																				2	2
	MO	5																		5			5
	MT			1																		1	1
	ND			1																		1	1
	NE	13		4																	3	14	17
	NJ	7																		7			7
	NM	28																		26	2		28
	NV	7	1																	5	2	1	8
	OH	5																				5	5
	OK	2		3																		5	5
	OR	13		2				6												17	4		21
	PA	2																				2	2
	PR	7																		7			7
	TN	33																		26	7		33
	TX	9		2																7	2	2	11
	VA	7		1																7		1	8
	VT	8																			3	5	8
	WA	14																		12		2	14
	WY	53						1												8	46		54
	Total for CATS, FERAL/FREE RANGING	393		31		1	7					9								270	106	65	441
COOTS, AMERICAN																							
	AZ																	405			405		405

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total																						
COOTS, AMERICAN																																													
	NV																		8		8		8																						
	Total for COOTS, AMERICAN																					413		413																			413		
COWBIRDS, BROWN-HEADED																																													
	NV	509																						531																					
	TX	9																						9																					
	WA	784																						784																					
	Total for COWBIRDS, BROWN-HEADED																							22																		1,324	1,324		
COYOTES																																													
	AZ			1																				1																					
	CA			23																				22																					
	MI			3																				3																					
	MN																							1																					
	ND			1																				1																					
	WI	1																						1																					
	WY			10																				10																					
	Total for COYOTES																					1		38																		24	6	12	42
CROWS, AMERICAN																																													
	WA	5																						5																					
	Total for CROWS, AMERICAN																					5																					5	5	
DEER, MULE																																													
	CA																							1																					
	ID			1																				1																					
	NM			2																				2																					
	TX																							5																					
	WY																							1																					
	Total for DEER, MULE																							3																			2	13	15
DEER, WHITE-TAILED																																													

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
	MN			1								1										2	2
	MT						1															1	1
	OK	1					1															2	2
	TX	3		9			12															24	24
	Total for DEER, WHITE-TAILED	4		10			14					1										29	29
DEER, z-(OTHER)																							
	CA						2														1	1	2
	OR						1															1	1
	TX	2					1													2		1	3
	Total for DEER, z-(OTHER)	2					4													2	1	3	6
DOGS, FERAL/FREE RANGING & HYBRIDS																							
	AZ	2		17								5								20	1	3	24
	CA	12		5		17	11					21								42	18	6	66
	FL						1					3								4			4
	GU	5																		5			5
	HI	3										4								7			7
	ID			9			3														5	7	12
	LA			4																	4		4
	MN			7																		7	7
	MS		1	1			4														5	1	6
	MT						1					2								2		1	3
	ND						4															4	4
	NE			1																		1	1
	NJ	1																		1			1
	NM			2			2															4	4
	NV	2		7			4													3	4	6	13
	OK			21			7															28	28
	OR	7		7			12					1								16	3	8	27

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
DOGS, FERAL/FREE RANGING & HYBRIDS																							
	PR	2																		2			2
	SC			1																		1	1
	TN						1													1			1
	TX	1		22			14											1	4	22	12		38
	UT						3															3	3
	VA			7			6													5	8		13
	WA			1			2												2	3		2	5
	WY			2			1														2	1	3
	Total for DOGS, FERAL/FREE RANGING & HYBRID	35	1	114			17	76				36							3	115	72	95	282
DOVE, MOURNING																							
	CA	2																				2	2
	MD	2																				2	2
	UT									1										1			1
	VA	2																				2	2
	Total for DOVE, MOURNING	6								1										1		6	7
DOVE, SPOTTED																							
	HI	154																		51		103	154
	Total for DOVE, SPOTTED	154																		51		103	154
DOVE, ZEBRA																							
	HI	10																		10			10
	Total for DOVE, ZEBRA	10																		10			10
DOVE, zz-(OTHER)																							
	SC											11										11	11
	Total for DOVE, zz-(OTHER)											11										11	11
DRONGOS, BLACK																							
	GU											1								1			1

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
DRONGOS, BLACK																								
Total for DRONGOS, BLACK																1					1		1	
DUCKS, DABBLING (OTHER)																								
	AK															45					45		45	
	AZ	10																20			30		30	
	CA	3																2			2	3	5	
	TN	71														85		34			190		190	
Total for DUCKS, DABBLING (OTHER)		84														130		56			265	2	3	270
DUCKS, FERAL																								
	AZ																	272			272		272	
	FL																	20			20		20	
	GA																	17			17		17	
	IA																	2			2		2	
	PA															5		17			22		22	
	SC																	21			21		21	
	TN	51														48		8			107		107	
	TX	2														24		30			56		56	
	UT															1					1		1	
	WA																	9			9		9	
Total for DUCKS, FERAL		53														78		396			527		527	
EAGLES, GOLDEN																								
	WY			1																	1		1	
Total for EAGLES, GOLDEN				1																	1		1	
EGRETS/HERONS (MIXED)																								
	MS			1																		1	1	
Total for EGRETS/HERONS (MIXED)				1																		1	1	
ELK (WAPITI)																								

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
ELK (WAPITI)																								
	WY						2															2	2	
Total for ELK (WAPITI)							2															2	2	
EXOTIC BIRDS (OTHER)																								
	CA																					3	3	
Total for EXOTIC BIRDS (OTHER)																						3	3	
FALCONS (ALL)																								
	CA																						2	2
	IL																					4	4	
Total for FALCONS (ALL)																						4	2	6
FINCHES, HOUSE																								
	WA	211																					211	211
Total for FINCHES, HOUSE		211																					211	211
FISH (OTHER)																								
	MS		2																				2	2
	WA																						93	93
Total for FISH (OTHER)			2																				41	95
FISHERS																								
	MN			1																			1	1
	VT	5																					1	5
	WI	3																			2	1		3
Total for FISHERS		8		1																	2	2	5	9
FLICKERS, NORTHERN																								
	WA	8																					8	8
Total for FLICKERS, NORTHERN		8																					8	8
FOWL, PEA																								

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
FOWL, PEA																								
	HI																						1	1
	Total for FOWL, PEA																						1	1
FOXES, GRAY																								
	AZ			1																			1	1
	CA	105		1		1	1													22	54	32	108	
	MN			2																		2	2	
	NM			34																	1	33	34	
	NV	6		2																		8	8	
	OK	2		1																2		1	3	
	OR	4		1																3	1	1	5	
	WV			2																		2	2	
	Total for FOXES, GRAY	117		44		1	1													27	56	80	163	
FOXES, KIT																								
	NM			5																			5	5
	NV	6																		6			6	
	Total for FOXES, KIT	6		5																6		5	11	
FOXES, RED																								
	IA			1																	1		1	
	ID			2																	1	1	2	
	MA	2																				2	2	
	MN			26		1						4								10		21	31	
	MT			4			1														2	3	5	
	ND			1			3														1	3	4	
	OK	1																		1			1	
	OR			4			4													3	2	3	8	
	UT			2			14													16			16	
	WV			1			2															3	3	

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
FOXES, RED																								
	Total for FOXES, RED	3	41			1	24					4								32	5	36	73	
FRANCOLIN, BLACK																								
	HI	30																		10		20	30	
	Total for FRANCOLIN, BLACK	30																		10		20	30	
FRANCOLIN, ERCKEL'S																								
	HI	39																				39	39	
	Total for FRANCOLIN, ERCKEL'S	39																				39	39	
FRANCOLIN, GRAY																								
	HI	84																		55		29	84	
	Total for FRANCOLIN, GRAY	84																		55		29	84	
FROGS/TOADS (ALL)																								
	NM		1																			1	1	
	OK		1																				1	1
	Total for FROGS/TOADS (ALL)		2																			1	1	2
GEESE, ALEUTIAN CANADA (T&E)																								
	AK			1																			1	1
	Total for GEESE, ALEUTIAN CANADA (T&E)			1																			1	1
GEESE, CANADA																								
	AK	53																				53	53	
	GA	693																37				730	730	
	IA																	6				6	6	
	KY	303										4						277				584	584	
	LA										29											29	29	
	MI	36																				36	36	
	MO											2										2	2	
	MT											174										174	174	

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
GEESE, CANADA																							
	NV	653										8					17			678			678
	OK											14								14			14
	OR																129			129			129
	TN	2,590										31					179			2,800			2,800
	TX											4					10			14			14
	UT											11					12			23			23
	WI	311	1																	311		1	312
	WV	196																		196			196
	Total for GEESE, CANADA	4,835	1									277					667			5,779		1	5,780
GEESE, FERAL																							
	AZ																43			43			43
	KY																22			22			22
	PA											5					21			26			26
	TN	69										24					4			97			97
	TX																33			33			33
	VA	3																				3	3
	Total for GEESE, FERAL	72										29					123			221		3	224
GEESE, HAWAIIAN (T&E)																							
	HI											10								10			10
	Total for GEESE, HAWAIIAN (T&E)											10								10			10
GEESE, z-(OTHER)																							
	HI											2								2			2
	KY	9																		9			9
	TX			1																		1	1
	UT																1			1			1
	Total for GEESE, z-(OTHER)	9		1								2					1			12		1	13
GOATS, FERAL																							

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
	OK			2																		2	2
	Total for GOATS, FERAL			2																		2	2
GRACKLES, COMMON																							
	TX	3																				3	3
	Total for GRACKLES, COMMON	3																				3	3
GREBES (ALL)																							
	AK											1									1		1
	MO											1									1		1
	Total for GREBES (ALL)											2									2		2
GROUSE (ALL)																							
	AK			1																		1	1
	VT	1																				1	1
	Total for GROUSE (ALL)	1		1																		2	2
GULLS, HERRING																							
	AK											5									5		5
	Total for GULLS, HERRING											5									5		5
GULLS, WESTERN																							
	CA											2									2		2
	Total for GULLS, WESTERN											2									2		2
GULLS, z-(OTHER)																							
	AK											16									16		16
	Total for GULLS, z-(OTHER)											16									16		16
HARES, JACKRABBITS (ALL)																							
	AZ	1																			1		1
	CA	7		7			1														7	8	15
	ND						1															1	1
	NM			2			2															4	4

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
HARES, JACKRABBITS (ALL)																							
	TX			4			4													1	1	6	8
	UT						2															2	2
	Total for HARES, JACKRABBITS (ALL)		8	13			10													2	8	21	31
HARES, SNOWSHOE																							
	VT					1																1	1
	Total for HARES, SNOWSHOE		1																			1	1
HAWKS, COOPER'S																							
	CA											3								3			3
	WA					6																6	6
	Total for HAWKS, COOPER'S		6									3								3		6	9
HAWKS, HARRIERS (MARSH HAWKS)																							
	CA											1									1		1
	WA					2																2	2
	Total for HAWKS, HARRIERS (MARSH HAWKS)		2									1									1	2	3
HAWKS, RED-SHOULDERED																							
	CA											2								2			2
	Total for HAWKS, RED-SHOULDERED											2								2			2
HAWKS, RED-TAILED																							
	AZ			1																1			1
	CA											18								18			18
	IL											138								138			138
	KY											5								5			5
	MN											6								6			6
	MO			13								5								18			18
	NE											47								47			47
	TN											8								8			8

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
HAWKS, RED-TAILED																							
	WA	2																				2	2
Total for HAWKS, RED-TAILED		2	14									227								241		2	243
HAWKS, z-(OTHER)																							
	IL											8								8			8
	MO		1																	1			1
	NE											2								2			2
	NV											2								2			2
	WA	3																				3	3
Total for HAWKS, z-(OTHER)		3	1									12								13		3	16
HERONS, GREAT BLUE																							
	AL									1										1			1
	AZ	1																				1	1
	LA		1																			1	1
Total for HERONS, GREAT BLUE		1	1							1										1		2	3
HOGS, FERAL																							
	CA					1	21													1	4	17	22
	HI		1									13								14			14
	TX						1															1	1
Total for HOGS, FERAL			1			1	22					13								15	4	18	37
JAYS (OTHER)																							
	CA	1																				1	1
	WA	1																				1	1
Total for JAYS (OTHER)		2																				2	2
JAYS, BLUE																							
	TX	1																				1	1
Total for JAYS, BLUE		1																				1	1

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
JUNGLEFOWL, RED																								
	HI	3																				3	3	
	Total for JUNGLEFOWL, RED	3																				3	3	
KESTRELS, AMERICAN																								
	CA											34									34		34	
	IL											239									239		239	
	KY											1									1		1	
	MN	11										33									41	3	44	
	MO	1		20								2									23		23	
	NE	3										17									20		20	
	TX	1																				1	1	
	WA	2																			1	1	2	
	Total for KESTRELS, AMERICAN	18		20								326									358	4	2	364
KITES (ALL)																								
	CA											1										1	1	
	OK											18									18		18	
	Total for KITES (ALL)											19									18	1	19	
LIONS, MOUNTAIN (COUGAR)																								
	CA											14						1			15		15	
	CO										2										2		2	
	MT										1										7		7	
	OR											3									3		3	
	UT										1											1	1	
	Total for LIONS, MOUNTAIN (COUGAR)										4							1			27	1	28	
LIZARDS, MONITOR																								
	GU	2										61									51	10	2	63
	Total for LIZARDS, MONITOR	2										61									51	10	2	63
LIZARDS, z-(OTHER)																								

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
	GU																					2	2	
	Total for LIZARDS, z-(OTHER)																						2	2
MALLARDS																								
	AK	11																				200	2	202
	AZ																	403						403
	CA	1																			10	1		11
	FL																	8				8		8
	KY	15																				45	61	61
	MO																					1		1
	MT	125																				125		125
	NV																					72	93	93
	TN	143																				34	178	178
	UT																						41	41
	WA	1																				4	15	16
	Total for MALLARDS	296																566			10	1,125	4	1,139
MARMOTS/WOODCHUCKS (ALL)																								
	ID	2																				2		2
	MA	1																					1	1
	MO	1																				1		1
	OH	7																					7	7
	OR																					1	1	1
	Total for MARMOTS/WOODCHUCKS (ALL)	11																				4	8	12
MEADOWLARKS, WESTERN																								
	CA																						1	1
	Total for MEADOWLARKS, WESTERN																						1	1
MICE, DEER (ALL)																								
	MO	7																				7		7

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
MICE, DEER (ALL)																							
	VT	4																		4			4
	Total for MICE, DEER (ALL)	11																		11			11
MICE, z-FIELD (OTHER)																							
	MO	1																		1			1
	VT	2																		2			2
	Total for MICE, z-FIELD (OTHER)	3																		3			3
MOCKINGBIRDS, NORTHERN																							
	TN	1																				1	1
	TX	10																				10	10
	Total for MOCKINGBIRDS, NORTHERN	11																				11	11
MONGOOSES, INDIAN																							
	PR	21																		21			21
	Total for MONGOOSES, INDIAN	21																		21			21
MUSKRATS, z-(OTHER)																							
	ND	1																		1			1
	OH	2																				2	2
	VT	2																			1	1	2
	WI		4	1																		5	5
	Total for MUSKRATS, z-(OTHER)	5	4	1																1	1	8	10
MYNAS (ALL)																							
	HI	63																			2	61	63
	Total for MYNAS (ALL)	63																			2	61	63
OPOSSUMS, VIRGINIA																							
	CA	168		14			2													6	102	76	184
	CO	1																		1			1
	FL			2																		2	2

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
OPOSSUMS, VIRGINIA																							
	IL	1																		1			1
	KY	1																				1	1
	MA	16																				16	16
	MN			1																		1	1
	MO	2		1																3			3
	NE	1																				1	1
	OH	25																			1	24	25
	OK	20		3			3														2	24	26
	OR	3		1																1	2	1	4
	PA	4																				4	4
	TN	28										2								5		25	30
	TX	5		1																	3	3	6
	VA			2			1															3	3
	WA			4								1										5	5
	WV			2																		2	2
	Total for OPOSSUMS, VIRGINIA	275		31			6					3								17	110	188	315
OSPREYS																							
	CA											1										1	1
	Total for OSPREYS											1										1	1
OTTERS, RIVER																							
	AL						1															1	1
	CA						1															1	1
	LA			1																		1	1
	MN		1	1																		2	2
	MS		10	1																	9	2	11
	NC		1																			1	1
	OR						1															1	1

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
OTTERS, RIVER																							
	SC		1																			1	1
	TN		1																			1	1
	WI		3	1																		4	4
	Total for OTTERS, RIVER		17	4			3														9	15	24
OWLS, BARRED																							
	MO			1																	1		1
	Total for OWLS, BARRED			1																	1		1
OWLS, BURROWING																							
	AZ	1																			1		1
	CA											1									1		1
	Total for OWLS, BURROWING		1									1									2		2
OWLS, COMMON BARN																							
	CA											33								33			33
	HI											11								11			11
	Total for OWLS, COMMON BARN											44								44			44
OWLS, GREAT HORNED																							
	CA											10								10			10
	KY											2								2			2
	MO			3								6								9			9
	OK						1															1	1
	VA	1																			1		1
	WA	1																			1		1
	Total for OWLS, GREAT HORNED		2	3			1					18								21		3	24
OWLS, z-(OTHER)																							
	CA	1																				1	1
	HI											7								7			7

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
OWLS, z-(OTHER)																							
	MO			8																8			8
	Total for OWLS, z-(OTHER)	1		8								7								15		1	16
PECCARIES, COLLARED (JAVELINA)																							
	NM			2																		2	2
	TX	2		6			32															40	40
	Total for PECCARIES, COLLARED (JAVELINA)	2		8			32															42	42
PHEASANT, RING-NECKED																							
	HI	38																		4		34	38
	Total for PHEASANT, RING-NECKED	38																		4		34	38
PIGEONS, FERAL (ROCK DOVE)																							
	AZ																	46		46			46
	CA	14										9								9	14		23
	NY	7																		7			7
	SC											47								47			47
	Total for PIGEONS, FERAL (ROCK DOVE)	21										56						46		109	14		123
PORCUPINES																							
	AK											20								20			20
	ID			2								1								1		2	3
	MT						8														7	1	8
	NM			5			6															11	11
	NY	1																				1	1
	TX			8			1															9	9
	UT	2										2								4			4
	Total for PORCUPINES	3		15			15					23								25	7	24	56
PRONGHORN (ANTELOPE)																							
	ID			1																		1	1

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
PRONGHORN (ANTELOPE)																							
	NM			1																		1	1
	WY			2			2															4	4
	Total for PRONGHORN (ANTELOPE)			4			2															6	6
QUAIL (ALL)																							
	AK												1									1	1
	NV	3																			3		3
	WA	1																			1		1
	Total for QUAIL (ALL)			4								1									4	1	5
RABBITS, COTTONTAIL																							
	CA	128		4																1	88	43	132
	FL			1																		1	1
	OK	5																				5	5
	TX											3								3			3
	VA			1																		1	1
	WA	3																				3	3
	Total for RABBITS, COTTONTAIL			136			6					3								4	88	53	145
RABBITS, SWAMP																							
	FL			1																		1	1
	Total for RABBITS, SWAMP			1																		1	1
RACCOONS																							
	CA	40		9		2	6					1								8	35	15	58
	CO	4										1								1		4	5
	FL	5																		5			5
	GA						2															2	2
	IA	13																		13			13
	ID	3										1								4			4

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
RACCOONS																							
	KY	5																		5			5
	LA						2															2	2
	MA	96																		96			96
	MN			4		1						3										8	8
	MO	5		2																6		1	7
	MS	3	1	1								3								3	5		8
	ND	3																		3			3
	NJ	2																		2			2
	NM	10		1		1	1													8	2	3	13
	NV						3															3	3
	NY	173																		173			173
	OH	355																		355			355
	OK	7		10			5													4	2	16	22
	OR	33		7			3					1								36	2	6	44
	TN	18										2								8		12	20
	TX	4		4								3								4	6	1	11
	UT	14		2																16			16
	VA			1																		1	1
	VT	178																		178			178
	WI	12		1																		13	13
	WV			3			3															6	6
	WY	1					3													1	2	1	4
	Total for RACCOONS	984	1	45		4	28					15								929	54	94	1,077
RATS, BLACK (ROOF)																							
	FL	9																				9	9
	Total for RATS, BLACK (ROOF)	9																				9	9
RATS, KANGAROO (ALL)																							

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
RATS, KANGAROO (ALL)																							
	CA	1																				1	1
	Total for RATS, KANGAROO (ALL)	1																				1	1
RATS, NORWAY																							
	FL	19																				19	19
	VT	1																				1	1
	Total for RATS, NORWAY	20																				20	20
RATS, PACKRATS/WOODRATS (ALL)																							
	UT	2																			2		2
	Total for RATS, PACKRATS/WOODRATS (ALL)	2																			2		2
RAVENS, COMMON																							
	AK			1																		1	1
	NV											5								5			5
	Total for RAVENS, COMMON			1								5								5		1	6
RINGTAILS																							
	CA	1																			1		1
	TX	2		2																	2		4
	Total for RINGTAILS	3		2																	3	2	5
SHEARWATERS (ALL)																							
	HI											2									2		2
	Total for SHEARWATERS (ALL)											2									2		2
SHEEP, FERAL/FREE-RANGING/EXOTIC																							
	HI			11																	11		11
	Total for SHEEP, FERAL/FREE-RANGING/EXOTIC			11																	11		11
SHREWS (ALL)																							
	VT	2																			2		2

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
SHREWS (ALL)																							
	Total for SHREWS (ALL)	2																		2			2
SHRIKES (ALL)																							
	CA																		9	9			9
	IL																		1	1			1
	TX	10																				10	10
	Total for SHRIKES (ALL)	10																	10	10			20
SKUNKS, HOG-NOSED																							
	TX	2																		1		1	2
	Total for SKUNKS, HOG-NOSED	2																		1		1	2
SKUNKS, STRIPED																							
	CA	3																		3			3
	FL	2																		1	1		2
	ID	1																		1			1
	KS	2										11								13			13
	MA	2																				2	2
	MO	1																		1			1
	ND			5																	5		5
	NJ	2																		2			2
	NM	8																		8			8
	NY	25																				25	25
	OH	3																				3	3
	OK	1																				1	1
	OR	3																		1	2		3
	TX	2					1													2	1		3
	UT	3		1																4			4
	VT	20																		15	5		20
	WA			1																		1	1

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
SKUNKS, STRIPED																							
	WI	1																				1	1
Total for SKUNKS, STRIPED		79	7				1					11								51	14	33	98
SNAKES, NON-POISONOUS (OTHER)																							
	CA											1								1			1
	NE											1								1			1
	TX											7								7			7
	WY											3								3			3
Total for SNAKES, NON-POISONOUS (OTHER)												12								12			12
SNAKES, POISONOUS (ALL)																							
	AZ											4								4			4
	CA											2								2			2
	GA											1								1			1
	TX											1								1			1
Total for SNAKES, POISONOUS (ALL)												8								8			8
SPARROWS, EURASIAN TREE																							
	GU											19								16	3		19
Total for SPARROWS, EURASIAN TREE												19								16	3		19
SPARROWS, HOUSE/ENGLISH																							
	CA	2																				2	2
	IL											1								1			1
	NH	16										51								67			67
	NY	20																		20			20
	TX	24																				24	24
	WA	4																				4	4
Total for SPARROWS, HOUSE/ENGLISH		66										52								88		30	118
SQUIRRELS, FOX																							

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
SQUIRRELS, FOX																							
	ID	2																				2	2
	NE											1								1			1
	OH	2																				2	2
	OR	12																		10		2	12
	TX	13																		13			13
	Total for SQUIRRELS, FOX	29										1								24		6	30
SQUIRRELS, GRAY																							
	CA	5																		3	2		5
	MA	1																				1	1
	WY	5																		5			5
	Total for SQUIRRELS, GRAY	11																		8	2	1	11
SQUIRRELS, GROUND (ALL)																							
	CA	31		7																1	25	12	38
	UT	11																		11			11
	Total for SQUIRRELS, GROUND (ALL)	42		7																12	25	12	49
SQUIRRELS, RED																							
	AK	5																		5			5
	UT	4																		4			4
	VT	1																				1	1
	Total for SQUIRRELS, RED	10																		9		1	10
SQUIRRELS, z-(OTHER)																							
	CO	1										7								8			8
	Total for SQUIRRELS, z-(OTHER)	1										7								8			8
STARLINGS, EUROPEAN																							
	NH											1								1			1
	NY	5																		5			5

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
STARLINGS, EUROPEAN																							
	TX		26																			26	26
	Total for STARLINGS, EUROPEAN		31									1								6		26	32
STORKS, WOOD (NON T&E)																							
	LA			1																		1	1
	Total for STORKS, WOOD (NON T&E)			1																		1	1
SWALLOWS, z-(MIXED)																							
	AK											1								1			1
	Total for SWALLOWS, z-(MIXED)											1								1			1
SWIFTS (ALL)																							
	LA											4								4			4
	Total for SWIFTS (ALL)											4								4			4
TERNS (OTHER)																							
	MS						1															1	1
	Total for TERNS (OTHER)						1															1	1
TURKEY, WILD (ALL)																							
	TX			1																		1	1
	Total for TURKEY, WILD (ALL)			1																		1	1
TURTLES (ALL)																							
	AL		24																			24	24
	FL		1																			1	1
	GA		2				5															7	7
	MN		2																			2	2
	MO										4									4			4
	MS		120	2								71								71	96	26	193
	NC		66	1																		67	67
	NE		3																			3	3

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snare; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
TURTLES (ALL)																							
	NM		4																			4	4
	OH	1																				1	1
	OK		88																			88	88
	SC		55				2															57	57
	TN		6				1															7	7
	TX		5																			5	5
	VA		7													1				1		7	8
	WI		35				1															36	36
	Total for TURTLES (ALL)	1	418	3			9								76					76	96	335	507
VOLES (ALL)																							
	MO		2																		2		2
	Total for VOLES (ALL)	2																			2		2
VULTURES, BLACK																							
	TX						1															1	1
	Total for VULTURES, BLACK						1															1	1
VULTURES, TURKEY																							
	CA			1																		1	1
	NM			1																		1	1
	TX	1																				1	1
	WA			1																		1	1
	Total for VULTURES, TURKEY	1		3																		4	4
WOLVES, GRAY/TIMBER																							
	ID			5															9	14			14
	MI			5																5			5
	MN			6								1								7			7
	MT			2																2			2

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
WOLVES, GRAY/TIMBER																							
	WI			2																2			2
	WY			2																2			2
	Total for WOLVES, GRAY/TIMBER			22								1							9	32			32
WOLVES, MEXICAN GRAY																							
	AZ			2																2			2
	Total for WOLVES, MEXICAN GRAY			2																2			2
z-PASSERINES (OTHER)																							
	NV	109																			109		109
	TX	5																				5	5
	WA	3																				3	3
	Total for z-PASSERINES (OTHER)	117																			109	8	117
	TOTAL:	12,064	452	715			69	300		1		22,363						2,268	17	34,752	1,071	2,426	38,249

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take