

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
ALLIGATORS, AMERICAN																							
	FL		4				2															6	6
	LA		6				1															7	7
	MS		1																			1	1
	SC		5																			5	5
	TX		1				1															2	2
	Total for ALLIGATORS, AMERICAN		17				4															21	21
ARMADILLOS, NINE-BANDED																							
	LA	1	3																	1		3	4
	MS		2					1												3			3
	OK	5	1	2						1										6		3	9
	TX	12								4		2								18			18
	Total for ARMADILLOS, NINE-BANDED	18	6	2				1		5		2								28		6	34
BADGERS																							
	CA	2	6	31			6	11	1	15	3				1					73	1	2	76
	CO			1			4			2		1								4		4	8
	ID			18						1										5	10	4	19
	MN			1																		1	1
	MT			3			4													6	1		7
	ND		4	8			3													12		3	15
	NE	1	4	41			6			3					1					49	5	2	56
	NM			10			3			1										2	1	11	14
	NV			11																		11	11
	OK			13			1	2												2		14	16
	OR			148			1			20										165	3	1	169
	SD			8																8			8
	TX			58			85	1							1					22	3	120	145
	UT			4			3													5		2	7

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
BADGERS																							
	WY			17			1			8		1							1	16	2	10	28
	Total for BADGERS	3	14	372			117	14	1	50	3	2	3						1	369	26	185	580
BATS (ALL)																							
	CA											1								1			1
	CO											2								2			2
	IL	26																		26			26
	UT											1								1			1
	WY									2		1								3			3
	Total for BATS (ALL)	26								2		5								33			33
BEARS, BLACK																							
	AZ	2				4				1		6								13			13
	CA	53				7				7		13								80			80
	CO	3				6				2		15								26			26
	ID					8						2								10			10
	MN						2															2	2
	MT					13						1								14			14
	NV											2								2			2
	OR	4				149	4			11		8								176			176
	UT					20	7					9								36			36
	VA			1																		1	1
	WA					18														18			18
	WI	1																		1			1
	WY					1														1			1
	Total for BEARS, BLACK	63		1		226	13			21		56								377		3	380
BEAVERS																							
	AL		411	51			42	36		18		2								560			560
	AZ		6							1										7			7

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
BEAVERS																								
	CA	13	252	9			59	1		76											410		410	
	CO	42	192	3			18	37		12		1									305		305	
	FL		30				6	5													41		41	
	GA		87	1			111	1		7											207		207	
	IA		1									1									2		2	
	ID		20	6			1	3													30		30	
	IL		1																		1		1	
	KY		75	11			1			16											103		103	
	LA		1,426	599			253	67		4											2,349		2,349	
	MA									3											3		3	
	ME	7	41				5														53		53	
	MN		25	2			1														28		28	
	MO		5																		5		5	
	MS		4,218	625			531	660		109											6,143		6,143	
	MT		1																		1		1	
	NC		4,107	133			101	48		84											4,473		4,473	
	ND	46	476	83			37	1		123									1		767		767	
	NE		128	2			16	4		32											181	1	182	
	NM		15																		15		15	
	NV		13				11														24		24	
	OH						1														1		1	
	OK		4,697	39			747	1,656		251											7,390		7,390	
	OR	10	221	137			365	4		19		2									753	3	2	758
	SC		1,076	31			47	102		65											1,321		1,321	
	TN		187	26			28			32											273		273	
	TX		2,081	37			38	1,637		326											4,119		4,119	
	UT		1				6														7		7	
	VA		79							2											81		81	

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
BEAVERS																							
	WA		17	2			10			1										30			30
	WI		938	297			6			28										1,269			1,269
	WY		4	2			6			3										15			15
	Total for BEAVERS	118	20,831	2,096			2,447	4,262		1,212		6							1	30,967	3	3	30,973
BEAVERS, MOUNTAIN																							
	OR		19																	19			19
	Total for BEAVERS, MOUNTAIN		19																	19			19
BLACKBIRDS, RED-WINGED																							
	KY									36										36			36
	MO									10										10			10
	NJ									3										3			3
	WA	497								3,744										4,231		10	4,241
	Total for BLACKBIRDS, RED-WINGED	497								3,793										4,280		10	4,290
BLACKBIRDS, z-(MIXED SPECIES)																							
	AZ													315						315			315
	CA									6										6			6
	KY													30						30			30
	NV									4,189										4,189			4,189
	TX													325,713						325,713			####
	WA	930								2,206										3,136			3,136
	WV	165																		165			165
	Total for BLACKBIRDS, z-(MIXED SPECIES)	1,095								6,401				326,058						333,554			333,554
BOBCATS																							
	AL			3																		3	3
	AZ			1																1			1
	CA	29		37			5	1	4	3		17	3							95	3	1	99

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
BOBCATS																							
	CO			2			1													1		2	3
	ID			2			1													2		1	3
	LA		1				1															2	2
	MN			1																		1	1
	MS		1																			1	1
	MT						1						1									2	2
	NE			3																2		1	3
	NM			98			17	1	3			2								115	2	4	121
	NV			2																2			2
	OK	11		27			11	3	2											41	5	8	54
	OR	1		38			20			1		9								53	3	13	69
	SC			2																1		1	2
	SD			1																1			1
	TN			1																1			1
	TX	2		969	247		522	1	51	36		34								1,848	8	6	1,862
	UT			5			3					3								9	1	1	11
	WV			1																		1	1
	WY			2			5			1										4	2	2	8
	Total for BOBCATS	43	2	1,195	247		587	2	59	46		65	4							2,176	24	50	2,250
CARDINALS, RED CRESTED																							
	HI	72								336										408			408
	Total for CARDINALS, RED CRESTED	72								336										408			408
CATS, FERAL/FREE RANGING																							
	AZ	82										2								84			84
	CA	397		21				227	8	89		2								743		1	744
	GA							1												1			1
	GU	5																		5			5

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
CATS, FERAL/FREE RANGING																								
	HI	224		4						52											280		280	
	IL									1											1		1	
	KY	1	1							2											4		4	
	ND	2								1											3		3	
	NE	22																			20	2	22	
	NV									1											1		1	
	OR	13																	1		14		14	
	PA	5																			5		5	
	TX	21		11						1		2									28		7	35
	UT			1			1			1											3		3	
	VA						2						1									3	3	
	WY	13																			13		13	
	Total for CATS, FERAL/FREE RANGING	785	1	37			3	228	8	148		6	1						1	1,205	2	11	1,218	
CATTLE, FERAL																								
	HI									10											10		10	
	Total for CATTLE, FERAL									10											10		10	
COOTS (OTHER)																								
	FL									11		1									12		12	
	Total for COOTS (OTHER)									11		1									12		12	
COOTS, AMERICAN																								
	CA											750									750		750	
	NM																23				23		23	
	NV																9				9		9	
	Total for COOTS, AMERICAN											750					32				782		782	
CORMORANTS (OTHER)																								
	WA									5											5		5	

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
CORMORANTS (OTHER)																							
Total for CORMORANTS (OTHER)										5										5			5
CORMORANTS, DOUBLE-CRESTED																							
	AL									14										14			14
	IL									1										1			1
	MS									39										39			39
	NY												13							13			13
	OK		1																			1	1
	TX									25										25			25
	WA									666										666			666
Total for CORMORANTS, DOUBLE-CRESTED			1							745			13							758		1	759
COWBIRDS, BROWN-HEADED																							
	FL									3										3			3
	KY									126										126			126
	MO									232										232			232
	NJ									3										3			3
	NM	11																		11			11
	WA	2,993								5										2,998			2,998
Total for COWBIRDS, BROWN-HEADED		3,004								369										3,373			3,373
COYOTES																							
	AL			5			30		3	3										41			41
	AZ			345	123		1	2	156	103	7		203							940			940
	CA	8		2,379	774		665	4	614	930	451	175	2,383				7			8,390			8,390
	CO			24	2,091		78	3	301	88	18	225	260							3,088			3,088
	FL			6			3													9			9
	GA							1												1			1
	IA						1													1			1
	ID			296	2,659		55	1	493	125	16	72	358						61	4,135	1		4,136

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
COYOTES																								
	IL			1			2	4		2											9		9	
	KS						1															1	1	
	KY			1			4			7											12		12	
	LA			2			36														38		38	
	MN			56			1								2						59		59	
	MO							2		5											7		7	
	MS						3															3	3	
	MT			233	5,130		534		387	69	255	335	1,515								8,458		8,458	
	ND			203	730		273		30	12	8	9	527								1,792		1,792	
	NE			129	414		123		69	40	29		1,740						69		2,612	1	2,613	
	NJ	1																			1		1	
	NM	1		972	1,351		542	1	737	235	17	15	2,340				2				6,213		6,213	
	NV			611	2,411		144		261	276	51	40	220								4,014		4,014	
	OK			441	750		370	1	937	171	42	2	1,831								4,542	3	4,545	
	OR	3		1,664	2,038	1	918		157	156	107	65	887								5,996		5,996	
	SD			20			2														22		22	
	TN			2			15														17		17	
	TX	4		1,526	2,274		5,642	9	662	532	114	37	5,386				35		2		16,223		16,223	
	UT			351	2,193		207		508	85	185	36	602						2		4,169		4,169	
	VA			9			19	1		1			98				3				131		131	
	WA			108	67	1	191		45	61	14	6	345								838		838	
	WI		1	2																	2	1	3	
	WV			14			4					1	55				7				81		81	
	WY			303	2,579	1	482	13	725	370	588	426	655						4		6,144	2	6,146	
	Total for COYOTES	17	1	9,703	25,584	3	10,346	42	6,085	3,271	1,902	1,446	#####				54		138		77,985	3	9	77,997
CROWS (OTHER)																								
	OR									37											37		37	
	Total for CROWS (OTHER)									37											37		37	

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
CROWS, AMERICAN																							
	AL									1										1			1
	CA			1				3		52					5					61			61
	IL									14										14			14
	KY									14					200					214			214
	MO									2		1								3			3
	ND									2										2			2
	NH									2												2	2
	NJ									1										1			1
	NM													3								3	3
	NY									8										8			8
	TN									2										2			2
	TX							7		5										12			12
	WA	168								168		1								337			337
	WY							16		42										58			58
	Total for CROWS, AMERICAN	168		1				26		313		2	3	205						713		5	718
CROWS, FISH																							
	FL		2						246	202										450			450
	Total for CROWS, FISH		2						246	202										450			450
DEER, MULE																							
	CA							1												1			1
	MT						2															2	2
	NM						4															4	4
	OR						2	14												14		2	16
	TX						2															2	2
	WY						2															2	2
	Total for DEER, MULE						12	15												15		12	27
DEER, WHITE-TAILED																							

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
DEER, WHITE-TAILED																							
	CT									9										9		9	
	GA							342		142										484		484	
	IL							217		67										284		284	
	KY						2	14		2			11							29		29	
	LA						1															1	1
	MI							47		65										112		112	
	MN						6						1									7	7
	MO							12		3										15		15	
	MT						2															2	2
	ND							4		2										6		6	
	NJ							3												3		3	
	NY							2		3										5		5	
	OH									4										4		4	
	OK						8															8	8
	PA							40		6										46		46	
	TX		2				38															40	40
	VA						4	18		4										22		4	26
	WI			2																		2	2
	Total for DEER, WHITE-TAILED		4				61	699		307			12							1,019		64	1,083
DEER, z-(OTHER)																							
	CA							3		14										17		17	
	IL									2										2		2	
	MI							3		1										4		4	
	TX						1															1	1
	Total for DEER, z-(OTHER)						1	6		17										23		1	24
DOGS, FERAL/FREE RANGING & HYBRIDS																							
	AL			1			1															2	2

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
DOGS, FERAL/FREE RANGING & HYBRIDS																								
	AZ			31					19	96			12	12									170	170
	CA	1		4			4			11					8						19	2	7	28
	CO						4		2	3		2	7								13	3	2	18
	GU	12								14													26	26
	HI			4		5				22											31			31
	ID			2			4								5						5		6	11
	IL									1											1			1
	MN						3					1											4	4
	MS			1																			1	1
	MT			1			1		2					14							10		8	18
	ND								3												3			3
	NE	1													12						7	1	5	13
	NM			8			5								43							13	43	56
	NV			1	9		1								1						9		3	12
	OK			10			26			2					35						3		70	73
	OR			1			4														1	1	3	5
	TX			46			170	3	10	54	7	3	109								319	55	28	402
	UT						6			1					7						1	1	12	14
	VA			4			1								10		1				4	11	1	16
	WA						3																3	3
	WV														4						3		1	4
	WY						6														6			6
	Total for DOGS, FERAL/FREE RANGING & HYBRID	14		114	9	5	239	3	36	204	7	18	267				1				631	87	199	917
DOVE, MOURNING																								
	AL									40											40			40
	FL									247											247			247
	IL									27											27			27

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
DOVE, MOURNING																							
	KY	9								627		6								642			642
	MO									21										21			21
	TN									81										81			81
	Total for DOVE, MOURNING	9								1,043		6								1,058			1,058
DOVE, SPOTTED																							
	HI	31								4,990										5,016		5	5,021
	Total for DOVE, SPOTTED	31								4,990										5,016		5	5,021
DOVE, ZEBRA																							
	HI	104								#####										11,402			11,402
	Total for DOVE, ZEBRA	104								11,298										11,402			11,402
DOVE, zz-(OTHER)																							
	AL									422										422			422
	Total for DOVE, zz-(OTHER)									422										422			422
DRONGOS, BLACK																							
	GU									6										6			6
	Total for DRONGOS, BLACK									6										6			6
DUCKS, DABBING (OTHER)																							
	AK									129										129			129
	AZ																21			21			21
	CA												1								1		1
	KY									2										2			2
	LA		1																			1	1
	MN									2										2			2
	TN									5										5			5
	WA	2								8										8		2	10
	WI		3																			3	3

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
DUCKS, DABBLING (OTHER)																							
Total for DUCKS, DABBLING (OTHER)		2	4					146				1					21		167	1	6	174	
DUCKS, DIVING (ALL)																							
	AK							78											78			78	
	WA							61											61			61	
	WI		2																			2	2
Total for DUCKS, DIVING (ALL)			2					139											139			2	141
DUCKS, FERAL																							
	CA											45					2		47			47	
	GA																83		78	5		83	
	HI							1											1			1	
	KY											13						5	18			18	
	LA																	71	71			71	
	NM																	3	3			3	
	UT													139					139			139	
	VA							1										14	15			15	
Total for DUCKS, FERAL								2				197						178	372	5		377	
EGRETS, CATTLE																							
	FL							125											125			125	
	HI	6						4,091											4,097			4,097	
	TX							225											225			225	
Total for EGRETS, CATTLE		6						4,441											4,447			4,447	
EGRETS, GREAT																							
	AL							17											17			17	
	FL							6											6			6	
Total for EGRETS, GREAT								23											23			23	
EGRETS, SNOWY																							

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
EGRETS, SNOWY																							
	CA									6										6			6
	TX									2										2			2
	Total for EGRETS, SNOWY									8										8			8
EXOTIC BIRDS (OTHER)																							
	HI	1								35										36			36
	TX									1										1			1
	Total for EXOTIC BIRDS (OTHER)		1							36										37			37
FINCHES, HOUSE																							
	CA												3								3		3
	HI	13								457										470			470
	MO									16										16			16
	TN									6										6			6
	WA	1,200																		1,200			1,200
	Total for FINCHES, HOUSE		1,213							479			3							1,692	3		1,695
FISH (OTHER)																							
	MS		2																			2	2
	OK		2																			2	2
	Total for FISH (OTHER)		4																			4	4
FLICKERS, NORTHERN																							
	ID		3																	3			3
	ND									2		2								4			4
	NV									1										1			1
	OR									7										7			7
	WA									16										16			16
	Total for FLICKERS, NORTHERN		3							26		2								31			31
FOXES, ARCTIC																							

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
FOXES, ARCTIC																							
	AK	18	66	391			12	1	131	1	1	6								627			627
Total for FOXES, ARCTIC		18	66	391			12	1	131	1	1	6								627			627
FOXES, CHANNEL ISLAND GRAY																							
	CA	2																		1		1	2
Total for FOXES, CHANNEL ISLAND GRAY		2																		1		1	2
FOXES, GRAY																							
	AZ							1												1			1
	CA	156		11			3	1	3	1	3	11	42							185	11	35	231
	CO												1									1	1
	NM			15			4						14							10	2	21	33
	OK			3									5							2		6	8
	OR			13			3			1										13		4	17
	SC			3																3			3
	TX	3	1	1,265	48		370		260	45	1	5	219						1	2,135	59	24	2,218
	UT												1									1	1
	VA			1			3						13							1		16	17
	WV			1									14							1		14	15
Total for FOXES, GRAY		159	1	1,312	48		383	1	264	47	4	16	309						1	2,351	72	122	2,545
FOXES, KIT																							
	NM						6						26									32	32
	NV												1									1	1
	UT												3									3	3
Total for FOXES, KIT							6						30									36	36
FOXES, RED																							
	AL						1															1	1
	CA	9		49			2	14	7	5	2	5	23					5		97	10	14	121

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
FOXES, RED																							
	CO		2	43			26		42	38			4	9					20	184			184
	FL		8				1	1		3										13			13
	ID		46	1			11	1	2	25	5				68				14	165	6	2	173
	IL		1					1												1	1		2
	KY						1													1			1
	LA		1																	1			1
	MN		19				2															21	21
	MO		1							6										7			7
	MT		81	33			123		9	27	83	3	249						5	589	6	18	613
	ND		54				63		2	7										182	1	4	187
	NE	1		35			9		1	12									16	95		1	96
	NJ						12			2										14			14
	NM		2										2							2		2	4
	NV		1																			1	1
	OK												3									3	3
	OR	1		28			37			6			6							66	5	7	78
	SC		1																	1			1
	SD		1																	1			1
	TN						2													2			2
	TX		278	37			286		38	45	80	1	219						1	983	2		985
	UT		65	32			100		12	19	7	1	39						2	271		6	277
	VA		13				14	6		2			22							8		49	57
	WV		3				2						18							6		17	23
	WY		130	40			138		13	87	108	3	163						1	678	2	3	683
	Total for FOXES, RED	11		819	186		830	23	126	284	285	17	904						64	3,367	33	149	3,549
FOXES, SWIFT																							
	CO												6									6	6

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
FOXES, SWIFT																							
	NM			21			1								20							42	42
	OK														2							2	2
	Total for FOXES, SWIFT			21			1								28							50	50
FRANCOLIN, BLACK																							
	HI									1,263											1,263		1,263
	Total for FRANCOLIN, BLACK									1,263											1,263		1,263
FRANCOLIN, ERCKEL'S																							
	HI									8											8		8
	Total for FRANCOLIN, ERCKEL'S									8											8		8
FRANCOLIN, GRAY																							
	HI		4							815											819		819
	Total for FRANCOLIN, GRAY		4							815											819		819
FROGS/TOADS (ALL)																							
	HI		4																		4		4
	Total for FROGS/TOADS (ALL)		4																		4		4
GEESE, CANADA																							
	AK							1		172			1								174		174
	CA								15	24			1								40		40
	CT		9							2											11		11
	GA									10											10		10
	IL									463			47								510		510
	KY									55											55		55
	MN									3											3		3
	MO		9							3			2								14		14
	NC																					2	2
	ND									4											4		4

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
GEESE, CANADA																							
	NH									4										4			4
	NJ									37		2								33			39
	NV											1								1			1
	OH									32										32			32
	TN									12		2					66			12	68		80
	UT											1								1			1
	VA	155								31		3					33			222			222
	WA	399								5		15								419			419
	WV											3								3			3
	Total for GEESE, CANADA	572					2	1	15	857		78					99			1,548	68	2	1,624
GEESE, FERAL																							
	GA									1										1			1
	KY											2					15			17			17
	OK											1								1			1
	UT											1								1			1
	VA																31			31			31
	Total for GEESE, FERAL									1		4					46			51			51
GOATS, FERAL																							
	HI									240										240			240
	Total for GOATS, FERAL									240										240			240
GOPHERS, POCKET (ALL)																							
	AZ											2								2			2
	CO											1								1			1
	NV											51								51			51
	TX											15								15			15
	WA											72								72			72
	WY											1								1			1

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total										
GOPHERS, POCKET (ALL)																																	
Total for GOPHERS, POCKET (ALL)												142																					142
GRACKLES (OTHER)																																	
	FL									2														2									
	GA									25														25									
Total for GRACKLES (OTHER)												27																				27	
GRACKLES, BOAT-TAILED																																	
	GA														80									80									
Total for GRACKLES, BOAT-TAILED												80																				80	
GRACKLES, COMMON																																	
	GA									51														51									
	MO									4														4									
	TN																40							40									
Total for GRACKLES, COMMON												55										40										95	
GRACKLES, GREAT-TAILED																																	
	AZ														20									20									
	MO									1														1									
	TX									1,091					5,994									7,085									
Total for GRACKLES, GREAT-TAILED												1,092										6,014										7,106	
GREBES (ALL)																																	
	MS			1																				1									
	OK		1																					1									
	TX		1																					1									
	WA									48														48									
Total for GREBES (ALL)												2		1								48										51	
GROUSE (ALL)																																	
	AK			1																				1									

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
GROUSE (ALL)																							
				1																		1	1
GULLS, CALIFORNIA																							
	CA									2											2		2
	UT																				1		1
	WA									1,876											1,884		1,884
										1,878											1,887		1,887
GULLS, GLAUCOUS-WINGED																							
	WA									276											324		324
										276											324		324
GULLS, GREAT BLACK-BACKED																							
	NH									20											20		20
	NY									6											7		7
										79											80		80
GULLS, HEERMANN'S																							
	CA									8											8		8
										8											8		8
GULLS, HERRING																							
	AK									5											5		5
	FL									44							4				48		48
	IL									14											14		14
	NH									107											107		107
	NY									116											116		116
	WA									471											474		474
										989							4				996		996
GULLS, LAUGHING																							
	FL									173							16				189		189

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
GULLS, LAUGHING																							
	NJ									25										25			25
	NY									2,926										2,926			2,926
	VA									1												1	1
	Total for GULLS, LAUGHING									3,125							16			3,140		1	3,141
GULLS, RING-BILLED																							
	CT																10			10			10
	FL									4										4			4
	ID									1										1			1
	IL									156		1								157			157
	MI															73				73			73
	MO									1										1			1
	NY									16										15			16
	OR									433										433			433
	VA									6										6			6
	WA									7,064						4,500				11,564			11,564
	Total for GULLS, RING-BILLED									7,720		1			4,573		10			12,303			12,304
GULLS, WESTERN																							
	CA	1		8						401		164								573	1		574
	WA											1								1			1
	Total for GULLS, WESTERN		1		8					401		165								574	1		575
GULLS, z-(OTHER)																							
	AK									199										199			199
	WA	157								4,188		123								4,468			4,468
	Total for GULLS, z-(OTHER)		157							4,387		123								4,667			4,667
HARES, JACKRABBITS (ALL)																							
	CA			1						11										11		1	12

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
HARES, JACKRABBITS (ALL)																							
	ID						1															1	1
	MN									15											15		15
	MT						3															3	3
	NE									4											4		4
	NM		1				5															6	6
	OK		1				1															2	2
	TX		13				79			18					4					22	4	88	114
	Total for HARES, JACKRABBITS (ALL)		16				89			48					4					52	4	101	157
HAWKS, COOPER'S																							
	CA									2											2		2
	Total for HAWKS, COOPER'S									2											2		2
HAWKS, HARRIERS (MARSH HAWKS)																							
	CA									10											10		10
	MO									1											1		1
	Total for HAWKS, HARRIERS (MARSH HAWKS)									11											11		11
HAWKS, RED-SHOULDERED																							
	KY									1											1		1
	Total for HAWKS, RED-SHOULDERED									1											1		1
HAWKS, RED-TAILED																							
	CA									4											4		4
	IL											1									1		1
	KY									35		1									36		36
	MO									16		4									20		20
	TN									1											1		1
	Total for HAWKS, RED-TAILED									56		6									62		62
HAWKS, z-(OTHER)																							

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
HAWKS, z-(OTHER)																								
	CA																						1	
Total for HAWKS, z-(OTHER)																								1
HERONS, BLACK-CROWNED NIGHT																								
	ID									30														30
	WA									218														218
Total for HERONS, BLACK-CROWNED NIGHT										248														248
HERONS, GREAT BLUE																								
	AL		1																				1	1
	CA									2														2
	FL									3														3
	ID									4														4
	IL									1														1
	MS			3																			3	3
	OK			1																			1	1
	TN									19														19
	UT									2														2
	WA							1		165														166
	WI			5																			5	5
Total for HERONS, GREAT BLUE			1	9				1		196													197	207
HERONS, LITTLE BLUE																								
	MS			1																			1	1
	TX									16														16
Total for HERONS, LITTLE BLUE				1						16														17
HOGS, FERAL																								
	CA	34						1		11			23										69	69
	GA							3		11													14	14

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
HOGS, FERAL																							
	GU	26																		24		2	26
	HI					52				27		3								82			82
	KS	5			199		3													207			207
	OK	38	2	24			12			9		7								90	2		92
	TX	532	70	1,684		2	1,790	18	3	368		210	13							4,608	18	64	4,690
	Total for HOGS, FERAL	635	72	1,907		54	1,805	22	3	426		243	13							5,094	20	66	5,180
JUNGLEFOWL, RED																							
	HI									710										710			710
	Total for JUNGLEFOWL, RED									710										710			710
KESTRELS, AMERICAN																							
	CA									57		14								71			71
	IL		1									3								4			4
	KY									19		6								25			25
	MN											5								5			5
	MO									1		4								5			5
	Total for KESTRELS, AMERICAN		1							77		32								110			110
KILLDEERS																							
	FL									4										4			4
	KY									271										271			271
	MO		1							24										25			25
	Total for KILLDEERS		1							299										300			300
KINGFISHERS (ALL)																							
	WA									31										31			31
	Total for KINGFISHERS (ALL)									31										31			31
LARKS, HORNED																							
	CA									79										79			79

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
LARKS, HORNED																							
	KY									2										2			2
	MO									81		2								83			83
	Total for LARKS, HORNED									162		2								164			164
LIONS, MOUNTAIN (COUGAR)																							
	AZ					1						45								46			46
	CA	17								4		70								91			91
	CO											2								2			2
	ID			2								2								4			4
	MT			2		3	1					15								21			21
	NM			1		2	6			1		1								9	1	1	11
	NV											30								30			30
	OR			7			12			3		29								51			51
	TX			14			6			2		24								46			46
	UT			1		4	5					25								32	3		35
	WY						1													1			1
	Total for LIONS, MOUNTAIN (COUGAR)		17	27		10	31			10		243								333	4	1	338
MAGPIES, BLACK-BILLED																							
	AK									28										28			28
	OR	50								12										62			62
	WA	6								4										10			10
	Total for MAGPIES, BLACK-BILLED		56							44										100			100
MALLARDS																							
	AK									158		4								162			162
	CA											8									8		8
	IL							9		143										152			152
	KY									44										44			44
	MN									10										10			10

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
MALLARDS																							
	NJ									1										1			1
	NV																3			3			3
	TN								25								3			25	2	1	28
	UT											40								40			40
	VA											3					10			9		4	13
	WA									1										1			1
	Total for MALLARDS							9		382		55					16			447	10	5	462
MANNIKIN, CHESTNUT																							
	HI									3,835										3,835			3,835
	Total for MANNIKIN, CHESTNUT									3,835										3,835			3,835
MANNIKIN, NUTMEG																							
	HI									63										63			63
	Total for MANNIKIN, NUTMEG									63										63			63
MARINE MAMMALS (SEALS/SEA OTTERS/ETC.)																							
	GU											1								1			1
	Total for MARINE MAMMALS (SEALS/SEA OTTERS)											1								1			1
MARMOTS/WOODCHUCKS (ALL)																							
	AL		90				7			9										106			106
	ID	92		24						5					485					606			606
	IL		29							5										34			34
	KY	4	11																3	18			18
	MA	6																		6			6
	NE									1										1			1
	NH		1															1		2			2
	NV	443	42				3			14										502			502
	OH	8																		1		7	8

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
MARMOTS/WOODCHUCKS (ALL)																							
	OK			5																5			5
	OR	15								24										39			39
	PA		63							9		5								77			77
	TN		9				1			1										11			11
	VA			2			7															9	9
	WA									80						200				280			280
	WV			2			2			19									4	25		2	27
	WY									1										1			1
	Total for MARMOTS/WOODCHUCKS (ALL)		568	245	33		20			168		5			685				8	1,714		18	1,732
MEADOWLARKS, EASTERN																							
	FL									7										7			7
	KY									12										12			12
	MO									29										29			29
	Total for MEADOWLARKS, EASTERN									48										48			48
MEADOWLARKS, WESTERN																							
	CA									82										82			82
	Total for MEADOWLARKS, WESTERN									82										82			82
MERGANSER (OTHER)																							
	WA									388										388			388
	WI		1																			1	1
	Total for MERGANSER (OTHER)			1						388										388		1	389
MERGANSER, RED-BREASTED																							
	WA									12										12			12
	Total for MERGANSER, RED-BREASTED									12										12			12
MICE, DEER (ALL)																							
	CA	17											32							44	5		49

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
MICE, DEER (ALL)																								
	NJ																						1	
	Total for MICE, DEER (ALL)	17																						33
MICE, HOUSE																								
	AL																							4
	CA	10																						48
	HI	9																						9
	Total for MICE, HOUSE	19																						52
MICE, z-FIELD (OTHER)																								
	IA																							3
	Total for MICE, z-FIELD (OTHER)																							3
MICE/RATS (MIXED)																								
	HI	1																						1
	Total for MICE/RATS (MIXED)	1																						1
MINKS																								
	CA	1																						1
	MS			1																				1
	ND			1																				1
	NE		1																					1
	UT						1			1														2
	WI		1	2																				3
	Total for MINKS	1	2	4			1			1														9
MOLES (ALL)																								
	MS																							1
	NE																							6
	Total for MOLES (ALL)																							7
MONGOOSES, INDIAN																								

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
MONGOOSES, INDIAN																							
	HI	2,256		8						62												2,326	2,326
	Total for MONGOOSES, INDIAN	2,256		8						62												2,326	2,326
MUSKRATS, ROUND-TAILED																							
	AL		1																			1	1
	Total for MUSKRATS, ROUND-TAILED		1																			1	1
MUSKRATS, z-(OTHER)																							
	AL		9	2																		11	11
	AZ		1																	1			1
	CA		3							32										35			35
	CO		8					1												8	1		9
	GA		12	2																11	3		14
	ID		9	6						1										13	3		16
	IL									3										3			3
	KY		2																			2	2
	LA		10																			10	10
	MA		20																	20			20
	MI											7								7			7
	MN		3	1																		4	4
	MO		102																	101	1		102
	MS		33	15			1	42		4										77	18		95
	NC		35																	32	3		35
	ND		68	207						54		1								328	2		330
	NE		6					2		2		2								7	5		12
	NH		44																	44			44
	NM		2																	2			2
	OK		21					1		3										6	19		25
	OR		4	33																34	3		37

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
MUSKRATS, z-(OTHER)																							
	PA	2																		2			2
	SC		6																			6	6
	SD		3	1																4			4
	TN		10																	3	1	6	10
	VA		3																	3			3
	WA		5							1										6			6
	WI		46	17																		63	63
	WY		26							2										28			28
	Total for MUSKRATS, z-(OTHER)	2	491	284			1	46		102		10								775	1	160	936
MYNAS (ALL)																							
	HI	7								2,545										2,552			2,552
	Total for MYNAS (ALL)	7								2,545										2,552			2,552
NUTRIAS																							
	LA		194	14			6															214	214
	MS		130	38			4	27		18										108		109	217
	NC		160	5				1		3										166	2	1	169
	OK		4					5												9			9
	OR	43	105	6			10			59		1								218	4	2	224
	TX	1	86	29			5	115		97		7			22					356		6	362
	WA	2	6				2													10			10
	Total for NUTRIAS	46	685	92			27	148		177		8			22					867	6	332	1,205
OPOSSUMS, VIRGINIA																							
	AL		2	36			1															39	39
	CA	1,280		11			1			6		57	3							1,336	14	8	1,358
	FL	2								1										3			3
	GA	2																		2			2
	KS	3																		3			3

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
OPOSSUMS, VIRGINIA																							
	KY	3	3	3			1			2										12			12
	LA	3	1	1			6			1										1		11	12
	NE	68	1	20			3						4							89	2	5	96
	OK	44		29			8						11							37	4	51	92
	OR	80	3	27		1	2					5								106	2	10	118
	SC			12																12			12
	TX	218	1	157			11	5	1	1		4	39						3	349	3	88	440
	VA			3			1						4									8	8
	WV												1									1	1
	Total for OPOSSUMS, VIRGINIA	1,703	11	299		1	34	5	1	11		66	62						3	1,950	25	221	2,196
OTTERS, RIVER																							
	AL		24	1			1													2		24	26
	FL		3																			3	3
	GA		3																			3	3
	LA		84	4			4															92	92
	MN			1																		1	1
	MS		153	6			1													5		155	160
	NC		52				1															53	53
	OK		28	1																1	1	27	29
	OR		4	1			1			1										3		4	7
	SC		88																			88	88
	TN		5																			5	5
	TX		73				1													27		47	74
	VA		2																			2	2
	WI		58	7																		65	65
	Total for OTTERS, RIVER		577	21			9			1										38	1	569	608
OWLS, BARRED																							

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
OWLS, BARRED																							
	MO							2		1										3		3	
	Total for OWLS, BARRED							2		1										3		3	
OWLS, COMMON BARN																							
	CA							7					1							8		8	
	HI		1							29										29	1	30	
	Total for OWLS, COMMON BARN		1					7		29			1							37	1	38	
OWLS, GREAT HORNED																							
	CA									2			1							3		3	
	MO									5										5		5	
	NE									1										1		1	
	SD									1										1		1	
	Total for OWLS, GREAT HORNED									9			1							10		10	
OWLS, z-(OTHER)																							
	NC			1																		1	1
	Total for OWLS, z-(OTHER)			1																		1	1
PECCARIES, COLLARED (JAVELINA)																							
	NM			1																		1	1
	TX			7			143															150	150
	Total for PECCARIES, COLLARED (JAVELINA)			8			143															151	151
PHEASANT, RING-NECKED																							
	HI									78										78		78	
	Total for PHEASANT, RING-NECKED									78										78		78	
PIGEONS, FERAL (ROCK DOVE)																							
	AK	967						47		104										1,118		1,118	
	AL									285				125		5				415		415	
	AZ									46							33			79		79	

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
PIGEONS, FERAL (ROCK DOVE)																							
	CA	726								695			46								1,467		1,467
	CO							376					1								377		377
	FL	271								177			34			33					515		515
	GA							8		446											454		454
	GU	98						170		544			26								838		838
	HI									262			136								398		398
	IA	4						129		3					29						165		165
	ID	26						1,328		135					100						1,589		1,589
	IL	222								64					277						557	6	563
	IN									26											26		26
	KS							791		527											1,318		1,318
	KY	423						326		931			2		3,501						5,183		5,183
	MA									130											130		130
	ME							701					2		40						743		743
	MI							15							449						464		464
	MO	2						184		853			16		40						1,095		1,095
	NC	14								132			280								426		426
	ND	348								373											721		721
	NE	39						210		273			18								540		540
	NH	105																			105		105
	NJ									12											12		12
	NM	238												4,901		14					5,153		5,153
	NV									88											88		88
	NY									17											17		17
	OH									398											398		398
	OK	105						39		20				440		60					664		664
	OR	1,030						382		1,971											3,383		3,383
	SC									4											4		4

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
PIGEONS, FERAL (ROCK DOVE)																								
	TN	325						300		308					246						1,179		1,179	
	TX	792						711		1,472					145						3,120		3,120	
	UT									7											7		7	
	VA	1,474								3,657		24			18						5,173		5,173	
	VT	19																			19		19	
	WA	6,385						770		#####		48			10						18,558		18,558	
	WV	71								480					420						971		971	
	Total for PIGEONS, FERAL (ROCK DOVE)	13,684						6,487		25,785		633		10,741		112		33			57,469	6	57,475	
PORCUPINES																								
	CO						6														5	1	6	
	ID			6			1															7	7	
	MN			2																		2	2	
	MT			7			53														4	56	60	
	ND						2															2	2	
	NE			3			8			5											15	1	16	
	NM			35			26														11	1	49	61
	OK			1																		1	1	
	OR			18			27	48		9											97	5	102	
	TX			15			110			1											1	125	126	
	UT	1		2			1					2									3	3	6	
	WA						1			1											1	1	2	
	WY			5			9			1		2									3	14	17	
	Total for PORCUPINES	1		94			244	48		17		4									136	5	267	408
PRAIRIE DOGS, BLACK-TAILED																								
	NE									833											833		833	
	OK									6											6		6	
	Total for PRAIRIE DOGS, BLACK-TAILED									839											839		839	

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
PRAIRIE DOGS, z-(OTHER)																							
	AZ									90					18					108			108
	Total for PRAIRIE DOGS, z-(OTHER)									90					18					108			108
PRONGHORN (ANTELOPE)																							
	NM						1															1	1
	Total for PRONGHORN (ANTELOPE)						1															1	1
RABBITS, COTTONTAIL																							
	CA			1																	1		1
	KY	47	5				1	7		98										158			158
	MN									1										1			1
	MT						1															1	1
	NE			2																		2	2
	OK			1				17												17		1	18
	OR			1						3										4			4
	TN									38										38			38
	TX			1			4															5	5
	WA	1																		1			1
	WY			4																		4	4
	Total for RABBITS, COTTONTAIL	48	5	10			6	17	7	140										219	1	13	233
RABBITS, FERAL																							
	AK									1										1			1
	VT		1																			1	1
	Total for RABBITS, FERAL		1							1										1		1	2
RACCOONS																							
	AL		18	16			3					3								14		26	40
	AZ			1																1			1
	CA	1,614		56			21	4		12		21	15							1,715	11	17	1,743

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
RACCOONS																							
	CO	45	3	4			4					6	2							51	1	12	64
	FL	12	3	1						5										18		3	21
	GA	8	1																	8		1	9
	ID	2	3	7			3			1		1	2							5	1	13	19
	IL		5				1			8		1								14	1		15
	KS	1																		1			1
	KY	1	7	5						1		1								15			15
	LA	1	15	16			9					1								6		36	42
	MN			31								2								1		32	33
	MO			1																		1	1
	MS	1	12	43		1	2													1		58	59
	MT	1		2			6						2							2	1	8	11
	NC		4	8																		12	12
	ND	5	2	7			2			5									1	21		1	22
	NE	171	11	25			24	2	35	3		5	4							275	2	3	280
	NM	22		8						2										28		4	32
	NY	1																		1			1
	OH	81					1			1		1								84			84
	OK	42	7	83			32			4			2							81	5	84	170
	OR	177	5	42			41	3		5		13	3						2	256	10	25	291
	PA		1																			1	1
	SC		9	39																36		12	48
	TN		1																			1	1
	TX	349	39	2,560			917	105	99	105		163	192						8	4,059	363	115	4,537
	UT	129		43			155					21							2	347		3	350
	VA		7	9			17						14							6		41	47
	WA	1	1																	1	1		2
	WI		8	21								2								2		29	31

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
RACCOONS																							
	WV	2		1			2								15					2		18	20
	WY	44		20			22			21		1	2							103	2	5	110
Total for RACCOONS		2,710	162	3,049		1	1,262	114	134	173		242	253						13	7,154	398	561	8,113
RATS, BLACK (ROOF)																							
	CA	111											25							136			136
	GA									1										1			1
	GU												31							31			31
	HI	752																		752			752
	TX			1								1			151					153			153
Total for RATS, BLACK (ROOF)		863		1						1		57			151					1,073			1,073
RATS, COTTON (ALL)																							
	TX												1							1			1
Total for RATS, COTTON (ALL)													1							1			1
RATS, NORWAY																							
	AK	1											5							6			6
	CA	6											45							51			51
	GU							2					727						1,107	1,836			1,836
	HI	7																		7			7
	NH			1																		1	1
	OR									35										35			35
Total for RATS, NORWAY		14	1					2		35		777							1,107	1,935		1	1,936
RATS, PACKRATS/WOODRATS (ALL)																							
	LA			1																		1	1
	NE			1																		1	1
Total for RATS, PACKRATS/WOODRATS (ALL)				2																		2	2
RATS, POLYNESIAN																							

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
RATS, POLYNESIAN																							
	HI	17																		17			17
	Total for RATS, POLYNESIAN	17																		17			17
RAVENS (OTHER)																							
	MN			2																		2	2
	OR									2							75			77			77
	TX															1						1	1
	VA															5						5	5
	Total for RAVENS (OTHER)			2						2					6		75			77		8	85
RAVENS, COMMON																							
	AK			3						9										9		3	12
	AZ									4										4			4
	CA	10		11				1		142							43			207			207
	ID									6										72			72
	MT			1						8						1				8		2	10
	NM															1						1	1
	NV				57					103							450			610			610
	UT				24					2										26			26
	WA									3							40			43			43
	WY							5									45			50			50
	Total for RAVENS, COMMON	10		15	81			1	5	277					2		644			1,029		6	1,035
RINGTAILS																							
	TX			6												1						7	7
	Total for RINGTAILS			6											1							7	7
ROBINS, AMERICAN																							
	KY									6										6			6
	MO									3										3			3

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
ROBINS, AMERICAN																							
	WA									2										2			2
	Total for ROBINS, AMERICAN									11										11			11
SEA BIRDS (MIXED)																							
	NY									1												1	1
	Total for SEA BIRDS (MIXED)									1												1	1
SHOREBIRDS (OTHER)																							
	AK									47										47			47
	Total for SHOREBIRDS (OTHER)									47										47			47
SHREWS (ALL)																							
	GU																			3			3
	Total for SHREWS (ALL)																			3			3
SHRIKES (ALL)																							
	CA									11			7							18			18
	Total for SHRIKES (ALL)									11			7							18			18
SKUNKS, HOG-NOSED																							
	NM	1																		1			1
	TX			1																		2	2
	Total for SKUNKS, HOG-NOSED	1		1																1		2	3
SKUNKS, SPOTTED																							
	AZ	1																		1			1
	CA	8																		8			8
	MS	1																		1			1
	Total for SKUNKS, SPOTTED	10																		10			10
SKUNKS, STRIPED																							
	AL	1	2																	1		2	3

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
SKUNKS, STRIPED																								
	AZ	19		1						2											22		22	
	CA	3,624		100			23	73		84		53	1						11	3,950	14	5	3,969	
	CO	75					2					13									87	3	90	
	ID	7	4	9						1											13	3	5	21
	IL									5											5		5	
	KS	4								4											8		8	
	KY	2								1											3		3	
	LA									1											1		1	
	MN			26								2										28	28	
	MS	8																			8		8	
	MT	2		31			10														24	19	43	
	ND	34	21	21			3			24	1								20	120		4	124	
	NE	304	12	72			6	2	13			1	6						4	407	11	2	420	
	NM	137		63			1			6			11								145	2	71	218
	NV	9		1						1											10		1	11
	OK	123		14			6	3		1			24								133	3	35	171
	OR	92	1	64			4			1			1						1	152	2	10	164	
	PA	1																			1		1	
	TN	10	1							7											18		18	
	TX	302		268			45	42		89		3	44						3	724	54	18	796	
	UT	93		26			65			4		3							13	203	1		204	
	VA			1			1			1												3	3	
	WA	4																			4		4	
	WI											1									1		1	
	WV	7																			7		7	
	WY	98		11			9			119			3						1	224	2	15	241	
	Total for SKUNKS, STRIPED	4,956	41	708			175	118	2	364	1	76	90						53	6,271	111	202	6,584	

SKYLARKS (ALL)

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
	HI									1										1			1
	Total for SKYLARKS (ALL)									1										1			1
SNAKES, BROWN TREE																							
	GU	3											4,795							4,798			4,798
	Total for SNAKES, BROWN TREE	3											4,795							4,798			4,798
SNAKES, NON-POISONOUS (OTHER)																							
	CO												1							1			1
	WY												3							3			3
	Total for SNAKES, NON-POISONOUS (OTHER)												4							4			4
SNAKES, POISONOUS (ALL)																							
	CA												3							3			3
	CO												5							5			5
	NC							1														1	1
	NE							8		1										9			9
	OR							3												3			3
	SC							73												73			73
	WA	2																				2	2
	WY							2				6								8			8
	Total for SNAKES, POISONOUS (ALL)	2						87				15								101		3	104
SPARROWS, EURASIAN TREE																							
	GU												9							8	1		9
	Total for SPARROWS, EURASIAN TREE												9							8	1		9
SPARROWS, HOUSE/ENGLISH																							
	CA							57				1								57		1	58
	FL							125				94								219			219
	HI	203						202				1								405		1	406
	IL							3												3			3

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
SPARROWS, HOUSE/ENGLISH																							
	IN									3										3			3
	KY									73		3								76			76
	NE							1		3										4			4
	NM															75				75			75
	OR									4										4			4
	TN									5							20			25			25
	VA											1								1			1
	VT									4										4			4
	WA	54																		54			54
	Total for SPARROWS, HOUSE/ENGLISH	257						1		479		100				95				930		2	932
SPARROWS, JAVA																							
	HI	131								778										909			909
	Total for SPARROWS, JAVA	131								778										909			909
SQUAWFISH, NORTHERN																							
	WA											11,381								11,381			11,381
	Total for SQUAWFISH, NORTHERN											11,381								11,381			11,381
SQUIRRELS, FOX																							
	CO											1								1			1
	NE	4										1								5			5
	OK	7																		7			7
	Total for SQUIRRELS, FOX	11										2								13			13
SQUIRRELS, GRAY																							
	CA	10																		10			10
	KY	1																		1			1
	OR									3										3			3
	WY									1										1			1

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
SQUIRRELS, GRAY																							
Total for SQUIRRELS, GRAY		11						4												15			15
SQUIRRELS, GROUND (ALL)																							
	CA	433	27	2						255		5								722			722
	CO											1								1			1
	IA											3								3			3
	ND							20												20			20
	NM	2																			2		2
	NV														20					20			20
	OR																		2	2			2
	UT	25																		25			25
	WA									305										305			305
Total for SQUIRRELS, GROUND (ALL)		460	27	2				580				9			20				2	1,098	2		1,100
SQUIRRELS, RED																							
	CA	2																		2			2
	WY	1																		1			1
Total for SQUIRRELS, RED		3																		3			3
SQUIRRELS, z-(OTHER)																							
	CO											2								2			2
	NM							13												13			13
Total for SQUIRRELS, z-(OTHER)								13				2								15			15
STARLINGS, EUROPEAN																							
	AL									3										3			3
	CA	38								57		6								101			101
	FL	28								88										116			116
	IA															20				20			20
	ID							1		22					178,700					178,723			#####

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
STARLINGS, EUROPEAN																							
	IL									104		4			11,982						12,090		12,090
	IN														55						55		55
	KS							30													30		30
	KY									1,177		8			50,184				11,000		62,369		62,369
	MI														1,126						1,126		1,126
	MO									46											46		46
	NE							44		16											60		60
	NJ									75		7									82		82
	NV									87					19,000						19,087		19,087
	NY									12											12		12
	OK									71											71		71
	OR									160					27,700						27,860		27,860
	TN							9		28					3,850						3,887		3,887
	VA														11						12		12
	WA	199,103						2		2,570		2			77,907				3,791		283,375		#####
	WV														2,050						2,050		2,050
	Total for STARLINGS, EUROPEAN	199,169						86		4,516		28			372,585				14,791		591,175		591,175
SWALLOWS, BARN																							
	IL									7											7		7
	MO									7											7		7
	WA									7											7		7
	Total for SWALLOWS, BARN									21											21		21
SWALLOWS, TREE																							
	MO									3											3		3
	Total for SWALLOWS, TREE									3											3		3
SWALLOWS, z-(MIXED)																							
	AK									1											1		1

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
SWALLOWS, z-(MIXED)																							
										1										1		1	
Total for SWALLOWS, z-(MIXED)																							
SWANS, MUTE																							
	OH									2										2		2	
Total for SWANS, MUTE																							
TERNs (OTHER)																							
	CA												1								1		1
	WA									77										77		77	
Total for TERNs (OTHER)																							
TERNs, CASPIAN																							
	WA									7										7		7	
Total for TERNs, CASPIAN																							
TOWHEE, RUFIOUS-SIDED																							
	GA									1										1		1	
Total for TOWHEE, RUFIOUS-SIDED																							
TURKEY, WILD (ALL)																							
	CA						2															2	2
	MA									13										13		13	
	OK			1			1															2	2
	TX			2			2															4	4
Total for TURKEY, WILD (ALL)																							
TURTLES (ALL)																							
	AL		67	1			1															69	69
	FL		1																			1	1
	GA		32																			32	32
	IA		1																			1	1
	KY		5																			5	5

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
TURTLES (ALL)																								
	LA		31																				31	31
	MN			1																			1	1
	MS		95	2			1													2			96	98
	NC		93																				93	93
	NE		1																				1	1
	OK		430	1																	2		429	431
	SC		72	1																			73	73
	TN		19																				19	19
	TX		60																		7		53	60
	VA		3																				3	3
	WI		8																				8	8
	Total for TURTLES (ALL)		918	6			2													2	9		915	926
VOLES (ALL)																								
	ID														20						20			20
	NJ											25									25			25
	WA		43																				43	43
	Total for VOLES (ALL)		43									25			20						88			88
VULTURES, BLACK																								
	KY									6											6			6
	MS			1						2											2		1	3
	NJ									1											1			1
	OK									2											2			2
	TN		2							48											50			50
	TX		111	3			1			131											242		4	246
	VA									2											2			2
	Total for VULTURES, BLACK		113	4			1			192											305		5	310
VULTURES, TURKEY																								

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
VULTURES, TURKEY																							
	FL									11										11			11
	KY									14										14			14
	MN			3																		3	3
	OK			2																		2	2
	TN									22										22			22
	TX	31		1			2			194										225		3	228
	WY									19										19			19
	Total for VULTURES, TURKEY	31		6			2			260										291		8	299
VULTURES, z-(MIXED)																							
	FL									4										4			4
	KY									23										23			23
	TN									59										59			59
	Total for VULTURES, z-(MIXED)									86										86			86
WEASELS (ALL)																							
	CA		1																	1			1
	WY											1								1			1
	Total for WEASELS (ALL)		1									1								2			2
WOLVES, GRAY/TIMBER																							
	MN			131			18	1				18								168			168
	MT			2	9					1			1							12		1	13
	WY				3															3			3
	Total for WOLVES, GRAY/TIMBER			133	12		18	1		1		18	1							183		1	184
WOODPECKERS, z-(OTHER)																							
	GA									1										1			1
	ND		1																	1			1
	Total for WOODPECKERS, z-(OTHER)		1							1										2			2
z-PASSERINES (OTHER)																							

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1998

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
	HI									169										169			169
	MO									1		1								1		1	2
Total for z-PASSERINES (OTHER)										170		1								170		1	171
TOTAL:		236,096	24,145	20,997	28,074	300	18,940	12,411	7,020	109,713	2,203	22,161	21,389	720,975	920	277	55	425	16,183	1,236,713	936	4,628	1,242,284

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take