

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
ALLIGATORS, AMERICAN																							
	LA		5				1															6	6
	MS			1			1															2	2
	SC		6																			6	6
	TX		6																			6	6
	Total for ALLIGATORS, AMERICAN		17	1			2															20	20
ANHINGAS																							
	FL									5											5		5
	Total for ANHINGAS									5											5		5
ARMADILLOS, NINE-BANDED																							
	FL	4		1						3											8		8
	LA		1																			1	1
	MS		2																			2	2
	OK	19								1											20		20
	TX	4																			4		4
	Total for ARMADILLOS, NINE-BANDED	27	3	1						4											32	3	35
BADGERS																							
	CA	3	10	12			50	5	1	17											97	1	98
	CO			1				1		1											2	1	3
	IA			1						1											2		2
	ID			28			2														10	12	30
	MN			8																		8	8
	MO									2											2		2
	MT			8	1		6														8	1	15
	ND		3	27			1			1											29	2	32
	NE	3	2	72			8	2		4											89	2	91
	NM			6			2						1								2		9
	NV			5																		5	5

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
BADGERS																							
	OK			12			2	1		1										5		11	16
	OR	1		120			6			6										128	3	2	133
	TX			43			85													12	1	115	128
	UT			8	2		3													8		5	13
	WY			9			5			2										5	1	10	16
	Total for BADGERS	7	15	360	3		170	9	1	35			1							399	22	180	601
BATS (ALL)																							
	AL												3									3	3
	CO												2							2			2
	TX												1							1			1
	Total for BATS (ALL)												6							3	3		6
BEARS, BLACK																							
	AZ	3				5							7							15			15
	CA	50				1		1		11			13							76			76
	CO	2				7		5		3			15							32			32
	ID					3				2			3							8			8
	MN			1			2															3	3
	MT					8				2										10			10
	NV						1						1							1		1	2
	OR	7				144	4	1		4			14							174			174
	UT					16	3						6							25			25
	WV												2									2	2
	Total for BEARS, BLACK	62		1		184	10	7		22			59	2						341		6	347
BEARS, GRIZZLY																							
	MT					2														2			2
	Total for BEARS, GRIZZLY					2														2			2
BEARS, LOUISIANA BLACK																							

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
	LA	2																		2			2
	Total for BEARS, LOUISIANA BLACK	2																		2			2
BEAVERS																							
	AK		1					7												8			8
	AL		282	28			25	28		33			1							397			397
	AZ	32	11							1										44			44
	CA	19	424	1			101	8	3	108										664			664
	CO	45	247				21	35		51			2							401			401
	FL		29	1			21	1												52			52
	GA		157	1			167	2		4										331			331
	ID		32	2			6	2		1										43			43
	IL		1																	1			1
	KS		10																	10			10
	KY		64	4			2			9										79			79
	LA		1,255	860			464	173		17										2,766	3		2,769
	ME	13	36				1													50			50
	MN		109	43																152			152
	MO		5				1													6			6
	MS		4,310	425			392	929		183			3							6,242			6,242
	NC		4,220	114			33	30		93										4,490			4,490
	ND	30	764	87			25	2		122										1,030			1,030
	NE	8	102	5			32	15		12										172		2	174
	NM		47	3				13												63			63
	NV									2										2			2
	OK		4,177	36			561	1,370		572										6,716			6,716
	OR	5	175	189			355	26		14										764			764
	SC		1,474	27			167	172		55										1,895			1,895
	TN	1	200	23			15			29										268			268
	TX		2,332	56			58	1,230		652										4,328			4,328

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
BEAVERS																								
	UT		3				6														9		9	
	VA		110	1			8	3		12											134		134	
	WA		91	14			9			21											135		135	
	WI		1,090	411			2			13		4									1,520		1,520	
	WV		6				2														8		8	
	WY		6	3			1														10		10	
	Total for BEAVERS	153	21,770	2,334			2,475	4,046	3	2,004		10									32,790	3	2	32,795
BEAVERS, MOUNTAIN																								
	OR		38																		38		38	
	Total for BEAVERS, MOUNTAIN		38																		38		38	
BLACKBIRDS, RED-WINGED																								
	KY									46											46		46	
	MO	7								171		15									193		193	
	NM													1,300							1,300		1,300	
	NV													400							400		400	
	VA									4											4		4	
	WA	228								762				1,000							1,990		1,990	
	Total for BLACKBIRDS, RED-WINGED	235								983		15		2,700							3,933		3,933	
BLACKBIRDS, YELLOW-HEADED																								
	MO	1																			1		1	
	TX	2																				2	2	
	Total for BLACKBIRDS, YELLOW-HEADED	3																			1	2	3	
BLACKBIRDS, z-(MIXED SPECIES)																								
	AZ									211				385							596		596	
	KY	5												1,025							1,030		1,030	
	LA																		1	1			1	

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
BLACKBIRDS, z-(MIXED SPECIES)																							
	MO									98										98			98
	TN									13										13			13
	TX									100					2,846,520					2,846,620			#####
	WA	27								2,280										2,307			2,307
	Total for BLACKBIRDS, z-(MIXED SPECIES)	32								2,702					2,847,930				1	2,850,665			2,850,665
BLACKBIRDS, z-(OTHER)																							
	NV														150					150			150
	WA	2																				2	2
	Total for BLACKBIRDS, z-(OTHER)	2													150					150		2	152
BOBCATS																							
	AL		1	1																		2	2
	CA	24		28		3	25	2	7	9		15								103	4	6	113
	CO											2										2	2
	GA			2																2			2
	ID			4																4			4
	LA			2																1		1	2
	MS		1																			1	1
	MT			1			1						3								1	4	5
	ND						1															1	1
	NE			4																4			4
	NM			141	2		23	4	4			1					1			171	2	3	176
	NV			4						1										4		1	5
	OK	11		18			17		12	3										46	4	11	61
	OR			34		2	11		1	2		8								54	1	3	58
	TX	1		876	388		569	11	53	37		40	2							1,962	6	9	1,977
	UT			2			1													2	1		3
	VA			6																		6	6

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
BOBCATS																							
	WA			1																1			1
	WV			4																2		2	4
	WY			2			5			1										3	1	4	8
	Total for BOBCATS	36	2	1,130	390	5	653	13	77	57		66	5				1			2,359	20	56	2,435
CARACARAS																							
	TX									1										1			1
	Total for CARACARAS									1										1			1
CARDINALS, RED CRESTED																							
	HI	243								310										553			553
	Total for CARDINALS, RED CRESTED	243								310										553			553
CATS, FERAL/FREE RANGING																							
	AL	1																		1			1
	AZ	33																		33			33
	CA	736		27			1	780	2	143		9								1,696	2		1,698
	FL	4						16												16		4	20
	GU	16		1																17			17
	HI	226		2						102										330			330
	ID			1																		1	1
	IL	1																		1			1
	KY	1	7							1										9			9
	MN			2		1																3	3
	MO									1										1			1
	NC	3																		3			3
	ND	2		1						5										7		1	8
	NE	11	2										1							10	2	2	14
	NJ	2																		2			2
	NV									1										1			1

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
CATS, FERAL/FREE RANGING																							
	OH	2																		1	1		2
	OR	3		1																4			4
	PA	3								1										4			4
	TN	12								1										13			13
	TX	13		17			4			1									1	21	1	14	36
	UT			1			3													1		3	4
	VA						1															1	1
	WA	10		2																10		2	12
	WY	38		1						4										43			43
	Total for CATS, FERAL/FREE RANGING	1,117	9	56		1	9	796	2	260		10							1	2,224	6	31	2,261
CHIPMUNKS (ALL)																							
	NH											2								2			2
	Total for CHIPMUNKS (ALL)											2								2			2
COOTS, AMERICAN																							
	AZ																4			4			4
	CA											2,191								2,191			2,191
	NM																52			52			52
	NV																13			13			13
	WA		2																			2	2
	Total for COOTS, AMERICAN		2									2,191					69			2,260		2	2,262
CORMORANTS (OTHER)																							
	AK			1																		1	1
	WA									41										41			41
	Total for CORMORANTS (OTHER)			1						41										41		1	42
CORMORANTS, DOUBLE-CRESTED																							
	AL									17										17			17

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
CORMORANTS, DOUBLE-CRESTED																							
	FL									2										2			2
	NV																		1	1			1
	OK		6																			6	6
	SC		2																			2	2
	TX									56										56			56
	WA							1		825										826			826
	Total for CORMORANTS, DOUBLE-CRESTED		8					1		900			1							902		8	910
COWBIRDS, BROWN-HEADED																							
	CA	37								2										39			39
	IL									1										1			1
	KY									28										28			28
	MO	20								224			99							343			343
	NV														450					450			450
	TX	5,740																		5,740			5,740
	VA									41										41			41
	WA	316																		316			316
	Total for COWBIRDS, BROWN-HEADED		6,113							296			99		450					6,958			6,958
COYOTES																							
	AL		1	2			11													14			14
	AZ			349	142		3	149	112				65							820			820
	CA	18		605	500	126	1,874	84	####	1,498	728	315	116					1		7,361			7,361
	CO			33	2,347		70	1	301	40	49	187	130							3,158			3,158
	FL			10				2												12			12
	GA									1										1			1
	IA									1										1			1
	ID			285	3,033		69	632	133	52	81	293						76		4,652	2		4,654
	IL			3			8	2		12			1							26			26

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
COYOTES																							
	KY						6			2										8		8	
	LA			39			116	1												156		156	
	MA									1										1		1	
	MN			38																37	1	38	
	MT			165	6,602		449		424	102	223	378	1,455						8	9,806		9,806	
	ND	1		178	1,190		210		31	24	2	8	424						3	2,071		2,071	
	NE			346	485		145		96	50	25		1,727						82	2,956		2,956	
	NM			811	2,021		675		#####	246	3	29	2,449			1				7,263	6	7,269	
	NV			922	2,448		245		345	279	73	73	208						4	4,597		4,597	
	OK	1		479	1,442		514	11	#####	200	27	5	2,265							6,040	1	6,041	
	OR	2		1,239	2,784		993		180	203	89	96	884						1	6,470		1	6,471
	TN			1			10			1		6								18		18	
	TX			1,457	2,780	2	6,514	35	759	459	102	49	5,585			23		1	17,766			17,766	
	UT			334	2,168		247		555	99	215	10	777						14	4,419		4,419	
	VA			34			41			3			204			1				283		283	
	WA			119	238		161		90	136	18	33	559						46	1,400		1,400	
	WV			23			10		4				95			7			3	142		142	
	WY			334	2,695		578	2	687	325	549	356	923							6,449		6,449	
	Total for COYOTES	22	1	7,806	30,875	128	12,949	138	7,880	3,927	2,155	1,627	#####			32		239	85,927	10	1	85,938	
CROWS (OTHER)																							
	WA									26										26		26	
	Total for CROWS (OTHER)									26										26		26	
CROWS, AMERICAN																							
	CA	3								62		1		4						70		70	
	ID									2										2		2	
	IL	1								31										32		32	
	KY									5				10						5	10	15	

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
CROWS, AMERICAN																							
	MA									16										16			16
	MN									1										1			1
	MO									9		1								10			10
	ND							10		3										13			13
	NM												1									1	1
	NY									43										43			43
	OK									5										5			5
	TN									4										4			4
	TX												1									1	1
	VA									9							369			378			378
	WA	79						12		285		4					120			500			500
	Total for CROWS, AMERICAN	83						12	10	475		6	2		503				1,079	10	2		1,091
DEER, MULE																							
	CA					1	5	5		1										6	6		12
	MT						1			3										3	1		4
	NM			1			3															4	4
	OR						1	3												3	1		4
	TX						7															7	7
	WA									2										2			2
	WY			1			3															4	4
	Total for DEER, MULE			2		1	20	8		6										14	23		37
DEER, WHITE-TAILED																							
	AL			1																		1	1
	CT									20										20			20
	GA							150		71										221			221
	IA									22										22			22
	IL							514		50		1								565			565

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
DEER, WHITE-TAILED																								
	KY							9		7											30			30
	LA						2																2	2
	LI							13		1											14			14
	MA									3											3			3
	MI							19		22					3						44			44
	MN			1			4																5	5
	MO							11		1											12			12
	MT						2			2											2		2	4
	ND									14											14			14
	OK			1			9																10	10
	PA							51		2											53			53
	SC							16		2											18			18
	TX			1			36																37	37
	VA						7	61		20											81		7	88
	WI			1						19											19		1	20
	Total for DEER, WHITE-TAILED			5			60	844		256					18						1,118		65	1,183
DEER, z-(OTHER)																								
	CA						2												1	1		2		3
	OK						2																2	2
	OR						2																2	2
	WA		3							7											10			10
	WY						1																1	1
	Total for DEER, z-(OTHER)			3			7			7									1	11		7		18
DOGS, FERAL/FREE RANGING & HYBRIDS																								
	AZ		6	56			4		28	131					5						230			230
	CA		2	1		1	6		3	22			1	1							33	1	3	37
	CO						2	5	8	12			2	2							27	1	3	31

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
DOGS, FERAL/FREE RANGING & HYBRIDS																							
	GU	19	6									1								26			26
	HI					3				26										29			29
	ID		4							9			4							14	1	2	17
	IL									2										2			2
	KY											1								1			1
	LA		1				6			1										7		1	8
	MN		2																			2	2
	MT		1				1	3					14							11		8	19
	ND												1									1	1
	NE									1			10							2	1	8	11
	NM		10				6						44							11		49	60
	NV						2			2										2		2	4
	OK		4				16						38							1	1	56	58
	OR						6													1	1	4	6
	TX		28				117	9	30			6	88					2		200	51	29	280
	UT						1						5									6	6
	VA		3				6		2				12							14	9		23
	WA		2				14		1				1							16		2	18
	WY						1	3	1				3							4	3	1	8
	Total for DOGS, FERAL/FREE RANGING & HYBRID	27	118			4	188	5	54	240		11	228					2		631	69	177	877
DOVE, MOURNING																							
	CA												1							1			1
	IL									3										3			3
	KY							3		421										424			424
	MO									104										104			104
	NE									160										160			160
	TN									941										941			941

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
DOVE, MOURNING																							
	TX														3							3	3
	VA									27										27			27
Total for DOVE, MOURNING								3		1,656		1		3						1,660		3	1,663
DOVE, SPOTTED																							
	HI	19								4,111										4,129		1	4,130
Total for DOVE, SPOTTED		19								4,111										4,129		1	4,130
DOVE, ZEBRA																							
	HI	49								#####										19,270			19,270
Total for DOVE, ZEBRA		49								19,221										19,270			19,270
DRONGOS, BLACK																							
	GU									56										56			56
Total for DRONGOS, BLACK										56										56			56
DUCKS, DABBLING (OTHER)																							
	AK									191										191			191
	CA											4								2	2		4
	FL									1										1			1
	ID		1	1																		2	2
	IL									1										1			1
	KY									4										4			4
	LA																1					1	1
	MO									6										6			6
	MS			1																		1	1
	NC		1																			1	1
	ND						1															1	1
	NE									1										1			1
	TN																3				3		3

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
DUCKS, DABBLING (OTHER)																							
	UT		1																			1	1
	WA									17											17		17
	Total for DUCKS, DABBLING (OTHER)		3	2			1			221			4				4			223	5	7	235
DUCKS, DIVING (ALL)																							
	AK									75			1								76		76
	FL									2											2		2
	IL									1											1		1
	KY									1											1		1
	MS		1																			1	1
	OK		1																			1	1
	WA									67											67		67
	Total for DUCKS, DIVING (ALL)		2							146			1							147		2	149
DUCKS, FERAL																							
	AL																23			23			23
	CA												3								3		3
	GA																11			11			11
	IA	8																			8		8
	SC		1																			1	1
	TN																1				1		1
	TX	5															33			38			38
	UT																				105		105
	VA																74				74		74
	WA																1					1	1
	Total for DUCKS, FERAL		13	1									108				143			263	1	1	265
EGRETS, CATTLE																							
	FL									44											44		44
	HI	3								3,536											3,539		3,539

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
FISH (OTHER)																								
	TX		2																			2	2	
	Total for FISH (OTHER)		7																		1	6	7	
FISHERS																								
	MN			1																		1	1	
	Total for FISHERS			1																		1	1	
FLICKERS, NORTHERN																								
	ID		1							2											3		3	
	ND											1									1		1	
	NV									2											2		2	
	OR									1											1		1	
	WY									2											2		2	
	Total for FLICKERS, NORTHERN		1							7		1									9		9	
FOWL, PEA																								
	HI									4											4		4	
	Total for FOWL, PEA									4											4		4	
FOXES, ARCTIC																								
	AK	10	11	240			9			37	41	4	9								361		361	
	Total for FOXES, ARCTIC	10	11	240			9			37	41	4	9								361		361	
FOXES, CHANNEL ISLAND GRAY																								
	CA	13																			13		13	
	Total for FOXES, CHANNEL ISLAND GRAY	13																			13		13	
FOXES, GRAY																								
	AL			1																		1	1	
	AZ								2												2		2	
	CA	89					12	1	7	19		7	9								131	10	3	144
	KY						1														1		1	

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
FOXES, GRAY																							
	NM			14			2								12					8	2	18	28
	NV			1																		1	1
	OK						1								8							9	9
	OR			11			6								3					15		5	20
	TX	8	1	907	51		392	16	176	26		4	384							1,828	89	48	1,965
	UT			1											3							4	4
	VA			5			4	3							23					4		31	35
	WI		4																			4	4
	WV			2											29					2	1	28	31
	Total for FOXES, GRAY	97	5	942	51		418	20	185	45		11	471							1,991	102	152	2,245
FOXES, KIT																							
	NM			2			2								18							22	22
	NV														2							2	2
	UT														4							4	4
	Total for FOXES, KIT			2			2								24							28	28
FOXES, RED																							
	CA	6		53			26	18		10	13	1	5							127	5		132
	CO	5		7	27		14		17	21	12	9	5							117			117
	FL			18				9												25		2	27
	ID		5	77	2		9		4	22			60						58	236		1	237
	IL									1										1			1
	KY		1																	1			1
	LA			1																1			1
	MN			14						1										1		14	15
	MO			1						1										2			2
	MT			62	31		96	2	38	114			138						2	462	3	18	483
	ND			37	2		12	1	4				21						2	78		1	79

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
FOXES, RED																							
	NE			19			3			3	2		13						42	82			82
	NJ						12			1										13			13
	NM			6																6			6
	OR	1		68			29		4	40			1							139		4	143
	TX			266	63		262		26	15	47		228						1	902	4	2	908
	UT	2		55	27		190		7	11	2		83						4	380		1	381
	VA		1	15			26	26		2			43							41	1	71	113
	WA			1																		1	1
	WI			1																		1	1
	WV						2						20							2	1	19	22
	WY			139	28		111	1	13	92	54	4	305						6	745	3	5	753
	Total for FOXES, RED	14	7	840	180		792	54	74	262	244	14	922						115	3,361	17	140	3,518
FOXES, SWIFT																							
	NM												16									16	16
	WY												1									1	1
	Total for FOXES, SWIFT												17									17	17
FRANCOLIN, BLACK																							
	HI	1								707										708			708
	Total for FRANCOLIN, BLACK	1								707										708			708
FRANCOLIN, ERCKEL'S																							
	HI									7										7			7
	Total for FRANCOLIN, ERCKEL'S									7										7			7
FRANCOLIN, GRAY																							
	HI									683										683			683
	Total for FRANCOLIN, GRAY									683										683			683
FROGS/TOADS (ALL)																							

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
FROGS/TOADS (ALL)																							
	HI	1																		1			1
	Total for FROGS/TOADS (ALL)	1																		1			1
GEESE, ALEUTIAN CANADA (T&E)																							
	AK			3																		3	3
	Total for GEESE, ALEUTIAN CANADA (T&E)			3																		3	3
GEESE, CANADA																							
	AK							119												119			119
	CT	3						115												118			118
	GA																1			1			1
	IA	1																		1			1
	IL							229				25								254			254
	KY							19										1		20			20
	LA																1			1			1
	LI							5												5			5
	MA							2												2			2
	MN		2																			2	2
	MO							8				9								17			17
	NE							4												4			4
	NJ							5				1								6			6
	OR							2												2			2
	PA	136						49				10								195			195
	RI							3												3			3
	TN							3				1						1		4	1		5
	UT											1								1			1
	VT											1								1			1
	WA							81									7			88			88
	WI	21																		21			21

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
GEESE, CANADA																							
	Total for	161	2					644									11		863	1	2	866	
GEESE, FERAL																							
	VA																						1
	WA																20		20				20
	Total for																20		21				21
GEESE, SNOW																							
	MO							2															2
	NE							2															2
	TX							23															23
	VA							4															4
	WA							2															2
	Total for							33															33
GEESE, WHITE-FRONTED (ALL)																							
	AK							2															2
	Total for							2															2
GEESE, z-(OTHER)																							
	WY						1																1
	Total for						1																1
GOATS, FERAL																							
	HI							192															192
	Total for							192															192
GOPHERS, POCKET (ALL)																							
	CO												1										1
	NV												1										1
	TX												2										2
	Total for												4										4

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
GRACKLES (OTHER)																							
	FL									5										5			5
	MO									3			7							10			10
	Total for GRACKLES (OTHER)									8			7							15			15
GRACKLES, BOAT-TAILED																							
	GA															70				70			70
	TX									16										16			16
	Total for GRACKLES, BOAT-TAILED									16						70				86			86
GRACKLES, COMMON																							
	MO									3			42							45			45
	NE	149								4										153			153
	TN									33										33			33
	TX		2																			2	2
	Total for GRACKLES, COMMON		151							40			42							231		2	233
GRACKLES, GREAT-TAILED																							
	AZ															22				22			22
	TX									993							23,232			24,225			24,225
	Total for GRACKLES, GREAT-TAILED									993							23,254			24,247			24,247
GREBES (ALL)																							
	MS		1																			1	1
	WA									85										85			85
	Total for GREBES (ALL)		1							85										85		1	86
GULLS, CALIFORNIA																							
	WA									2,697										2,697			2,697
	Total for GULLS, CALIFORNIA									2,697										2,697			2,697
GULLS, FRANKLIN'S																							
	NE									9										9			9

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
GULLS, FRANKLIN'S																							
										9										9			9
GULLS, GLAUCOUS-WINGED																							
	AK		3							1										1		3	4
	WA									950			116							1,066			1,066
			3							951			116							1,067		3	1,070
GULLS, GREAT BLACK-BACKED																							
	LI									96										96			96
	NH									15										15			15
	NY									7										7			7
	RI									40										40			40
										158										158			158
GULLS, HEERMANN'S																							
	CA									5										5			5
										5										5			5
GULLS, HERRING																							
	AK									11										11			11
	FL									84										84			84
	IL									9										9			9
	LI									405										405			405
	NH									136										136			136
	NY									236										236			236
	RI									79										79			79
	WA									82										82			82
										1,042										1,042			1,042
GULLS, LAUGHING																							
	FL									28										28			28

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
GULLS, LAUGHING																							
	LI									2,841										2,841		2,841	
	NJ									149										149		149	
	Total for GULLS, LAUGHING									3,018										3,018		3,018	
GULLS, RING-BILLED																							
	ID									12										12		12	
	IL									191		1								192		192	
	KY									26										26		26	
	LI									37										37		37	
	MI													3						3		3	
	NH									2										2		2	
	NY									127										127		127	
	OR									1,065										1,065		1,065	
	RI									8										8		8	
	VA											1								1		1	
	WA									9,488										9,488		9,488	
	Total for GULLS, RING-BILLED									10,956		2		3						10,961		10,961	
GULLS, WESTERN																							
	CA		1							515		123								638	1	639	
	Total for GULLS, WESTERN		1							515		123								638	1	639	
GULLS, z-(OTHER)																							
	AK									72		1								73		73	
	CA									45										45		45	
	WA									137										137		137	
	Total for GULLS, z-(OTHER)									254		1								255		255	
HARES, JACKRABBITS (ALL)																							
	AZ									8										8		8	

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
HARES, JACKRABBITS (ALL)																							
	CA			1				42												42	1		43
	IA									22										22			22
	MN									14										14			14
	ND						1															1	1
	NM			3			5			75										75		8	83
	OK						1															1	1
	TX	4		4			76			3										7		80	87
	UT						2															2	2
	Total for HARES, JACKRABBITS (ALL)		4	8			85	42		122										168	1	92	261
HARES, SNOWSHOE																							
	MN			1																		1	1
	Total for HARES, SNOWSHOE			1																		1	1
HAWKS, COOPER'S																							
	CA									4		1								5			5
	Total for HAWKS, COOPER'S									4		1								5			5
HAWKS, HARRIERS (MARSH HAWKS)																							
	CA									7										7			7
	MO									3										3			3
	Total for HAWKS, HARRIERS (MARSH HAWKS)									10										10			10
HAWKS, RED-TAILED																							
	CA									33										33			33
	KY									27		2								29			29
	MO									3		2								5			5
	Total for HAWKS, RED-TAILED									63		4								67			67
HAWKS, z-(OTHER)																							
	KY									1										1			1

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
HAWKS, z-(OTHER)																							
	LA			1																		1	1
	WA	1																				1	1
	Total for HAWKS, z-(OTHER)			1						1										1		2	3
HERONS, BLACK-CROWNED NIGHT																							
	CA							1		1											2		2
	ID									2											2		2
	WA									175											175		175
	Total for HERONS, BLACK-CROWNED NIGHT							1		178										179			179
HERONS, GREAT BLUE																							
	AL		1	3																		4	4
	CA									11											11		11
	FL									2											2		2
	ID									16											16		16
	KY									1											1		1
	LA			1																		1	1
	MO									1											1		1
	MS			4																	2	2	4
	NC		1																			1	1
	TN			1						15											15		16
	WA									292											292		292
	WI			1																		1	1
	Total for HERONS, GREAT BLUE			2	10					338										338	2	10	350
HERONS, GREEN-BACKED																							
	TX									2											2		2
	Total for HERONS, GREEN-BACKED									2										2			2
HOGS, FERAL																							

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
HOGS, FERAL																							
	CA	82				1	12	4		30		67								192		4	196
	GA	29						2		58										89			89
	HI	1				47				21		1								70			70
	KS	3																		3			3
	KY									7										7			7
	MS	18																		18			18
	NM						14													13		1	14
	OK	27		1	48		5			12										92		1	93
	SC							1												1			1
	TX	711		28	2,130		2,148	6	15	305		71	5							5,386	9	24	5,419
	Total for HOGS, FERAL	871		29	2,178	48	2,179	13	15	433		139	5							5,871	9	30	5,910
JAYS, SCRUB																							
	NM												1									1	1
	Total for JAYS, SCRUB												1									1	1
JUNGLEFOWL, RED																							
	HI	7								775										782			782
	Total for JUNGLEFOWL, RED	7								775										782			782
KESTRELS, AMERICAN																							
	CA									110		22								132			132
	ID		1																			1	1
	IL									9		19								28			28
	KY									17		47								64			64
	MO									1		7								8			8
	TN									4										4			4
	VA									3										3			3
	Total for KESTRELS, AMERICAN		1							144		95								239		1	240
KILLDEERS																							

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
	FL									1										1			1
	KY									102										102			102
	MO									31										31			31
	TN									9										9			9
	VA									1										1			1
	Total for KILLDEERS									144										144			144
KINGFISHERS (ALL)																							
	ID									3										3			3
	WA									15										15			15
	Total for KINGFISHERS (ALL)									18										18			18
LARKS, HORNED																							
	KY									21										21			21
	MO									56										56			56
	Total for LARKS, HORNED									77										77			77
LIONS, MOUNTAIN (COUGAR)																							
	AZ					2						53								55			55
	CA	10								6		86								102			102
	CO					1				1		2								4			4
	ID			1		1														2			2
	MT			1								15								16			16
	NM			8		2	7					2								18	1		19
	NV											28								28			28
	OR			17			14			1		31								61	2		63
	TX			8			7					18								33			33
	UT					11	2					23								36			36
	WY						1															1	1
	Total for LIONS, MOUNTAIN (COUGAR)	10		35		17	31			8		258								355	3	1	359
MAGPIES, BLACK-BILLED																							

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
MAGPIES, BLACK-BILLED																							
	AK	1				1																2	2
	ID							4							35					39			39
	WA	1						28												29			29
	Total for MAGPIES, BLACK-BILLED	2				1		32							35					68		2	70
MALLARDS																							
	AK		3					247			1									248		3	251
	CA										10									4	6		10
	FL							3												3			3
	IL							121			1									122			122
	KY							58												58			58
	MO							28												28			28
	NE							6												6			6
	NV																2			2			2
	TN							2									5			2	5		7
	UT										5									5			5
	VA							20									86			106			106
	Total for MALLARDS		3					485			17						93			584	11	3	598
MANNIKIN, CHESTNUT																							
	HI							9,820												9,820			9,820
	Total for MANNIKIN, CHESTNUT							9,820												9,820			9,820
MANNIKIN, NUTMEG																							
	HI							25												25			25
	Total for MANNIKIN, NUTMEG							25												25			25
MARMOTS/WOODCHUCKS (ALL)																							
	AL		28					43												71			71
	CA							31												31			31

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
MARMOTS/WOODCHUCKS (ALL)																							
	CT		3																	3			3
	ID			1						3					1,575					1,578		1	1,579
	IL		9							8		1								18			18
	KY									1										1			1
	MT						1															1	1
	NE	3																		3			3
	NH	6	8																	14			14
	NV	1	31																6	38			38
	OH	22																		8	12	2	22
	OK	2																		2			2
	OR	12	2				2			50										66			66
	PA		168							16		1								185			185
	TN		18																	18			18
	VA		28	1			2						2							27	1	5	33
	WA									47										47			47
	WV						2			15		1	2						6	24		2	26
	Total for MARMOTS/WOODCHUCKS (ALL)		46	295	2		7			214		3	4		1,575				12	2,134	13	11	2,158
MARTINS, PURPLE																							
	MO									1										1			1
	Total for MARTINS, PURPLE									1										1			1
MEADOWLARKS, EASTERN																							
	IL									1										1			1
	KY									25		2								27			27
	MO			1						2		1								3	1		4
	NE											4										4	4
	TN									4										4			4
	TX													4								4	4

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
MEADOWLARKS, EASTERN																							
Total for MEADOWLARKS, EASTERN				1						32		7		4						35	1	8	44
MEADOWLARKS, WESTERN																							
Total for MEADOWLARKS, WESTERN										1										1			1
MERGANSER (OTHER)																							
Total for MERGANSER (OTHER)										2										2			2
	FL																						
	MN		3																			3	3
	WA									323										323			323
	WI			1																		1	1
Total for MERGANSER (OTHER)			3	1						325										325		4	329
MERGANSER, RED-BREASTED																							
Total for MERGANSER, RED-BREASTED										17										17			17
MICE, DEER (ALL)																							
Total for MICE, DEER (ALL)													23							23			23
	CA												5							5			5
	IN																						
Total for MICE, DEER (ALL)													28							28			28
MICE, HOUSE																							
Total for MICE, HOUSE			612										1							1			1
	AL												25							392			392
	CA	367																					
	HI	245																		245			245
	IN												2							2			2
	ND												3							3			3
Total for MICE, HOUSE			612										31							643			643
MICE, z-FIELD (OTHER)																							
Total for MICE, z-FIELD (OTHER)													2							2			2

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
MICE, z-FIELD (OTHER)																								
	MO																		5		5		5	
	Total for MICE, z-FIELD (OTHER)																		7		7		7	
MICE/RATS (MIXED)																								
	VA							15													15		15	
	Total for MICE/RATS (MIXED)							15													15		15	
MINKS																								
	MO		1																			1	1	
	ND		7	1			2														9	1	10	
	OK		1																		1		1	
	OR	1		5																	6		6	
	UT	4	7				1			1											13		13	
	WI			1																	1		1	
	Total for MINKS	5	16	7			3			1											30	1	32	
MOLES (ALL)																								
	TN																		3		3		3	
	Total for MOLES (ALL)																		3		3		3	
MONGOOSES, INDIAN																								
	HI	1,254		3			6			47											1,310		1,310	
	Total for MONGOOSES, INDIAN	1,254		3			6			47											1,310		1,310	
MUSKRATS, z-(OTHER)																								
	AL		7	2																	1		8	9
	CA		7				2			66								7			82		82	
	CO									11											11		11	
	GA		61																		59		61	
	ID		3	13																	13		16	
	IL	1	3																		4		4	

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
MUSKRATS, z-(OTHER)																							
	KS		1																			1	1
	KY		2							2										4			4
	LA		3																			3	3
	MI												6							6			6
	MN		4																			4	4
	MO		230					2		59										289		2	291
	MS		35	4				27												52	2	12	66
	NC		50	1				1												52			52
	ND		60	6				5		38										95	13	1	109
	NE		4					5												9			9
	OK		9					1		2										8	1	3	12
	OR		2	15						3										18		2	20
	SC		6																			6	6
	TN		3																			3	3
	UT		1																			1	1
	VA		55					6					2							62		1	63
	WA		8	1						5										8		6	14
	WI		53	17																		70	70
	WY		3	1						2										6			6
	Total for MUSKRATS, z-(OTHER)	1	610	60			2	47		188		8							7	779	16	128	923
MYNAS (ALL)																							
	HI		7							1,296										1,296		7	1,303
	Total for MYNAS (ALL)	7								1,296										1,296		7	1,303
NIGHTHAWKS (ALL)																							
	MO									1										1			1
	Total for NIGHTHAWKS (ALL)									1										1			1
NUTRIAS																							

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
NUTRIAS																							
	AL		4																	1		3	4
	LA		114	32			6	7		1					8					11		157	168
	MS		189	56			6	84		21										287	11	58	356
	NC		275	1						8										284			284
	OK		5																	4	1		5
	OR	11	101	20			4			21		1								158			158
	TX	5	148				2	67		222		2								439	3	4	446
	WA	1	9																	10			10
	Total for NUTRIAS	17	845	109			18	158		273		3			8					1,194	15	222	1,431
OPOSSUMS, VIRGINIA																							
	AL		10	23			4					1								8		30	38
	CA	1,232	1	4		2	2	11		3		78								1,316	16	1	1,333
	GA	1																		1			1
	IL									2										2			2
	KS									1										1			1
	KY		9																	9			9
	LA	21		1			8	2												16	2	14	32
	MO			1																	1		1
	NE	64	3	10						1										77		1	78
	OH	6																		3	1	2	6
	OK	11		6			14	13												23	1	35	59
	OR	31		19			7			1										51	3	4	58
	TX	252	1	73		2	5	1		3		18	45							319	1	80	400
	VA		4	9			2															37	37
	WA	6																		6			6
	WI			1																		1	1
	Total for OPOSSUMS, VIRGINIA	1,624	28	147		4	42	27		11		97	82							1,832	25	205	2,062
OTTERS, RIVER																							

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
	AL		24																			24	24	
	CA		10																		4	6	10	
	FL		5				3															8	8	
	GA		4																			4	4	
	ID		1																			1	1	
	KY		1	2																		3	3	
	LA		51	6			5															62	62	
	MN		12	1																		13	13	
	MS		96	6			1													1	9	93	103	
	NC		49				1															50	50	
	OK		35																		1	34	35	
	OR	7	5	1																	9	4	13	
	SC		141				1															142	142	
	TN		5																			5	5	
	TX		94	2			1			1											63	35	98	
	VA		11																		6	5	11	
	WA									4											4		4	
	WI		52	11																	1	62	63	
	Total for OTTERS, RIVER	7	596	29			12			5											84	14	551	649
OWLS, BARRED																								
	LA									1											1		1	
	Total for OWLS, BARRED									1											1		1	
OWLS, BURROWING																								
	CA							1		1		2									4		4	
	Total for OWLS, BURROWING							1		1		2									4		4	
OWLS, COMMON BARN																								
	CA			1				9	2	12		4									27	1	28	
	HI									14											14		14	

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
OWLS, COMMON BARN																							
	Total for OWLS, COMMON BARN			1				9	2	26		4								41	1		42
OWLS, GREAT HORNED																							
	CA							1												1			1
	MO									2										2			2
	Total for OWLS, GREAT HORNED							1		2										3			3
OWLS, z-(OTHER)																							
	KY									1										1			1
	Total for OWLS, z-(OTHER)									1										1			1
PECCARIES, COLLARED (JAVELINA)																							
	NM			1																		1	1
	TX			6			155															161	161
	Total for PECCARIES, COLLARED (JAVELINA)			7			155															162	162
PELICANS, AMERICAN WHITE																							
	AL									8										8			8
	WY									6										6			6
	Total for PELICANS, AMERICAN WHITE									14										14			14
PHEASANT, RING-NECKED																							
	HI	1								87										87		1	88
	Total for PHEASANT, RING-NECKED	1								87										87		1	88
PIGEONS, FERAL (ROCK DOVE)																							
	AK	1,187						154		81		1								1,423			1,423
	AL									241		15		63						319			319
	AZ									16		83						20		119			119
	CA	869								1,176		9		770						2,821	3		2,824
	CO	60						813		65		1				500				1,439			1,439
	DE	85								252				1						338			338

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
PIGEONS, FERAL (ROCK DOVE)																							
	FL	45																			45		45
	GA									322											322		322
	GU	10						40		22											75		75
	HI									138											252		252
	IA									401											406		406
	ID	50						314		230							400				994		994
	IL	488								290							1,428				2,225		2,225
	KS							435		367											802		802
	KY	1,660						384		1,627							4,182				7,856		7,856
	LA									23											49		49
	MA									20											20		20
	MD	43								70											113		113
	ME							953									81				1,034		1,034
	MI							60		52							5				117		117
	MO							16		1,471											1,487		1,487
	NC	194						399													593		593
	ND	80								83											163		163
	NE	33						156		343											532		532
	NH	21																			21		21
	NM	59								48							300				407		407
	NV									10							155				165		165
	NY							49		84											133		133
	OK	10						7									100		10		127		127
	OR	432						335		1,507											2,274		2,274
	SC							30									30				60		60
	TN	937						501		318							341				2,097		2,097
	TX	382						4		800							397				1,583		1,583
	VA	382						8		1,351							53				1,820		1,820

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
PIGEONS, FERAL (ROCK DOVE)																							
	WA	6,020						1,310		#####		4									18,368		18,368
	WV	394								154				355							903		903
	WY									71											71		71
	Total for PIGEONS, FERAL (ROCK DOVE)	13,441						5,968		22,667		309		8,661		510		20		51,573	3		51,576
PORCUPINES																							
	CA						1															1	1
	CO			1			1															2	2
	ID			5																1		4	5
	MN			2																		2	2
	MT			6			28														1	33	34
	ND			1			12													2		11	13
	NE			2			4			2										7		1	8
	NM			12			9													1	5	15	21
	NV			1																		1	1
	OR			25			8	116		6										152	2	1	155
	TX			9			81			5		1							1	8		89	97
	UT						1															1	1
	WA			2						1										3			3
	WY			5			4			1		1								2		9	11
	Total for PORCUPINES			71			149	116		15		2							1	176	8	170	354
PRAIRIE DOGS, BLACK-TAILED																							
	NE									321											321		321
	Total for PRAIRIE DOGS, BLACK-TAILED									321											321		321
PRAIRIE DOGS, WHITE-TAILED																							
	UT									72											72		72
	Total for PRAIRIE DOGS, WHITE-TAILED									72											72		72
PRAIRIE DOGS, z-(OTHER)																							

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
	AZ									101										101			101
	Total for PRAIRIE DOGS, z-(OTHER)									101										101			101
PRONGHORN (ANTELOPE)																							
	MT						1															1	1
	NM			2																		2	2
	Total for PRONGHORN (ANTELOPE)			2			1															3	3
RABBITS, COTTONTAIL																							
	AL		7																			7	7
	AZ									6										6			6
	CA	3	10																	1	12		13
	IL							3		20		1								24			24
	KY	8								1										9			9
	LA						3															3	3
	ND	1																		1			1
	OH	1																				1	1
	PA		1																			1	1
	TN						1			18										18		1	19
	TX			1			1															2	2
	VA		1					5												5		1	6
	WY	2		1						2										4		1	5
	Total for RABBITS, COTTONTAIL		15	19	2		5	8		47		1								68	12	17	97
RABBITS, FERAL																							
	TX			1																		1	1
	Total for RABBITS, FERAL			1																		1	1
RABBITS, SWAMP																							
	MS			2																		2	2
	Total for RABBITS, SWAMP			2																		2	2
RABBITS, z-(OTHER)																							

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
	WA			1																		1	1
	WI			1																		1	1
	Total for RABBITS, z-(OTHER)			2																		2	2
RACCOONS																							
	AL		20	14			8					4								44		2	46
	AZ			2																2			2
	CA	1,623	5	8			40	50		18		32	1							1,762	9	6	1,777
	CO	17		2			3	1				4								19	4	4	27
	FL	73	3	24			1	18		9										124		4	128
	GA	11	2																	11		2	13
	ID	11		6								1								15		3	18
	IL	1								7		9								17			17
	KY		8	2								1								10		1	11
	LA	52	16	48			21	4		17										70	11	77	158
	LI		7							1										8			8
	MA	1																		1			1
	MN			19																		19	19
	MO			1			1			6										6	1	1	8
	MS		24	31						1		2								2	5	51	58
	MT			1			7					1	1							4	3	3	10
	NC		9	2						1											1	11	12
	ND	5	35	26			5			7		1								72	1	6	79
	NE	137	18	59			36		2	9		7	3							268	3		271
	NM	5		6						1										8		4	12
	NV						1															1	1
	NY	1																		1			1
	OH	221																		221			221
	OK	71	11	45			55	1					10							85	4	104	193
	OR	137	3	72			37	1		2		15	1							235	6	27	268

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
RACCOONS																							
	SC		11	2			1															14	14
	TN	6								1										6		1	7
	TX	338	44	2,034			809	177	49	72		177	210						1	3,380	383	148	3,911
	UT	273		25			158			1		4								461			461
	VA		8	22			7	2					24							5	5	53	63
	VT	2																		2			2
	WA	3		2			2			1										6	1	1	8
	WI	1	6	27																5		29	34
	WV	1					2						14							1		16	17
	WY	64		10			10			6			1							78		13	91
	Total for RACCOONS	3,054	230	2,490			1,204	254	51	160		258	265						1	6,929	437	601	7,967
RATS, BLACK (ROOF)																							
	CA	197										8								205			205
	GU											18							1,110	1,128			1,128
	HI	684								1										685			685
	TX											1			527					528			528
	Total for RATS, BLACK (ROOF)	881								1		27			527				1,110	2,546			2,546
RATS, NORWAY																							
	AK			75								42								117			117
	CA	2										24								26			26
	GU											1,036								1,036			1,036
	HI	3																		3			3
	IL											3								3			3
	MS			1																		1	1
	TN														80					80			80
	TX	1																		1			1
	UT											1								1			1

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
RATS, NORWAY																							
	VA									45										45			45
	Total for RATS, NORWAY	6	76							45		1,106			80					1,312		1	1,313
RATS, PACKRATS/WOODRATS (ALL)																							
	CA	2																		2			2
	OR	2					1													3			3
	Total for RATS, PACKRATS/WOODRATS (ALL)	4					1													5			5
RATS, POLYNESIAN																							
	HI	6																		6			6
	Total for RATS, POLYNESIAN	6																		6			6
RAVENS (OTHER)																							
	MN		1																			1	1
	Total for RAVENS (OTHER)		1																			1	1
RAVENS, COMMON																							
	AK		6					8												8		6	14
	AZ							5												5			5
	CA	29	2					255		2				120						408			408
	ID							3						72						75			75
	MT		1																		1		1
	NM												3									3	3
	NV							19						476						495			495
	OR							19						560						579			579
	UT		1	17				5												22	1		23
	VA												3									3	3
	WA							2	48					20						70			70
	WY													92						92			92
	Total for RAVENS, COMMON	29	10	17				2	362		2	6	1,340							1,754	2	12	1,768
RINGTAILS																							

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
	TX	3		5																	2		9	11
Total for RINGTAILS		3		5																	2		9	11
ROBINS, AMERICAN																								
	TN									1											1			1
	VT	1																					1	1
Total for ROBINS, AMERICAN		1								1											1		1	2
SHOREBIRDS (OTHER)																								
	AK									29											29			29
	TN									4											4			4
Total for SHOREBIRDS (OTHER)										33											33			33
SHREWS (ALL)																								
	GU																				1			1
Total for SHREWS (ALL)																					1			1
SHRIKES (ALL)																								
	CA									2											13			13
	WY									2											2			2
Total for SHRIKES (ALL)										4											15			15
SKUNKS, HOG-NOSED																								
	TX			1																			1	1
Total for SKUNKS, HOG-NOSED				1																			1	1
SKUNKS, SPOTTED																								
	CA	18																			20			20
	OK																						2	2
Total for SKUNKS, SPOTTED		18																			20		2	22
SKUNKS, STRIPED																								
	AL			6						1											2		5	7

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
SKUNKS, STRIPED																								
	AZ	29		3																	32		32	
	CA	3,554	3	43		2	10	143		72		69							12	3,898	7	3	3,908	
	CO	53						13				16									82		82	
	ID	16		24			2														26	3	13	42
	IL									17											17			17
	LA	2								7											9			9
	MN			42		2																	44	44
	MO									3											3			3
	MS	20																			20			20
	MT			18			2						2								4	16	2	22
	ND	10	18	13			1			2									9	49		4		53
	NE	301	38	29			3	7		3		4							12	397				397
	NH	1																					1	1
	NJ									1											1			1
	NM	127		38						1			5								131		40	171
	NV	6																			6			6
	NY	1																					1	1
	OH	1																			1			1
	OK	27		13			7	9		1			19								38		38	76
	OR	172		50			10			2											224	3	7	234
	PA	2	3							1											6			6
	TN	16	3																10	29				29
	TX	350	4	193			72	32		39		14	29						3	686	25	25		736
	UT	133		9			72			2									42	255	1	2		258
	VA		2	1				4					2								5	1	3	9
	WA	8																			8			8
	WI	1																				1		1
	WV	10								2			4						1	13			4	17

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
SKUNKS, STRIPED																							
	WY	111		41			1			110		1	3						8	250	6	19	275
Total for SKUNKS, STRIPED		4,951	77	517		4	180	208		264		104	64						97	6,192	63	211	6,466
SNAKES, BROWN TREE																							
	GU	90										5,015								5,105			5,105
Total for SNAKES, BROWN TREE		90										5,015								5,105			5,105
SNAKES, NON-POISONOUS (OTHER)																							
	IL											1								1			1
	TX											1								1			1
	UT											1								1			1
Total for SNAKES, NON-POISONOUS (OTHER)												3								3			3
SNAKES, POISONOUS (ALL)																							
	CA									5		1								6			6
	SC									73										73			73
	TX									7										7			7
	WY											1								1			1
Total for SNAKES, POISONOUS (ALL)										85		2								87			87
SPARROWS, EURASIAN TREE																							
	GU											1								1			1
Total for SPARROWS, EURASIAN TREE												1								1			1
SPARROWS, HOUSE/ENGLISH																							
	CA									6		1								6		1	7
	CO							30												30			30
	HI	75								71		6								152			152
	IL	2								69		3								74			74
	IN									27										27			27
	KY							1		183		1				275				460			460

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
SPARROWS, HOUSE/ENGLISH																							
	MO									101		312								413			413
	ND											12								12			12
	NE								3											3			3
	OR								2											2			2
	TX																1					1	1
	VA											7								7			7
	WA	1																		1			1
	Total for SPARROWS, HOUSE/ENGLISH	78						31		462		342				1			275	1,187		2	1,189
SPARROWS, JAVA																							
	HI		23							1,553										1,576			1,576
	Total for SPARROWS, JAVA	23								1,553										1,576			1,576
SQUAWFISH, NORTHERN																							
	WA											17,611								17,611			17,611
	Total for SQUAWFISH, NORTHERN											17,611								17,611			17,611
SQUIRRELS, FOX																							
	ND																		1	1			1
	NE	1								2											3		3
	OK	4																			4		4
	Total for SQUIRRELS, FOX	5								2									1	8			8
SQUIRRELS, GRAY																							
	AL		1																			1	1
	CA	5																		5			5
	GA	184																		184			184
	OH	1																				1	1
	WY	20																		20			20
	Total for SQUIRRELS, GRAY	210	1																	209		2	211
SQUIRRELS, GROUND (ALL)																							

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
	CA	928	125	1						59										1,112		1	1,113
	CO	1										1								2			2
	ID														100					100			100
	ND	4								23									675	702			702
	NE											1								1			1
	NM	3																		3			3
	NV		2																	2			2
	TX									3										3			3
	UT	3																		3			3
	WA									21									125	146			146
	Total for SQUIRRELS, GROUND (ALL)	939	127	1						106		2			100				800	2,074		1	2,075
SQUIRRELS, RED																							
	NY	1																				1	1
	OR		1																			1	1
	Total for SQUIRRELS, RED	1	1																			2	2
SQUIRRELS, z-(OTHER)																							
	CO	1										1								2			2
	WA									43										43			43
	Total for SQUIRRELS, z-(OTHER)	1								43		1								45			45
STARLINGS, EUROPEAN																							
	AK									6										6			6
	AL									1										1			1
	CA	1,263								100		1								1,364			1,364
	CT														1,000					1,000			1,000
	GA									1										1			1
	IA									1		1			200					202			202
	ID									85					126,350					126,435			#####
	IL	1,702								226		2,350			10,840					15,118			15,118

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
STARLINGS, EUROPEAN																								
	KS							200													200		200	
	KY									1,305		5,000		24,020		100					30,405	20	30,425	
	MA	8							1					400							409		409	
	MI													8,000							8,000		8,000	
	MO	26								142		49									217		217	
	NE	708						30		291											1,029		1,029	
	NJ											5									5		5	
	NM													1,322							1,322		1,322	
	NV													316,600							316,600		#####	
	NY	1,564								9											1,573		1,573	
	OR									344				56,000							56,344		56,344	
	PA													800							800		800	
	TN							1		70				22							71	22	93	
	TX									26											26		26	
	UT													8,000							8,000		8,000	
	VA	119												1,303							1,422		1,422	
	WA	111,635						31		4,725		3		176,100					4,550		297,044		#####	
	WV													4,000							4,000		4,000	
	Total for STARLINGS, EUROPEAN	117,025						262		7,333		7,409		734,957		100			4,550		871,594	22	20	871,636
SWALLOWS, BARN																								
	AL									6											6		6	
	MO						1			71		30									102		102	
	TN											28									28		28	
	Total for SWALLOWS, BARN						1			77		58									136		136	
SWALLOWS, TREE																								
	MO									2											2		2	
	Total for SWALLOWS, TREE									2											2		2	

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
SWALLOWS, z-(MIXED)																							
	AK																			1		1	1
	MO									10											10		10
	Total for SWALLOWS, z-(MIXED)									10											11		11
SWALLOWS, z-(OTHER)																							
	MO									4											4		4
	PA									43											43		43
	Total for SWALLOWS, z-(OTHER)									47											47		47
SWANS, MUTE																							
	OH									8											8		8
	Total for SWANS, MUTE									8											8		8
TERNs (OTHER)																							
	MO									1											1		1
	Total for TERNs (OTHER)									1											1		1
TERNs, CASPIAN																							
	WA									4			1								4	1	5
	Total for TERNs, CASPIAN									4			1								4	1	5
TERNs, FORSTER'S																							
	WA									131											131		131
	Total for TERNs, FORSTER'S									131											131		131
TURKEY, WILD (ALL)																							
	MA									4											4		4
	TX																					1	1
	Total for TURKEY, WILD (ALL)									4											4	1	5
TURTLES (ALL)																							
	AL		59	2			1															62	62

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
TURTLES (ALL)																							
	GA		9				2													2		9	11
	KY		3																			3	3
	LA		43																			43	43
	MN			2																		2	2
	MO		1																			1	1
	MS		76				1													1	36	40	77
	NC		26																			26	26
	NE		10																	8		2	10
	OK		316				5															321	321
	SC		41																			41	41
	TN		12	2																2		12	14
	TX		63																		7	56	63
	VA		30									9								35		4	39
	WI		15																			15	15
	Total for TURTLES (ALL)		704	6			9					9								48	43	637	728
VOLES (ALL)																							
	ID															220					220		220
	IN											7									7		7
	NE		1																		1		1
	Total for VOLES (ALL)		1									7				220					228		228
VULTURES, BLACK																							
	AL									10											10		10
	MS		1																			1	1
	SC									2											2		2
	TN		161							41		25									227		227
	TX		237							94											331		331
	VA									1			1								1	1	2

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
VULTURES, BLACK																							
Total for VULTURES, BLACK		398	1							148		25	1							571		2	573
VULTURES, TURKEY																							
	AL			1																		1	1
	FL									32										32			32
	MN			4																		4	4
	NJ									3										3			3
	TN									8		5								13			13
	TX	26					1			137										163		1	164
	VA									18										18			18
Total for VULTURES, TURKEY		26		5			1			198		5								229		6	235
VULTURES, z-(MIXED)																							
	FL									5										5			5
	KY									16										16			16
	TN									49										49			49
Total for VULTURES, z-(MIXED)										70										70			70
WEASELS (ALL)																							
	CA	3	4							2										9			9
	UT									2										2			2
Total for WEASELS (ALL)		3	4							4										11			11
WOLVES, GRAY/TIMBER																							
	ID			2					1											3			3
	MN			139			3	12	2	1										157			157
	MT				11															11			11
	WY				1								1							1		1	2
Total for WOLVES, GRAY/TIMBER				141	12		3	12	3	1			1							172		1	173
WOODPECKERS, PILEATED																							

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY1999

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
WOODPECKERS, PILEATED																							
	GA									1										1			1
	Total for WOODPECKERS, PILEATED									1										1			1
WOODPECKERS, z-(OTHER)																							
	ME									1										1			1
	WY									2										2			2
	Total for WOODPECKERS, z-(OTHER)									3										3			3
z-PASSERINES (OTHER)																							
	CA											1										1	1
	TX													33								33	33
	VA											2										2	2
	Total for z-PASSERINES (OTHER)											3		33								36	36
	TOTAL:	154,438	25,465	17,636	33,706	402	21,873	13,117	8,359	116,412	2,440	37,635	20,272	3,620,094	2,510	885	33	360	6,938	4,077,453	975	4,147	4,082,575

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take