

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
ALLIGATORS, AMERICAN																								
	LA		4	1																		5	5	
	SC		1																			1	1	
	Total for ALLIGATORS, AMERICAN		5	1																		6	6	
ARMADILLOS, NINE-BANDED																								
	FL	1								11											12		12	
	GA									24											24		24	
	MS									3											3		3	
	OK	30	1					6		2											38	1	39	
	TX	22	1				2			3			1								26	3	29	
	Total for ARMADILLOS, NINE-BANDED		53	2			2	6		43		1									103	4	107	
BADGERS																								
	CA		11	1			45	2		17	3										79		79	
	CO			1																		1	1	
	IA									1											1		1	
	ID			63			2			10											60	15	75	
	MN			3																		3	3	
	MO			1																	1		1	
	MT			9	1		4														4	3	7	14
	ND		2	18			7			2											28	1	29	
	NE	2		38			8	1	1	1											51		51	
	NM	1		9			4														2	1	11	14
	NV			25			1														8	1	17	26
	OK			4																	1		3	4
	OR	1		98			1			15											113	2	115	
	TX			51			99						1								10	1	140	151
	UT			8	2		4														6		8	14
	WY			22			10			3											5		30	35

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
BADGERS																							
	Total for BADGERS	4	13	351	3		185	3	1	49	3				1					369	9	235	613
BATS (ALL)																							
	AL														2					2			2
	CA														1					1			1
	TX														1					1			1
	UT														2					2			2
	WY														3					3			3
	Total for BATS (ALL)														9					9			9
BEARS, BLACK																							
	AZ	2				3		4	1	11					9					30			30
	CA	64				1				12					27					104			104
	CO	7				4				3					23					37			37
	ID					2				4					2					8			8
	MT	1			3	16				3										23			23
	NM					4								1						4		1	5
	NV														1					1			1
	OR	24		4		142	11			6					17					202	1	1	204
	UT					16	3								10					29			29
	WV														2							2	2
	WY					2									1					3			3
	Total for BEARS, BLACK	98		4	3	190	14	4	1	39					90	3				441	1	4	446
BEARS, GRIZZLY																							
	WY									1										1			1
	Total for BEARS, GRIZZLY									1										1			1
BEAVERS																							
	AK		5	3																8			8

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total		
BEAVERS																									
	AL		453	19			34	6		14												526	526		
	AZ		5							8												13	13		
	CA	35	380				135	13		169			12									744	744		
	CO	130	212				8	70		46												466	466		
	FL		22	3			30															55	55		
	GA		115	5			128	2		32												282	282		
	IA		23				1															24	24		
	ID		25	17			4			8												54	54		
	IL		5							1												6	6		
	KS		1																			1	1		
	KY		87	3			1			7												98	98		
	LA		712	332			319	494		8												1,865	1,865		
	MA									2												2	2		
	ME	13	60																			73	73		
	MI		1																			1	1		
	MN		79	34						3												116	116		
	MO		4							1												5	5		
	MS		3,782	341		2	496	875		67												5,563	5,563		
	MT						1			6												7	7		
	NC		4,826	180			45	83		102												5,229	1	6	5,236
	ND	34	1,272	139			32			174												1,649	1	1	1,651
	NE	17	165	5			16	3		15												221		221	
	NM		35	1				11														47		47	
	NV		1																			1		1	
	NY		5																			5		5	
	OK		3,553	26			565	1,254		599												5,997		5,997	
	OR	10	156	143			391	28		21												748	1	749	
	SC		1,238	43			111	91		29												1,512		1,512	

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
BEAVERS																							
	TN		277	12			3			20										312			312
	TX		2,466	13			78	1,220		609										4,386			4,386
	UT		11				9													20			20
	VA		90	2			5	13		22										132			132
	WA		38	8			7			21										74			74
	WI		1,092	440						14										1,546			1,546
	WV		1				4													5			5
	WY		13				5			6										24			24
	Total for BEAVERS	239	21,210	1,769			2	2,428	4,163	2,004					12					31,817	2	8	31,827
BEAVERS, MOUNTAIN																							
	OR		2																	2			2
	Total for BEAVERS, MOUNTAIN		2																	2			2
BLACKBIRDS, RED-WINGED																							
	CA									1										1			1
	KY									15										15			15
	MO			1						5										5	1		6
	NE									26										26			26
	NJ									12										12			12
	NV	1																			1		1
	TX	2																				2	2
	VA	17								64										81			81
	WA	72								45										87	30		117
	Total for BLACKBIRDS, RED-WINGED	92		1						168										227	32	2	261
BLACKBIRDS, YELLOW-HEADED																							
	ID													400						400			400
	TX	1																				1	1
	Total for BLACKBIRDS, YELLOW-HEADED	1												400						400		1	401

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
BLACKBIRDS, z-(MIXED SPECIES)																							
	AZ														936					936			936
	CA	7,205								1,082										8,287			8,287
	KY														1,400					1,400			1,400
	MO	8								83										91			91
	NM														3,000					3,000			3,000
	OK									300					1,400					1,700			1,700
	SD	370																		370			370
	TX														1,920,200					1,920,200			#####
	WA	3,192								2,632					5,700					11,500		24	11,524
	Total for BLACKBIRDS, z-(MIXED SPECIES)	10,775								4,097					1,932,636					1,947,484		24	1,947,508
BLACKBIRDS, z-(OTHER)																							
	WA	1								4										4		1	5
	Total for BLACKBIRDS, z-(OTHER)	1								4										4		1	5
BOBCATS																							
	CA	28		9		8	17	3	3	13					18					85	4	10	99
	CO			2																2			2
	ID			3			1													4			4
	KS			3																3			3
	LA			3						1										1		3	4
	MO									1										1			1
	MT			1			1															2	2
	NE		1	2																3			3
	NM			207	2	2	19		9	3				3						235	4	6	245
	NV			8			4													11	1		12
	OK	8		15			8		11	2										37		7	44
	OR	4		42			10			3				26						83		2	85
	TX	6		997	289		585	4	59	43		31	6							1,993	19	8	2,020

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
BOBCATS																							
	UT			7			1	3												3	7	1	11
	VA			2																		2	2
	WA							1												1			1
	WV			5				3												3		5	8
	WY			4				5													1	8	9
	Total for BOBCATS	46	1	1,310	291	11	657	7	82	66		78	6							2,465	36	54	2,555
BULBUL, RED-VENTED																							
	HI									16										16			16
	Total for BULBUL, RED-VENTED									16										16			16
CARDINALS, RED CRESTED																							
	HI	100								1,129										1,229			1,229
	Total for CARDINALS, RED CRESTED	100								1,129										1,229			1,229
CATS, FERAL/FREE RANGING																							
	AZ	27																		27			27
	CA	169		14			1	209	4	23		4								422	2		424
	FL	7		1				2												5		5	10
	GA	3																		3			3
	GU	92		2						3		3								100			100
	HI	296								103		1								399	1		400
	ID	8								7										15			15
	IL							1		2										3			3
	KY	7	1	4						3										15			15
	LA			1			1															2	2
	MN			1																		1	1
	MO									3										3			3
	ND		2																	2			2
	NE	12										1								13			13

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
CATS, FERAL/FREE RANGING																							
	NM											1								1			1
	OH	2								2		1								5			5
	OK			1											1					1		1	2
	OR	2																		2			2
	PA	6								1										7			7
	TN	1																		1			1
	TX	21		22			2			1					1					22		25	47
	VA			2				6												6		2	8
	WA								1	2										3			3
	WY	42		3						2										47			47
	Total for CATS, FERAL/FREE RANGING	695	3	51			4	218	5	152		11	2							1,102	3	36	1,141
CATTLE, FERAL																							
	HI									2										2			2
	Total for CATTLE, FERAL									2										2			2
COOTS, AMERICAN																							
	CA											471								471			471
	IL									10										10			10
	LA									5										5			5
	MO									4										4			4
	NV																	34		34			34
	Total for COOTS, AMERICAN									19		471						34		524			524
CORMORANTS (OTHER)																							
	WA									6										6			6
	Total for CORMORANTS (OTHER)									6										6			6
CORMORANTS, DOUBLE-CRESTED																							
	AL									2										2			2

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
CORMORANTS, DOUBLE-CRESTED																							
	AR									266										266			266
	OK		3																			3	3
	TX		1																			1	1
	VT									2										2			2
	WA									491										491			491
	Total for CORMORANTS, DOUBLE-CRESTED		4							761										761		4	765
COWBIRDS, BROWN-HEADED																							
	CA	324																		324			324
	KY									107										107			107
	NE									150										150			150
	NV	23																		23			23
	NY											15								15			15
	TX	5,101																		5,101			5,101
	VA	31								2										33			33
	WA	3,181								1										3,182			3,182
	Total for COWBIRDS, BROWN-HEADED		8,660							260		15								8,935			8,935
COYOTES																							
	AZ			333	252		2	2	108	144	5				23					869			869
	CA	14		107	753	325	2,569	86	#####	1,777	876	345						15		8,714			8,714
	CO			5	2,391		52	4	337	92	32	217	220					1		3,351			3,351
	FL			2																2			2
	GA							2												1		1	2
	IA						1	1												2			2
	ID			459	3,461		134	4	670	158	63	66	346					110		5,468	3		5,471
	IL							1		5										6			6
	KS			15																15			15
	KY	1		1			10			2										14			14

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
COYOTES																							
	LA		31				112			2										145		145	
	MA									2										2		2	
	MN		34			1				1		1								37		37	
	MO		4				12	1		4										21		21	
	MT		235	6,789			547		516	83	174	276	986							9,606		9,606	
	ND		246	790			297		103	21	19	38	460						5	1,979		1,979	
	NE		285	709			207		68	43	15		1,644						55	3,026		3,026	
	NJ									3										3		3	
	NM		956	1,201			671		742	267	2	27	2,264			2				6,128	4	6,132	
	NV	1	1,172	4,329			233		448	381	75	119	253						2	7,013		7,013	
	OK		392	1,150			411	1	#####	188	24		1,864						4	5,068		5,068	
	OR	2	1,160	2,931		1	899		237	187	123	95	634						14	6,282	1	6,283	
	SC								1											1		1	
	TN						8			1										9		9	
	TX	16	1,477	2,029			6,479	10	821	337	30	41	5,336			24		2		16,601		1	16,602
	UT		280	2,356			350		512	89	108	21	818							4,534		4,534	
	VA		36				62						106							204		204	
	WA		177	238			190		45	122	73	39	582							1,466		1,466	
	WI		1																		1	1	
	WV		38				35		2				127			1				203		203	
	WY		520	2,527			476		683	370	516	391	691							6,174		6,174	
	Total for COYOTES	34	7,966	31,906		327	13,757	112	8,174	4,279	2,135	1,676	#####			27		208		86,944	8	3	86,955
CROWS (OTHER)																							
	FL									9										9		9	
	IL									1										1		1	
	WA									51										51		51	
	Total for CROWS (OTHER)									61										61		61	
CROWS, AMERICAN																							

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
	CA									144		1		29							174			174
	CT									47											47			47
	GA									138											138			138
	IA									8											8			8
	ID									3											3			3
	IL									17											17			17
	KY									9		1		960							970			970
	MA									16											16			16
	MN									1											1			1
	MO									21											21			21
	NE									4											4			4
	NJ									35											35			35
	NM												2										2	2
	NY									342											342			342
	OK								774	5,310				1							6,085			6,085
	OR									5											5			5
	TN									2											2			2
	TX								38				1								38		1	39
	VA								67	61											128			128
	WA	6						1		215											221		1	222
	Total for CROWS, AMERICAN	6						1	879	6,378		2	3	990							8,255		4	8,259
DEER, MULE																								
	AZ							2													2			2
	CA						3	5													5	1	2	8
	CO									7											7			7
	NM						2																2	2
	NV						2																2	2
	OR							2		5											7			7
	TX			2				3															5	5

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
DEER, MULE																							
	UT						1															1	1
	WY						6															6	6
	Total for DEER, MULE		2				17	9		12										21	1	18	40
DEER, WHITE-TAILED																							
	CT									6										6			6
	GA							141		136										277			277
	IA									2										2			2
	IL							245		12										257			257
	KY	12								4										16			16
	LI									12										12			12
	MA									4										4			4
	MI							15		2										17			17
	MN						4															4	4
	MO							2		7										9			9
	MS			1			1															2	2
	MT						1			1										1		1	2
	ND									10										10			10
	OK						8															8	8
	PA							57		4										61			61
	SC							41		1										42			42
	TX	1		5			76															82	82
	VA						4	238		39										277		4	281
	WI									2										2			2
	WV						2	1		6										7		2	9
	Total for DEER, WHITE-TAILED	13	6				96	740		248										1,000		103	1,103
DEER, z-(OTHER)																							
	CA						2	7		3										10		2	12

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
DEER, z-(OTHER)																								
	OK						1															1	1	
	WA	7																			7		7	
	Total for DEER, z-(OTHER)	7					3	7		3										17		3	20	
DOGS, FERAL/FREE RANGING & HYBRIDS																								
	AL			1																			1	1
	AZ		79			1		13	155		2	2								250	1	1	252	
	CA	9	2				10	1	40											55	5	2	62	
	CO	1	2				5	14	9				5							36			36	
	GU	20	6																	26			26	
	HI	4				9	4		17											34			34	
	ID		2				2		2								2			6	2		8	
	LA						3															3	3	
	MS		1																		1		1	
	MT			2			1						7							6		4	10	
	ND						4		1				1							5		1	6	
	NE												2							1	1		2	
	NM						1						18								2	17	19	
	NV		2										1								1	2	3	
	OK		8				19		2				44							5		68	73	
	OR		1				3													3	1		4	
	SC		1																			1	1	
	TX	1	25				167	3	42				76						5	246	33	40	319	
	UT						1		1				7							1	1	7	9	
	VA		3				8		1				9							15	6		21	
	WA		3				8	6					3							20			20	
	WV		4				2		2				3							5		6	11	
	Total for DOGS, FERAL/FREE RANGING & HYBRID	35	140	2	10	238	37	272	2	178	2	5	714	54	153	921								

DOVE, MOURNING

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
	AZ									103										103			103
	CA	3																		1	2		3
	FL									277										277			277
	HI									16										16			16
	IL									24										24			24
	KY	122								1,144		15								1,281			1,281
	MN									60										60			60
	MO									16										16			16
	NE									72										72			72
	NJ									1										1			1
	NY	12																		12			12
	TN	8						2		642										650		2	652
	VA	6								107										113			113
	Total for DOVE, MOURNING	151						2		2,462		15								2,626	2	2	2,630
DOVE, SPOTTED																							
	HI	4								2,508										2,512			2,512
	Total for DOVE, SPOTTED	4								2,508										2,512			2,512
DOVE, ZEBRA																							
	HI	45								#####										16,500			16,500
	Total for DOVE, ZEBRA	45								16,455										16,500			16,500
DRONGOS, BLACK																							
	GU									268										268			268
	Total for DRONGOS, BLACK									268										268			268
DUCKS, DABBLING (OTHER)																							
	AK									200		2								202			202
	CA									1		23								24			24
	ID			1																	1		1

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
DUCKS, DABBLING (OTHER)																							
	IL									7										7			7
	KY									5										5			5
	MO									3										3			3
	MS			1																	1		1
	TN									3		1					7			11			11
	WA									8										8			8
	WI		1	2																		3	3
	Total for DUCKS, DABBLING (OTHER)		1	4						227		26					7			260	2	3	265
DUCKS, DIVING (ALL)																							
	AK			1						82										83			83
	MS		1																			1	1
	WA									34										34			34
	WI		2																			2	2
	Total for DUCKS, DIVING (ALL)		3	1						116										117		3	120
DUCKS, FERAL																							
	CA									76										76			76
	NV											1								1			1
	SC									23		4					8			35			35
	TN																1			1			1
	TX												1							1			1
	UT																			2			2
	VA	16															48			70			70
	WA									2							3			2		3	5
	Total for DUCKS, FERAL		16							101		14					60			188		3	191
DUCKS, SEA (EIDER/SCOTER/ETC)																							
	AK									2										2			2
	Total for DUCKS, SEA (EIDER/SCOTER/ETC)									2										2			2

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
EGRETS, CATTLE																							
	FL									33										33			33
	GA									3										3			3
	HI	4								4,151										4,155			4,155
	TX									155										155			155
	Total for EGRETS, CATTLE	4								4,342										4,346			4,346
EGRETS, GREAT																							
	AZ	1																				1	1
	CA									1										1			1
	LA			1																		1	1
	MO									1										1			1
	Total for EGRETS, GREAT	1		1						2										2		2	4
EGRETS, SNOWY																							
	CA									2										2			2
	Total for EGRETS, SNOWY									2										2			2
EGRETS/HERONS (MIXED)																							
	AR									39										39			39
	Total for EGRETS/HERONS (MIXED)									39										39			39
EGRETS/HERONS/CORMORANTS (MIXED)																							
	MN									1										1			1
	Total for EGRETS/HERONS/CORMORANTS (MIXED)									1										1			1
EXOTIC BIRDS (OTHER)																							
	HI									416										416			416
	Total for EXOTIC BIRDS (OTHER)									416										416			416
FALCONS (ALL)																							
	KY									3										3			3
	Total for FALCONS (ALL)									3										3			3

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
FINCHES, HOUSE																							
	CA															2					1	1	2
	HI	2								407										409			409
	IL									5										5			5
	TN									6										6			6
	TX	1																				1	1
	WA	1																				1	1
	Total for FINCHES, HOUSE	4								418						2				420	1	3	424
FINCHES, PURPLE																							
	MO									2										2			2
	Total for FINCHES, PURPLE									2										2			2
FISH (OTHER)																							
	AL		1																			1	1
	CA												22							22			22
	MO		1																			1	1
	MS		1																		1		1
	OK		1																			1	1
	Total for FISH (OTHER)		4										22							22	1	3	26
FISHERS																							
	MN			1																		1	1
	Total for FISHERS			1																		1	1
FLICKERS, NORTHERN																							
	ID		5							4										9			9
	MT									4										4			4
	WY									2			6							8			8
	Total for FLICKERS, NORTHERN		5							10			6							21			21
FOXES, ARCTIC																							

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
FOXES, ARCTIC																							
	AK	5	5	319			13	4	64	2										412			412
	Total for FOXES, ARCTIC	5	5	319			13	4	64	2										412			412
FOXES, GRAY																							
	CA	123		2		1	11	1	7			5								145	2	3	150
	FL			2																		2	2
	MN											1										1	1
	MO			1																1			1
	NM			12			6						24								2	40	42
	NV	1											2									3	3
	OK			8			4	2					4							13	1	4	18
	OR						1													1			1
	TX	2		1,112	37		594	95	10	1	6	446						1		2,162	111	31	2,304
	VA			5			2	2		1			16							3	1	22	26
	WV						4						24									28	28
	Total for FOXES, GRAY	126		1,142	37	1	622	2	98	18	1	12	516					1		2,325	117	134	2,576
FOXES, KIT																							
	NM			3			1						20									24	24
	NV			2									2									4	4
	UT												4									4	4
	Total for FOXES, KIT			5			1						26									32	32
FOXES, RED																							
	AK			4																4			4
	CA	28		32			10	21	2	15	4									112			112
	CO	2		3	5		14	1	7	15	9		7							63			63
	FL			2				2												4			4
	GA			2																2			2
	IA			1																1			1

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
FOXES, RED																								
	ID			66			29	1	13	9			30						24	172			172	
	KY																		1	1			1	
	LA								4											4			4	
	MN			16		1																18	18	
	MO						2			2										4			4	
	MT			102	73		105	8	23	70	2	140								485	14	24	523	
	ND			34			17		4	34			34							108		15	123	
	NE	1	1	34			10	1	7				13							61			128	
	NJ						5		2												7		7	
	NV			4																		4	4	
	OK			1			1														2		2	
	OR			61			25	3		25	12		1							126		1	127	
	PA								4												4		4	
	TN			3			2														5		5	
	TX			172	42		235		17	10	11		235							1	720	2	1	723
	UT	3		49	32		76		5	12	1		74								250	2		252
	VA			16			14	27		9	8		15								55	2	33	90
	WV						5						28								2	5	26	33
	WY			192	21		112	1	16	72	80	7	136								631	4	2	637
	Total for FOXES, RED	34	2	794	173	1	662	55	57	217	238	11	713							86	2,890	29	124	3,043
FOXES, SWIFT																								
	NM												8										8	8
	Total for FOXES, SWIFT												8										8	8
FRANCOLIN, BLACK																								
	HI			3						548											551			551
	Total for FRANCOLIN, BLACK			3						548											551			551
FRANCOLIN, ERCKEL'S																								

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
FRANCOLIN, ERCKEL'S																							
	HI									10										10			10
	Total for FRANCOLIN, ERCKEL'S									10										10			10
FRANCOLIN, GRAY																							
	HI	6								1,074		43								1,121		2	1,123
	Total for FRANCOLIN, GRAY		6							1,074		43								1,121		2	1,123
FROGS/TOADS (ALL)																							
	CA							16												16			16
	HI	1																		1			1
	Total for FROGS/TOADS (ALL)		1					16												17			17
GALLINULES/RAILS (OTHER)																							
	MO									3										3			3
	Total for GALLINULES/RAILS (OTHER)									3										3			3
GEESE, ALEUTIAN CANADA (T&E)																							
	AK			5																		5	5
	Total for GEESE, ALEUTIAN CANADA (T&E)			5																		5	5
GEESE, CANADA																							
	AK	25								142		1								168			168
	CA									65		6								71			71
	CT	80								50										130			130
	GA																5			5			5
	IL									97		16								113			113
	KY									57								1		58			58
	LI									6										6			6
	MA									26										26			26
	MN									58										58			58
	MO									6		2								8			8

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
GEESE, CANADA																							
	NC									23										23			23
	NJ									4										4			4
	NV												3				2			5			5
	NY	21																		21			21
	OR																9			9			9
	PA	101								53										154			154
	TN	7								5							14			19	7		26
	UT											1								1			1
	VA	2,120						4		185		2					2			2,313			2,313
	WA	3,434								209		58					127			3,828			3,828
	WI	167	1	2																167		3	170
	WV									1		275								276			276
	Total for GEESE, CANADA	5,955	1	2				4		987		364					160			7,463	7	3	7,473
GEESE, FERAL																							
	AZ											5								5			5
	GA																2			2			2
	KY																2			2			2
	UT											3								3			3
	VA	9																		9			9
	WA	19								1										20			20
	Total for GEESE, FERAL	28								1		8					4			41			41
GEESE, SNOW																							
	TX									13										13			13
	Total for GEESE, SNOW									13										13			13
GEESE, z-(OTHER)																							
	WY												1									1	1
	Total for GEESE, z-(OTHER)												1									1	1

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
GOATS, FERAL																							
	HI				39					122											161		161
	LA						1															1	1
	Total for GOATS, FERAL				39		1			122											161	1	162
GOPHERS, POCKET (ALL)																							
	TX															4					4		4
	WA															6					6		6
	Total for GOPHERS, POCKET (ALL)															10					10		10
GRACKLES (OTHER)																							
	VA	1																			1		1
	Total for GRACKLES (OTHER)		1																		1		1
GRACKLES, BOAT-TAILED																							
	GA									57											57		57
	Total for GRACKLES, BOAT-TAILED									57											57		57
GRACKLES, COMMON																							
	IL									7											7		7
	KY									2											2		2
	MO	8								2											10		10
	NE	118								2											120		120
	TX									187											187		187
	VA	21								3				4							24	4	28
	Total for GRACKLES, COMMON		147							203				4							350	4	354
GRACKLES, GREAT-TAILED																							
	AZ													7							7		7
	TX									714											17,797	12	17,809
	Total for GRACKLES, GREAT-TAILED									714											17,804	12	17,816
GREBES (ALL)																							

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
GREBES (ALL)																								
	WA									28										28			28	
	Total for GREBES (ALL)									28										28			28	
GROUSE (ALL)																								
	AK			2																			2	2
	WY							1															1	1
	Total for GROUSE (ALL)			2				1															3	3
GULLS, CALIFORNIA																								
	CA									18										18			18	
	UT												2							2			2	
	WA									1,967										1,967			1,967	
	Total for GULLS, CALIFORNIA									1,985			2							1,987			1,987	
GULLS, FRANKLIN'S																								
	NE									3										3			3	
	Total for GULLS, FRANKLIN'S									3										3			3	
GULLS, GLAUCOUS-WINGED																								
	WA	4								515		47								566			566	
	Total for GULLS, GLAUCOUS-WINGED	4								515		47								566			566	
GULLS, GREAT BLACK-BACKED																								
	LI									126										126			126	
	NH									74										74			74	
	NY									27										27			27	
	Total for GULLS, GREAT BLACK-BACKED									227										227			227	
GULLS, HEERMANN'S																								
	CA									5										5			5	
	Total for GULLS, HEERMANN'S									5										5			5	
GULLS, HERRING																								

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total		
	AK																						4	4	
	CT																							65	65
	FL									60														60	60
	IL									15														15	15
	LI									447														447	447
	NH									251														251	251
	NY									284														284	284
	RI									2														2	2
	VA									24														24	24
	WA									206														206	206
	Total for GULLS, HERRING									1,289			69											1,358	1,358
GULLS, LAUGHING																									
	FL									216														216	216
	GA									17														17	17
	LI									3,606														3,606	3,606
	NJ									29														29	29
	NY									1														1	1
	VA									66														66	66
	Total for GULLS, LAUGHING									3,935														3,935	3,935
GULLS, RING-BILLED																									
	FL									20														20	20
	GA									10														10	10
	ID									10														10	10
	IL							13		498														511	511
	LI									40														40	40
	MN									1														1	1
	MO									4														4	4
	NH									3														3	3

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
GULLS, RING-BILLED																							
	NY									73		12								85		85	
	OR									704										704		704	
	PA									2										2		2	
	VA									22										22		22	
	WA									5,539										5,539		5,539	
	Total for GULLS, RING-BILLED							13		6,926		12								6,951		6,951	
GULLS, WESTERN																							
	CA									624		21								645		645	
	WA									4										4		4	
	Total for GULLS, WESTERN									628		21								649		649	
GULLS, z-(OTHER)																							
	AK									31										31		31	
	CA									31		1								32		32	
	VA									2										2		2	
	WA									15										15		15	
	Total for GULLS, z-(OTHER)									79		1								80		80	
HARES, JACKRABBITS (ALL)																							
	AZ									2					5					7		7	
	CA						11														1	10	11
	IA									1										1		1	
	ID									12										12		12	
	MN									11										11		11	
	MT						1															1	1
	ND			1			3															4	4
	NE									6										6		6	
	NM						5													1		4	5
	NV									950					280					1,230		1,230	

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
HARES, JACKRABBITS (ALL)																							
	TX		6				99	78		32										125		90	215
	UT		1				1														1	1	2
	WY						3			9										9		3	12
	Total for HARES, JACKRABBITS (ALL)		8				123	78		1,023					285					1,402	2	113	1,517
HARES, SNOWSHOE																							
	MN		1			4																5	5
	MT						1															1	1
	Total for HARES, SNOWSHOE		1			4	1															6	6
HAWKS, COOPER'S																							
	CA									8										8			8
	KY									1		1								2			2
	Total for HAWKS, COOPER'S									9		1								10			10
HAWKS, HARRIERS (MARSH HAWKS)																							
	CA									19										19			19
	KY									2										2			2
	WA									1										1			1
	Total for HAWKS, HARRIERS (MARSH HAWKS)									22										22			22
HAWKS, RED-TAILED																							
	CA									23		7								30			30
	IL											2								2			2
	KY									11		20								31			31
	MN									1										1			1
	MO		1							2										3			3
	NE											2								2			2
	TN									2										2			2
	WA									1										1			1

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
HAWKS, RED-TAILED																							
Total for HAWKS, RED-TAILED			1					40		31										72			72
HAWKS, z-(OTHER)																							
	IL							1		1										2			2
	KY							3												3			3
	TN									1										1			1
Total for HAWKS, z-(OTHER)								4		2										6			6
HERONS, BLACK-CROWNED NIGHT																							
	CA							2												2			2
	HI							2												2			2
	ID							1												1			1
	WA							82												82			82
Total for HERONS, BLACK-CROWNED NIGHT								2		85										87			87
HERONS, GREAT BLUE																							
	AK							1												1			1
	AL			1																		1	1
	AZ	1																				1	1
	CA							9												9			9
	ID							3												3			3
	KY							1												1			1
	MN							1												1			1
	MO							43												43			43
	TN							27		27										54			54
	VA							3												3			3
	WA							108												108			108
	WI			1																		1	1
Total for HERONS, GREAT BLUE		1		2				196		27										223		3	226
HOGS, FERAL																							

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
	CA	72				1	4	32		55		46								206		4	210	
	FL							2												2			2	
	GA	29						1		330										360			360	
	GU	27																		27			27	
	HI	1	1			281	4			18		9								314			314	
	KS				12		1													13			13	
	LA						3															3	3	
	NM						8													8			8	
	OK	8	1	162			4			12		11								197		1	198	
	TX	421	48	1,074			2,471	1	4	538		105	6							4,608	9	51	4,668	
	Total for HOGS, FERAL	558		50	1,248	282	2,495	36	4	953		171	6							5,735	9	59	5,803	
JUNGLEFOWL, RED																								
	HI	3								1,068										1,071			1,071	
	Total for JUNGLEFOWL, RED	3								1,068										1,071			1,071	
KESTRELS, AMERICAN																								
	CA									33		8								41			41	
	IA									2										2			2	
	IL									22		36								58			58	
	KY									17		27								44			44	
	MN	4										3								4	3		7	
	MO			1								3								4			4	
	NE	1										9								10			10	
	VA									21										21			21	
	Total for KESTRELS, AMERICAN	5		1						95		86								184	3		187	
KILLDEERS																								
	IL									5										5			5	
	KY									95										95			95	
	MO									32										32			32	

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
LIZARDS, MONITOR																							
	GU																				1	1	2
	Total for LIZARDS, MONITOR																				1	1	2
MAGPIES (OTHER)																							
	CA									3											3		3
	Total for MAGPIES (OTHER)									3											3		3
MAGPIES, BLACK-BILLED																							
	AK									2		2									4		4
	ID									17											17		17
	OR									4											4		4
	UT											1									1		1
	WA	3								3											6		6
	Total for MAGPIES, BLACK-BILLED	3								26		3									32		32
MALLARDS																							
	AK	1						1		257		23									281	1	282
	CA									17		2									17	2	19
	IL									275		9									284		284
	KY									59							1				60		60
	MN									51											51		51
	MO									33											33		33
	NV																6				6		6
	PA									4											4		4
	SC									26		4						9			39		39
	TN									7								2			9		9
	VA							2		117		7									126		126
	WA		1							68											68	1	69
	Total for MALLARDS	1	1					3		914		45					18				978	2	982
MANNIKIN, CHESTNUT																							

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
	HI									#####										10,743			10,743
	Total for MANNIKIN, CHESTNUT									10,743										10,743			10,743
MANNIKIN, NUTMEG																							
	HI									56										56			56
	Total for MANNIKIN, NUTMEG									56										56			56
MARMOTS/WOODCHUCKS (ALL)																							
	AL		14							1		2								17			17
	CA						1			2										3			3
	ID			41						11					1,344					1,395	1		1,396
	IL		3							1		1								5			5
	KY		1																	1			1
	MN									3										3			3
	MO									1										1			1
	ND	5	4							1										10			10
	NE	3																		3			3
	OH	6																		4	2		6
	OK	3		1																4			4
	OR	2		7			1			33										43			43
	PA		45	3						6										54			54
	TN		15																	15			15
	VA		34	1			2			1										36		2	38
	WA									183										183			183
	WV						6			16										22			22
	Total for MARMOTS/WOODCHUCKS (ALL)	19	116	53			10			259		3			1,344					1,799	3	2	1,804
MEADOWLARKS, EASTERN																							
	KY									26										26			26
	MO			9						69										78			78
	NE											4										4	4

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
MEADOWLARKS, EASTERN																							
	TX															15						15	15
	Total for MEADOWLARKS, EASTERN		9					95		4					15					104		19	123
MEADOWLARKS, WESTERN																							
	CA									18			6							20	1	3	24
	Total for MEADOWLARKS, WESTERN							18		6										20	1	3	24
MERGANSER (OTHER)																							
	AL		2																			2	2
	WA							188												188			188
	WI		6																			6	6
	Total for MERGANSER (OTHER)		8					188												188		8	196
MERGANSER, RED-BREASTED																							
	WA									7										7			7
	Total for MERGANSER, RED-BREASTED							7												7			7
MICE, DEER (ALL)																							
	NE												11							11			11
	Total for MICE, DEER (ALL)												11							11			11
MICE, HOUSE																							
	CA	157											14							171			171
	HI	328																		328			328
	Total for MICE, HOUSE	485											14							499			499
MICE, z-FIELD (OTHER)																							
	VT	47											1							48			48
	Total for MICE, z-FIELD (OTHER)	47											1							48			48
MICE/RATS (MIXED)																							
	TX														13					13			13

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
MICE/RATS (MIXED)																							
	VA							63												63			63
	Total for MICE/RATS (MIXED)																						
								63							13					76			76
MINKS																							
	CA	9																		9			9
	MS		1																			1	1
	OK		5																	5			5
	WI			5																5			5
	WY	1	1																		2		2
	Total for MINKS																						
		10	7	5																19	2	1	22
MOCKINGBIRDS, NORTHERN																							
	CA															3						3	3
	KY								7											7			7
	TX	7																				7	7
	VA															3				3			3
	Total for MOCKINGBIRDS, NORTHERN																						
		7							7							6				10		10	20
MOLES (ALL)																							
	NE															3				3			3
	OR			1												1				2			2
	TX															3				3			3
	Total for MOLES (ALL)																						
				1												7				8			8
MONGOOSES, INDIAN																							
	HI	957								7										964			964
	PR							4												4			4
	Total for MONGOOSES, INDIAN																						
		957						4		7										968			968
MUSKRATS, z-(OTHER)																							
	AL		9																			9	9

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
MUSKRATS, z-(OTHER)																							
	CA	4	39							93										136			136
	CO		2							2										2	1	1	4
	GA		4																	4			4
	IA		6							1										7			7
	ID		10	1						10										20		1	21
	IL									1										1			1
	KY		2							7										7	2		9
	LA		2																			2	2
	MA									4										4			4
	MI	2	1																	2	1		3
	MN		4	1						2										2		5	7
	MO	17	466	64						19		15								581			581
	MS		12	1				23		3										32	5	2	39
	NC		97																	95		2	97
	ND	20	101							7										128			128
	NE		19	2				2		18										40		1	41
	NH		40																	40			40
	NM		1																			1	1
	NY		6																	6			6
	OK		12					3		1										9		7	16
	OR		5	11																16			16
	SC							1														1	1
	TN		1																			1	1
	VA	4	119									24								145		2	147
	WA		3							3										3		3	6
	WI		46	14																	12	48	60
	WY		15							1		1								17			17
	Total for MUSKRATS, z-(OTHER)	47	1,022	94				29		172		40								1,297	21	86	1,404

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
MYNAS (ALL)																								
	HI	4								1,250											1,254		1,254	
	Total for MYNAS (ALL)	4								1,250											1,254		1,254	
NUTRIAS																								
	AL		2																			2	2	
	LA	4	34	6			3	25		1											16	17	40	73
	MS		95	13			3	60		11											163	13	6	182
	NC		132	2																	134			134
	OK		3							1											4			4
	OR	57	60				4	3		8			3								135			135
	TX	15	129	17			2	7	117	190						25			4	485	13	8	506	
	WA		2																		2			2
	Total for NUTRIAS	76	457	38			2	17	205	211			3		25				4	939	43	56	1,038	
OPOSSUMS, VIRGINIA																								
	AL			13																	12	1		13
	CA	1,238					1	5	5	5		105									1,344	13	2	1,359
	CO	1																			1			1
	FL	3		3						1											4		3	7
	GA	13		3																	16			16
	IL									4		2									6			6
	KS	10		12																	22			22
	KY	1	1				1			1		4									8			8
	LA	3																			3			3
	MO	4																			4			4
	NE	76	3	7			1									1					86	1	1	88
	OH	1																					1	1
	OK	27	3	14			4									17					29	3	33	65
	OR	80	1	19			1														97	1	3	101

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
OPOSSUMS, VIRGINIA																							
	TN	1																		1			1
	TX	231	3	161			7	12				1	73							340	1	147	488
	VA	1		7			3	3					17							4		27	31
	WA						1														1		1
	WV			3			1						1									5	5
	Total for OPOSSUMS, VIRGINIA	1,690	11	242		1	24	20		11		112	109							1,977	21	222	2,220
OTTERS, RIVER																							
	AL		24																			24	24
	CA		1				1			1										1		2	3
	FL		5				1															6	6
	GA		4																	1		3	4
	KY		2																			2	2
	LA		27	2			9															38	38
	MN		1																			1	1
	MS		103	4			11													3	86	29	118
	NC		9	1																		10	10
	OK		30																			30	30
	OR		1	1			2													3		1	4
	SC		85				1															86	86
	TN		18																			18	18
	TX		121				2			9										69	2	61	132
	VA		3																			3	3
	WA		4																	1		3	4
	WI		48	8																2		54	56
	Total for OTTERS, RIVER		486	16			27			10										80	88	371	539
OWLS, BURROWING																							
	CA		1																	1			1

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
OWLS, BURROWING																							
	Total for OWLS, BURROWING		1																	1			1
OWLS, COMMON BARN																							
	CA							2		6			1							9			9
	HI									88										82		6	88
	Total for OWLS, COMMON BARN							2		94			1							91		6	97
OWLS, GREAT HORNED																							
	CA							2												2			2
	KY												9							9			9
	ND			1																1			1
	Total for OWLS, GREAT HORNED			1				2					9							12			12
OWLS, z-(OTHER)																							
	IL			1																1			1
	KY									1										1			1
	MO												1							1			1
	Total for OWLS, z-(OTHER)			1						1			1							3			3
PECCARIES, COLLARED (JAVELINA)																							
	TX			26			264															290	290
	Total for PECCARIES, COLLARED (JAVELINA)			26			264															290	290
PELICANS, AMERICAN WHITE																							
	AL									8										8			8
	AR									56										56			56
	Total for PELICANS, AMERICAN WHITE									64										64			64
PHEASANT, RING-NECKED																							
	HI									599			5							604			604
	IA									1										1			1
	MN									1										1			1

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
PHEASANT, RING-NECKED																							
Total for PHEASANT, RING-NECKED										601		5								606			606
PIGEONS, FERAL (ROCK DOVE)																							
	AK	669						1		52		2								723		1	724
	AL	22								341					576					939			939
	AZ	121										27								148			148
	CA	335						8		458		547								1,348			1,348
	CO	30						1,176												1,206			1,206
	CT	57																		57			57
	GA							98		345										443			443
	GU	47						58		447		1								553			553
	HI									98		82								180			180
	IA							100		446										546			546
	ID							276		468				222						966			966
	IL	668								208		12		1,058						1,946			1,946
	IN													71						71			71
	KS							371		391										762			762
	KY	1,577						776		835				4,125						7,313			7,313
	LA							870		312										1,182			1,182
	MA									20										20			20
	MD	111								37										148			148
	ME							802		43				12						857			857
	MI							6		2				170						178			178
	MO									1,808		74								1,882			1,882
	NC	180						251		55										486			486
	ND									8										8			8
	NE	279						179		413		2								873			873
	NH	54																		54			54

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
PIGEONS, FERAL (ROCK DOVE)																							
	NM	3								164					2,492					1,559	####		2,659
	NV	6								3					640					649			649
	NY							8		71										79			79
	OK	2								183					1,363					1,548			1,548
	OR	2,403						481		2,822										5,706			5,706
	SC							10		83					132					225			225
	SD									43		21								64			64
	TN	592						187		374					207					1,360			1,360
	TX	805						395		1,527					1,786		866			5,379			5,379
	UT									80					87					167			167
	VA	2,359						142		1,131		1		1						3,634			3,634
	WA	3,615						1,081		9,479		5		400						14,580			14,580
	WV	862								198		52		115						1,227			1,227
	WY									104										104			104
	Total for PIGEONS, FERAL (ROCK DOVE)	14,797						7,276		23,049		826		13,457		866				59,170	1,100	1	60,271
PORCUPINES																							
	CA							1		1										2			2
	ID			4																		4	4
	MN			2		1																3	3
	MT			3			22														2	23	25
	ND			4			3			3										10			10
	NE			5			35			7										47			47
	NM			16			7													1		22	23
	NV			1																		1	1
	OK			2																		2	2
	OR			10			18	24		1										48		5	53
	TX			36			142			1										1		178	179

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
PORCUPINES																							
	UT	2																		2			2
	WA		5					16		30										51			51
	WY		7				11			1		1								2		18	20
	Total for PORCUPINES	2	95			1	238	41		44		1								164	2	256	422
PRAIRIE DOGS, BLACK-TAILED																							
	CO											1								1			1
	NE									41										41			41
	OK									1										1			1
	Total for PRAIRIE DOGS, BLACK-TAILED									42		1								43			43
PRAIRIE DOGS, z-(OTHER)																							
	AZ																		755	755			755
	Total for PRAIRIE DOGS, z-(OTHER)																		755	755			755
QUAIL (ALL)																							
	NV	4																			4		4
	Total for QUAIL (ALL)	4																			4		4
RABBITS, COTTONTAIL																							
	CA	1	9	1																	9	2	11
	CO									15										15			15
	IL									10										10			10
	KY	7																		7			7
	MN			1																		1	1
	MO									1										1			1
	TN									20										20			20
	TX			2			4			41										41		6	47
	VA			1			3	8		10										22			22
	WY									3										3			3

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
RABBITS, COTTONTAIL																							
Total for RABBITS, COTTONTAIL		8	9	5			7	8		100										119	9	9	137
RABBITS, FERAL																							
	HI									1										1			1
	OR									7										7			7
Total for RABBITS, FERAL										8										8			8
RABBITS, z-(OTHER)																							
	AZ	1																		1			1
	MN									1										1			1
Total for RABBITS, z-(OTHER)		1								1										2			2
RACCOONS																							
	AL	15	11	5									1							23		9	32
	CA	1,655		4			44	112	4	15			79							1,903	5	5	1,913
	CO	11					1	7					2							21			21
	FL	151		33				9		15										207		1	208
	GA	80	2	4				8		13										103	2	2	107
	IA						2						1							3			3
	ID	6	2	9			8													20	1	4	25
	IL	9						1		2			5							17			17
	KS	14		147						2			75							238			238
	KY	1	2	11			2			1			3							19		1	20
	LA	14	2	20			18			12										27		39	66
	MA	1																		1			1
	MN			16			2						1									19	19
	MO	13		5			3			1										21		1	22
	MS		24	17			2														31	12	43
	MT			4			8						1							4	1	8	13
	NC	3	8	1																		12	12

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
RACCOONS																							
	ND	13	34	46			52			14		12	2							163	1	9	173
	NE	287	47	57			44	14	58	13										516	1	3	520
	NH											1								1			1
	NJ	5								1										6			6
	NM	4		4																6	2		8
	NV	6								1										6	1		7
	OH	131										1								132			132
	OK	24	2	47			28							11						50	2	60	112
	OR	298	6	83			50	1		10		49								478	7	12	497
	PA	6																		6			6
	SC		9	2																		11	11
	TN	1	2																		2	1	3
	TX	258	36	2,530			1,419	213	80	196		66	183						4	4,254	527	204	4,985
	UT	312		5			30			1		14								362			362
	VA		6	7			8			1			23							5	1	39	45
	VT	21																		21			21
	WA			3			3															6	6
	WI		3	56						1		1								9		52	61
	WV	1		1			5						7							1		13	14
	WY	63		17			7			14		2	3							85	6	15	106
	Total for RACCOONS	3,403	196	3,134			2	1,734	365	142	313	313	230						4	8,708	590	538	9,836
RATS, BLACK (ROOF)																							
	CA	25										3								28			28
	FL			1																		1	1
	GU											25							595	620			620
	HI	2,547								5										2,552			2,552
	TX	2													200					202			202
	Total for RATS, BLACK (ROOF)	2,574		1						5		28			200				595	3,402		1	3,403

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
RATS, NORWAY																							
	CA	65										20								84	1		85
	GU											1,499							2,748	4,247			4,247
	HI	3																		2		1	3
	NH		2																			2	2
	NV	1																		1			1
	UT	1																		1			1
	VA							30												30			30
	WA									86										86			86
	Total for RATS, NORWAY	70	2					30		86		1,519							2,748	4,451	1	3	4,455
RATS, PACKRATS/WOODRATS (ALL)																							
	KS	1																		1			1
	MS		1																	1			1
	NC		1																			1	1
	OR						2			11										13			13
	Total for RATS, PACKRATS/WOODRATS (ALL)	1	2				2			11										15		1	16
RATS, POLYNESIAN																							
	HI	19																		19			19
	Total for RATS, POLYNESIAN	19																		19			19
RAVENS (OTHER)																							
	TX																			8			8
	Total for RAVENS (OTHER)																			8			8
RAVENS, COMMON																							
	AK			3						17										17		3	20
	CA	2							1	169		1			85					258			258
	CO								5											5			5
	ID			5											131					136			136

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
RAVENS, COMMON																							
	MN			4						1										4		1	5
	MT									11										11			11
	NM									2										2			2
	NV									46					2,824					2,870			2,870
	OR									19					40					59			59
	UT				10				10	3										23			23
	WA									106					255					361			361
	WY									104										104			104
	Total for RAVENS, COMMON	2		12	10			16	478			1		3,335						3,850		4	3,854
RINGTAILS																							
	CA	1																		1			1
	TX			8						2					1					2		9	11
	Total for RINGTAILS	1		8					2					1						3		9	12
ROBINS, AMERICAN																							
	KY	2								79										81			81
	OR									20										20			20
	TN												1								1		1
	WA									5										5			5
	Total for ROBINS, AMERICAN	2							104			1								106	1		107
SHEEP, FERAL/FREE-RANGING/EXOTIC																							
	HI									78										78			78
	Total for SHEEP, FERAL/FREE-RANGING/EXOTIC								78											78			78
SHOREBIRDS (OTHER)																							
	AK									7										7			7
	MO									11										11			11
	Total for SHOREBIRDS (OTHER)								18											18			18
SHREWS (ALL)																							

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
	GU																						1	
	VT	2																					5	
	Total for SHREWS (ALL)	2																					6	
SHRIKES (ALL)																								
	CA									5													5	
	TX	5																					5	
	Total for SHRIKES (ALL)	5								5													10	
SKUNKS, HOG-NOSED																								
	NM			1																			1	
	TX									1													1	
	Total for SKUNKS, HOG-NOSED			1						1													2	
SKUNKS, SPOTTED																								
	CA	11																					12	
	OK	1					1																1	
	Total for SKUNKS, SPOTTED	12					1																13	
SKUNKS, STRIPED																								
	AZ	71		1																			73	
	CA	3,426		52		1	16	122		54									1		3,705	4	4	3,713
	CO	78					2	1															98	
	IA									2													2	
	ID	23	1	17			1			5	2								1		41	1	9	51
	IL							1		16													18	
	KS	11						2															23	
	KY	2								1													3	
	LA	6								1													7	
	MN			38		3																	44	
	MO	5					1			1													7	

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
SKUNKS, STRIPED																							
	MS	1																		1			1
	MT			50			11			4		1	3							32	37		69
	ND	2	3	19			13			8			1						5	48	1	2	51
	NE	294	20	10			6			36			1						7	373		1	374
	NM	83		71			2						5						7	89	1	78	168
	NV			1						1										1	1		2
	OK	98	1	7			1						39							98	1	47	146
	OR	165	1	35			11												1	204	1	8	213
	PA									2										2			2
	TN	17								3									2	22			22
	TX	398	1	291			107	54	5	59			50						1	859	58	49	966
	UT	239		4			14												20	277			277
	VA		1	1				3		1										4		2	6
	VT	1																			1		1
	WA	5																		5			5
	WV	5		1			1			5										10		2	12
	WY	283		53			17			80		2	6							381	20	40	441
	Total for SKUNKS, STRIPED	5,213	28	651		4	203	183	5	279	2	77	106						45	6,383	126	287	6,796
SNAKES, BROWN TREE																							
	GU																			7,545			7,545
	Total for SNAKES, BROWN TREE																			7,545			7,545
SNAKES, NON-POISONOUS (OTHER)																							
	CA																			2			2
	Total for SNAKES, NON-POISONOUS (OTHER)																			2			2
SNAKES, POISONOUS (ALL)																							
	CA									3										8			8
	MS		1																			1	1

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
SNAKES, POISONOUS (ALL)																							
	NM											1								1		1	
	SC							11												11		11	
	UT											1								1		1	
	Total for SNAKES, POISONOUS (ALL)		1					14				7								21		1	22
SPARROWS, EURASIAN TREE																							
	GU							8				3								11		11	
	Total for SPARROWS, EURASIAN TREE							8				3								11		11	
SPARROWS, HOUSE/ENGLISH																							
	AZ															21				21		21	
	GA							154												154		154	
	HI	124						75												199		199	
	IL							19												19		19	
	KY	8						211			2					153				374		374	
	MI						24	18												42		42	
	MO							44			119									163		163	
	NC							1												1		1	
	NE						2	1												3		3	
	NM														300						300	300	
	NY										125									125		125	
	OR							1												1		1	
	SC							1												1		1	
	TN	7																		7		7	
	TX	1						17							12					17		13	30
	VA	2										5								7		7	
	WA	1						3												4		4	
	Total for SPARROWS, HOUSE/ENGLISH		143				26	545			251		312		174					1,138	300	13	1,451
SPARROWS, JAVA																							

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
SPARROWS, JAVA																							
	HI	8								3,452													3,460
	Total for SPARROWS, JAVA	8								3,452													3,460
SQUAWFISH, NORTHERN																							
	WA												6,184										6,184
	Total for SQUAWFISH, NORTHERN												6,184										6,184
SQUIRRELS, FLYING (ALL)																							
	GA	1																			1		1
	Total for SQUIRRELS, FLYING (ALL)	1																			1		1
SQUIRRELS, FOX																							
	ND												1								1		1
	NE		3					2													5		5
	OK							2													2		2
	OR	1																			1		1
	TX												1								1		1
	Total for SQUIRRELS, FOX	1	3					4					2								10		10
SQUIRRELS, GRAY																							
	CA	4											1								5		5
	GA	23						177													199	1	200
	TN							2													2		2
	VT	1																				1	1
	WY	17	1					1													19		19
	Total for SQUIRRELS, GRAY	45	1					180					1								225	2	227
SQUIRRELS, GROUND (ALL)																							
	CA	760	70	2				492					3								1,325	2	1,327
	ID							8										720			728		728
	NE							11													11		11

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
SQUIRRELS, GROUND (ALL)																							
	NM	5								6										11		11	
	OR	3																		3		3	
	SD									64										64		64	
	TX	19								285					36					340		340	
	UT	1																		1		1	
	WA			1																1		1	
	Total for SQUIRRELS, GROUND (ALL)	788	70	3						866		3			36				720	2,484	2	2,486	
SQUIRRELS, RED																							
	CA	1																		1		1	
	Total for SQUIRRELS, RED	1																		1		1	
SQUIRRELS, z-(OTHER)																							
	CO											1								1		1	
	NM									17										17		17	
	Total for SQUIRRELS, z-(OTHER)									17		1								18		18	
STARLINGS, EUROPEAN																							
	CA	605								25		2								628	4	632	
	CT													6,900						6,900		6,900	
	GA							20	17											37		37	
	IA								6											6		6	
	ID		4						56					337,200						337,259	1	#####	
	IL	1,298							236		3,260			15,993						20,787		20,787	
	KS							15	5											20		20	
	KY								#####			10		42,124					2,000	65,637		65,637	
	LA							1												1		1	
	MA	8							1					400						409		409	
	ME													276						276		276	
	MI								3					31,500						31,503		31,503	

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
STARLINGS, EUROPEAN																							
	MN	414																		414			414
	MO	7								461		10		3,550						4,028			4,028
	NE	10						16		78		2								106			106
	NJ									2										2			2
	NM													500		17				517			517
	NV									68				184,700						184,768			#####
	NY	4,037								778		1								4,816			4,816
	OK													3,000						3,000			3,000
	OR	26,887								129				14,000						41,016			41,016
	PA	11,275								3				923						12,201			12,201
	TN	165								124				2,650						2,939			2,939
	TX	7								131				104						235		7	242
	UT													9,200						9,200			9,200
	VA	143								155				67						365			365
	WA	77,786						85		2,807		16		116,700				2,500		199,889		5	#####
	WV	18												22,150						22,168			22,168
	Total for STARLINGS, EUROPEAN	122,660	4					137		26,588		3,301		791,937		17		4,500		949,127	5	12	949,144
SWALLOWS, BARN																							
	KS																			2			2
	KY									12										12			12
	MO									28										28			28
	Total for SWALLOWS, BARN									40		2								42			42
SWALLOWS, z-(MIXED)																							
	MO									47										47			47
	Total for SWALLOWS, z-(MIXED)									47										47			47
SWALLOWS, z-(OTHER)																							
	AK									3										3			3

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
SWALLOWS, z-(OTHER)																							
										3										3			3
SWANS, MUTE																							
	RI									2										2			2
										2										2			2
TERNs (OTHER)																							
	FL																			10			10
	WA									14										14			14
										14										24			24
TERNs, CASPIAN																							
	WA									313										313			313
										313										313			313
TURKEY, WILD (ALL)																							
	ID			1																		1	1
	MA									8										8			8
	ND									3										3			3
	TX							2														2	2
				1				2		11										11		3	14
TURTLES (ALL)																							
	AL		39	1																		40	40
	FL		2																			2	2
	GA		9																			9	9
	KY		20																			20	20
	LA		7																			7	7
	MS		242					2											1		206	39	245
	NC		13																			13	13
	OK		243																			243	243

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
TURTLES (ALL)																							
	SC		51																			51	51
	TN		8																			8	8
	TX		78				1														9	70	79
	VA		18									7								20		5	25
	WI		16																			16	16
	Total for TURTLES (ALL)		746	1			3					7							1	20	215	523	758
VOLES (ALL)																							
	IL	11										24								35			35
	ME														50					50			50
	NE											16								16			16
	VT											1								1			1
	Total for VOLES (ALL)	11										41			50					102			102
VULTURES, BLACK																							
	AL									9										9			9
	FL									2										2			2
	KY									38										38			38
	OK									16										16			16
	TN	7								129										136			136
	TX	520		1			4			571			1							1,091		6	1,097
	VA									61										61			61
	Total for VULTURES, BLACK	527		1			4			826			1							1,353		6	1,359
VULTURES, TURKEY																							
	CA									2										2			2
	FL			1						34										34		1	35
	KY									9										9			9
	NJ									2										2			2
	TN									8										8			8

Cage=Cage Traps; Kill= Bobby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
VULTURES, TURKEY																							
	TX	11		2			1			85										96		3	99
	VA									43										43			43
	WY									3										3			3
	Total for VULTURES, TURKEY	11		3			1			186										197		4	201
VULTURES, z-(MIXED)																							
	GA									7			30							37			37
	KY									20										20			20
	TN									43										43			43
	TX									77										77			77
	Total for VULTURES, z-(MIXED)									147			30							177			177
WADING BIRDS (OTHER)																							
	IL									1										1			1
	MO									7										7			7
	Total for WADING BIRDS (OTHER)									8										8			8
WEASELS (ALL)																							
	CA	4								1										5			5
	OR			1																1			1
	Total for WEASELS (ALL)	4		1						1										6			6
WOLVES, GRAY/TIMBER																							
	ID			1	9															10			10
	MN			102		6	26	1				14								149			149
	MT				13															13			13
	WY			2																2			2
	Total for WOLVES, GRAY/TIMBER			105	22	6	26	1				14								174			174
WOODPECKERS, z-(OTHER)																							
	WY											1								1			1

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Table 10k. Number of Animals Taken and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
WOODPECKERS, z-(OTHER)																								
Total for WOODPECKERS, z-(OTHER)																				1			1	
z-PASSERINES (OTHER)																								
	MO									1											1			1
	TX	4																					4	4
	WA	1																					1	1
Total for z-PASSERINES (OTHER)		5								1											1		5	6
TOTAL:		181,636	24,432	18,482	33,734	868	23,925	13,869	9,506	143,452	2,381	24,100	18,264	2,760,196	1,953	1,057	29	283	9,672	3,261,025	2,859	3,955	3,267,839	

Cage=Cage Traps; Kill= Boby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Socium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitrol=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take