

**Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>ALBATROSS, LAYSAN</b>											
	HI				653				653		
	<b>Totals</b>				<b>653</b>				<b>653</b>		
<b>BATS (ALL)</b>											
	ND				1				1		
	GA		200						200		
	<b>Totals</b>		<b>200</b>		<b>1</b>				<b>201</b>		
<b>BEARS, BLACK</b>											
	ID				4				4		
	<b>Totals</b>				<b>4</b>				<b>4</b>		
<b>BEAVERS</b>											
	CO						7		7		
	LA						2		2		
	OR						1		1		
	<b>Totals</b>						<b>10</b>		<b>10</b>		
<b>BISON (BUFFALO)</b>											
	MT				30				30		
	<b>Totals</b>				<b>30</b>				<b>30</b>		
<b>BLACKBIRDS, (MIXED SPECIES)</b>											
	AR				2,010,000				2,010,000		
	<b>Totals</b>				<b>2,010,000</b>				<b>2,010,000</b>		
<b>BLACKBIRDS, RED-WINGED</b>											
	KY				150				150		
	WA				14,500				14,500		
	<b>Totals</b>				<b>14,650</b>				<b>14,650</b>		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>BLACKBIRDS, z-(MIXED SPECIES)</b>											
	KY				40,735				40,735		
	NE				1,100				1,100		
	NM				400				400		
	MS				2,000				2,000		
	AL				13,000				13,000		
	WA				134,958				134,958		
	NJ				42				42		
	IL				300				300		
	<b>Totals</b>				<b>192,535</b>				<b>192,535</b>		
<b>BOBCATS</b>											
	ID				1					1	
	<b>Totals</b>				<b>1</b>					<b>1</b>	
<b>BULBUL, RED-WHISKERED</b>											
	HI				2				2		
	<b>Totals</b>				<b>2</b>				<b>2</b>		
<b>CARDINALS, NORTHERN</b>											
	HI				7				7		
	<b>Totals</b>				<b>7</b>				<b>7</b>		
<b>CARDINALS, RED CRESTED</b>											
	HI				307		13		320		
	<b>Totals</b>				<b>307</b>		<b>13</b>		<b>320</b>		
<b>CATS, FERAL/FREE RANGING</b>											
	TN						4				4
	MT						1				1

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

### Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>CATS, FERAL/FREE RANGING</b>											
	HI				16				16		
	<b>Totals</b>				<b>16</b>		5		<b>16</b>		5
<b>CORMORANTS, DOUBLE-CRESTED</b>											
	VT						99		99		
	WA				2,532				2,532		
	OR				55				55		
	MS				68,227				68,227		
	AR				17,500				17,500		
	<b>Totals</b>				<b>88,314</b>		99		<b>88,413</b>		
<b>COYOTES</b>											
	MO				1				1		
	KY				1				1		
	AK				12				12		
	TX				10				10		
	FL				1				1		
	<b>Totals</b>				<b>25</b>				<b>25</b>		
<b>CRANES, SANDHILL</b>											
	TX				30				30		
	NM				159,734				159,734		
	<b>Totals</b>				<b>159,764</b>				<b>159,764</b>		
<b>CROWS (OTHER)</b>											
	NJ				299				299		
	KY				143				143		
	TN				10,050				10,050		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

### Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>CROWS (OTHER)</b>											
	FL				26,060				26,060		
	IL				180				180		
	<b>Totals</b>				<b>36,732</b>				<b>36,732</b>		
<b>CROWS, AMERICAN</b>											
	AK				3				3		
	WA				40				40		
	KY				89				89		
	<b>Totals</b>				<b>132</b>				<b>132</b>		
<b>DEER, MULE</b>											
	OR				18				18		
	<b>Totals</b>				<b>18</b>				<b>18</b>		
<b>DEER, WHITE-TAILED</b>											
	FL				22				22		
	TX				30				30		
	MO				25				25		
	KY				33				33		
	OR				10				10		
	<b>Totals</b>				<b>120</b>				<b>120</b>		
<b>DOGS, FERAL/FREE RANGING</b>											
	OR						4		2	2	
	PR						4		4		
	TN						1				1
	HI				18				13		5
	FL				5				5		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>DOGS, FERAL/FREE RANGING</b>											
	<b>Totals</b>				23		9		24	2	6
<b>DOVE, MOURNING</b>											
	NJ				168				168		
	TN				160				160		
	<b>Totals</b>				328				328		
<b>DOVE, SPOTTED</b>											
	HI				22,065				22,065		
	<b>Totals</b>				22,065				22,065		
<b>DOVE, ZEBRA</b>											
	HI				40,587				40,587		
	<b>Totals</b>				40,587				40,587		
<b>DOVE, zz-(OTHER)</b>											
	GU				316				316		
	KY				40				40		
	TN				875				875		
	NJ				2				2		
	<b>Totals</b>				1,233				1,233		
<b>DUCKS, DABBLING (OTHER)</b>											
	MO				70				70		
	WA				1						1
	AK				11,067				11,067		
	KY			60	227				287		
	AZ							52	52		
	IL				75				75		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

### Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>DUCKS, DABBLING (OTHER)</b>											
	ID				30				30		
	AR				200				200		
	<b>Totals</b>			60	11,670			52	11,781		1
<b>DUCKS, DIVING (ALL)</b>											
	AK				33,457				33,457		
	AR				30,500				30,500		
	WA				14,927				14,927		
	<b>Totals</b>				78,884				78,884		
<b>DUCKS, FERAL</b>											
	TN						2		2		
	HI				2				2		
	VA							9	9		
	FL							5	5		
	<b>Totals</b>				2		2	14	18		
<b>DUCKS, HAWAIIAN (T&amp;E)</b>											
	HI				148				148		
	<b>Totals</b>				148				148		
<b>EAGLES, BALD</b>											
	AK				1				1		
	<b>Totals</b>				1				1		
<b>EAGLES, GOLDEN</b>											
	UT				4				4		
	<b>Totals</b>				4				4		
<b>EGRETS, CATTLE</b>											

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>EGRETS, CATTLE</b>											
	FL				3,207				3,207		
	PR			1	236				237		
	AR				2,000				2,000		
	OK				39,915				39,915		
	TX				19,800				19,800		
	HI				9,353				9,353		
	<b>Totals</b>			<b>1</b>	<b>74,511</b>				<b>74,512</b>		
<b>EGRETS, GREAT</b>											
	FL				8						8
	NJ				1				1		
	MS				2,896				2,896		
	AR				5,050				5,050		
	<b>Totals</b>				<b>7,955</b>				<b>7,947</b>		<b>8</b>
<b>EGRETS, SNOWY</b>											
	AR				500				500		
	<b>Totals</b>				<b>500</b>				<b>500</b>		
<b>EGRETS/HERONS (MIXED)</b>											
	TX				43,554				43,554		
	<b>Totals</b>				<b>43,554</b>				<b>43,554</b>		
<b>EXOTIC BIRDS (OTHER)</b>											
	HI				29				29		
	<b>Totals</b>				<b>29</b>				<b>29</b>		
<b>FALCONS (ALL)</b>											
	AK				2						2

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
FALCONS (ALL)											
	<b>Totals</b>				2						2
FINCHES, HOUSE											
	HI				2,461				2,461		
	<b>Totals</b>				2,461				2,461		
FOXES, ARCTIC											
	AK				9						9
	<b>Totals</b>				9						9
FOXES, RED											
	OR						2		2		
	NJ				4				4		
	<b>Totals</b>				4		2		6		
FRANCOLIN, BLACK											
	HI				8				8		
	<b>Totals</b>				8				8		
FRANCOLIN, ERCKEL'S											
	HI				4				4		
	<b>Totals</b>				4				4		
FRANCOLIN, GRAY											
	HI				5				5		
	<b>Totals</b>				5				5		
FRIGATEBIRDS (ALL)											
	HI				35				33		2
	<b>Totals</b>				35				33		2
FROGS/TOADS (ALL)											

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

### Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>FROGS/TOADS (ALL)</b>											
	PR						6		6		
	<b>Totals</b>						<b>6</b>		<b>6</b>		
<b>GEESE, CANADA</b>											
	WV				1,769		329		2,098		
	NJ				10		255		265		
	TN				82		202		284		
	MO				401		61		462		
	VA						21		21		
	NY						5		5		
	KY				4,233		4		4,237		
	AL						4		4		
	AR				1,200				1,200		
	AK				55,762				55,762		
	WA				98,727				98,727		
	UT				150				150		
	OR				45				45		
	ID				2,045				2,045		
	IL				942				942		
	NM				1,830				1,830		
	<b>Totals</b>				<b>167,196</b>		<b>881</b>		<b>168,077</b>		
<b>GEESE, FERAL</b>											
	VA							19	19		
	<b>Totals</b>							<b>19</b>	<b>19</b>		
<b>GEESE, HAWAIIAN (T&amp;E)</b>											

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>GEESE, HAWAIIAN (T&amp;E)</b>											
	HI				1,313				1,313		
	<b>Totals</b>				<b>1,313</b>				<b>1,313</b>		
<b>GEESE, SNOW</b>											
	AK				80				80		
	AR				17,500				17,500		
	<b>Totals</b>				<b>17,580</b>				<b>17,580</b>		
<b>GEESE, WHITE-FRONTED (ALL)</b>											
	AK				135				135		
	<b>Totals</b>				<b>135</b>				<b>135</b>		
<b>GOATS, FERAL</b>											
	HI				446				446		
	<b>Totals</b>				<b>446</b>				<b>446</b>		
<b>GRACKLES (OTHER)</b>											
	PR						67		67		
	TX				30				30		
	FL				5,835				5,835		
	<b>Totals</b>				<b>5,865</b>		<b>67</b>		<b>5,932</b>		
<b>GREBES (ALL)</b>											
	WA				240				240		
	<b>Totals</b>				<b>240</b>				<b>240</b>		
<b>GULLS, CALIFORNIA</b>											
	WA				787				787		
	<b>Totals</b>				<b>787</b>				<b>787</b>		
<b>GULLS, GREAT BLACK-BACKED</b>											

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

### Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>GULLS, GREAT BLACK-BACKED</b>											
	NY				4,580				4,580		
	MA							1,600	1,600		
	NJ				20				20		
	<b>Totals</b>				<b>4,600</b>			<b>1,600</b>	<b>6,200</b>		
<b>GULLS, HERRING</b>											
	WA				563				563		
	NY				43,225				43,225		
	NJ				27				27		
	FL				14,000				14,000		
	VA				69				69		
	AK				328				328		
	AL				100				100		
	MA							980	980		
	<b>Totals</b>				<b>58,312</b>			<b>980</b>	<b>59,292</b>		
<b>GULLS, LAUGHING</b>											
	VA				166				166		
	NJ				28,489				28,489		
	FL				15,276				15,276		
	<b>Totals</b>				<b>43,931</b>				<b>43,931</b>		
<b>GULLS, RING-BILLED</b>											
	NY				6,400				6,400		
	OR				36,362				36,362		
	FL				9,625				9,625		
	AL				1,047				1,047		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>GULLS, RING-BILLED</b>											
	WA	4,300			199,827				204,127		
	IL				335				335		
	<b>Totals</b>	<b>4,300</b>			<b>253,596</b>				<b>257,896</b>		
<b>GULLS, z-(OTHER)</b>											
	WA				56,793				56,793		
	FL				2,790				2,790		
	AK				128,845				128,845		
	<b>Totals</b>				<b>188,428</b>				<b>188,428</b>		
<b>HARRIERS (MARSH HAWKS)</b>											
	NJ				12				12		
	<b>Totals</b>				<b>12</b>				<b>12</b>		
<b>HAWKS, RED-TAILED</b>											
	KY				5		1		6		
	MO				12				12		
	NJ				9				9		
	IL				8				8		
	AK				36				36		
	<b>Totals</b>				<b>70</b>		<b>1</b>		<b>71</b>		
<b>HAWKS, z-(OTHER)</b>											
	NJ				11				11		
	AK				3				3		
	<b>Totals</b>				<b>14</b>				<b>14</b>		
<b>HERONS, BLACK-CROWNED NIGHT</b>											
	WA				217				217		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>HERONS, BLACK-CROWNED NIGHT</b>											
	HI				24				24		
	<b>Totals</b>				<b>241</b>				<b>241</b>		
<b>HERONS, GREAT BLUE</b>											
	WA				382				382		
	MS				104				104		
	AR				5,100				5,100		
	NJ				6				6		
	MO				1				1		
	<b>Totals</b>				<b>5,593</b>				<b>5,593</b>		
<b>HERONS, LITTLE BLUE</b>											
	FL				31				6		25
	TX				30				30		
	<b>Totals</b>				<b>61</b>				<b>36</b>		<b>25</b>
<b>HOGS, FERAL</b>											
	HI				12				12		
	<b>Totals</b>				<b>12</b>				<b>12</b>		
<b>IBISES (OTHER)</b>											
	FL				502				502		
	NJ				15				15		
	<b>Totals</b>				<b>517</b>				<b>517</b>		
<b>JUNGLEFOWL, RED</b>											
	HI				1,246				1,246		
	<b>Totals</b>				<b>1,246</b>				<b>1,246</b>		
<b>KESTRELS, AMERICAN</b>											

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>KESTRELS, AMERICAN</b>											
	IL						1		1		
	NJ				3				3		
	MO				4				4		
	<b>Totals</b>				<b>7</b>		<b>1</b>		<b>8</b>		
<b>KILLDEERS</b>											
	KY				30				30		
	<b>Totals</b>				<b>30</b>				<b>30</b>		
<b>KINGFISHERS (ALL)</b>											
	WA				51				51		
	AK				1						1
	<b>Totals</b>				<b>52</b>				<b>51</b>		<b>1</b>
<b>KITES (ALL)</b>											
	CO						1		1		
	<b>Totals</b>						<b>1</b>		<b>1</b>		
<b>LIONS, MOUNTAIN (COUGAR)</b>											
	ID				5				3	2	
	<b>Totals</b>				<b>5</b>				<b>3</b>	<b>2</b>	
<b>MAGPIES, BLACK-BILLED</b>											
	AK				168				168		
	<b>Totals</b>				<b>168</b>				<b>168</b>		
<b>MALLARDS</b>											
	FL						15	92	107		
	VA						1	1	2		
	KY				37				37		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>MALLARDS</b>											
	AK				5,955				5,955		
	IL				620				620		
	<b>Totals</b>				<b>6,612</b>		<b>16</b>	<b>93</b>	<b>6,721</b>		
<b>MANNIKIN, CHESTNUT</b>											
	HI				16,948				16,931		17
	<b>Totals</b>				<b>16,948</b>				<b>16,931</b>		<b>17</b>
<b>MANNIKIN, NUTMEG</b>											
	HI				9,649				9,649		
	<b>Totals</b>				<b>9,649</b>				<b>9,649</b>		
<b>MARMOTS/WOODCHUCKS (ALL)</b>											
	IL						1		1		
	<b>Totals</b>						<b>1</b>		<b>1</b>		
<b>MEADOWLARKS, EASTERN</b>											
	NJ				1				1		
	<b>Totals</b>				<b>1</b>				<b>1</b>		
<b>MEADOWLARKS, WESTERN</b>											
	HI				967				966		1
	<b>Totals</b>				<b>967</b>				<b>966</b>		<b>1</b>
<b>MERGANSE (OTHER)</b>											
	WA				22				22		
	<b>Totals</b>				<b>22</b>				<b>22</b>		
<b>MERGANSE, RED-BREASTED</b>											
	WA				20				20		
	<b>Totals</b>				<b>20</b>				<b>20</b>		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>MOCKINGBIRDS, NORTHERN</b>											
	HI				16				7		9
	<b>Totals</b>				<b>16</b>				<b>7</b>		<b>9</b>
<b>MOOSE</b>											
	AK				265				265		
	<b>Totals</b>				<b>265</b>				<b>265</b>		
<b>MYNAS (ALL)</b>											
	HI				8,349				8,349		
	<b>Totals</b>				<b>8,349</b>				<b>8,349</b>		
<b>OPOSSUMS, VIRGINIA</b>											
	OR						2		2		
	GA						2		2		
	TN						2				2
	IL						1		1		
	<b>Totals</b>						<b>7</b>		<b>5</b>		<b>2</b>
<b>OWLS, COMMON BARN</b>											
	AL						1		1		
	HI				22				22		
	<b>Totals</b>				<b>22</b>		<b>1</b>		<b>23</b>		
<b>OWLS, z-(OTHER)</b>											
	AK				33				33		
	HI				412				412		
	<b>Totals</b>				<b>445</b>				<b>445</b>		
<b>PECCARIES, COLLARED (JAVELINA)</b>											
	TX				30				30		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>PECCARIES, COLLARED (JAVELINA)</b>											
	<b>Totals</b>				<b>30</b>				<b>30</b>		
<b>PELICANS, AMERICAN WHITE</b>											
	<b>MS</b>				<b>418</b>				<b>418</b>		
	<b>Totals</b>				<b>418</b>				<b>418</b>		
<b>PHEASANT, RING-NECKED</b>											
	<b>HI</b>				<b>354</b>				<b>354</b>		
	<b>Totals</b>				<b>354</b>				<b>354</b>		
<b>PIGEONS, FERAL (ROCK DOVE)</b>											
	<b>TN</b>						<b>12</b>		<b>12</b>		
	<b>KY</b>						<b>8</b>		<b>8</b>		
	<b>WA</b>				<b>2,389</b>				<b>2,389</b>		
	<b>AK</b>				<b>324</b>				<b>324</b>		
	<b>GU</b>				<b>90</b>				<b>90</b>		
	<b>HI</b>				<b>192</b>				<b>192</b>		
	<b>OK</b>					<b>50</b>			<b>50</b>		
	<b>Totals</b>				<b>2,995</b>	<b>50</b>	<b>20</b>		<b>3,065</b>		
<b>PLOVERS (OTHER)</b>											
	<b>AK</b>				<b>3</b>				<b>3</b>		
	<b>Totals</b>				<b>3</b>				<b>3</b>		
<b>PLOVERS, LESSER GOLDEN</b>											
	<b>GU</b>				<b>5,288</b>				<b>5,288</b>		
	<b>HI</b>				<b>23,237</b>				<b>23,232</b>		<b>5</b>
	<b>Totals</b>				<b>28,525</b>				<b>28,520</b>		<b>5</b>
<b>PORCUPINES</b>											

**Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>PORCUPINES</b>											
	AK				5				5		
	<b>Totals</b>				<b>5</b>				<b>5</b>		
<b>RABBITS, COTTONTAIL</b>											
	KY						1		1		
	<b>Totals</b>						<b>1</b>		<b>1</b>		
<b>RACCOONS</b>											
	TN						17		17		
	OR						15		14		1
	KY				1		5		6		
	IL						3		3		
	ID				1					1	
	NJ				1				1		
	<b>Totals</b>				<b>3</b>		<b>40</b>		<b>41</b>	<b>1</b>	<b>1</b>
<b>RAVENS (OTHER)</b>											
	MT				7				7		
	<b>Totals</b>				<b>7</b>				<b>7</b>		
<b>RAVENS, COMMON</b>											
	AK				115				115		
	<b>Totals</b>				<b>115</b>				<b>115</b>		
<b>ROBINS, AMERICAN</b>											
	AK				2						2
	KY				5,000				5,000		
	<b>Totals</b>				<b>5,002</b>				<b>5,000</b>		<b>2</b>
<b>SEA BIRDS (MIXED)</b>											

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>SEA BIRDS (MIXED)</b>											
	FL				2,000						2,000
	<b>Totals</b>				<b>2,000</b>						<b>2,000</b>
<b>SEA BIRDS, COLONIAL NESTING</b>											
	HI				15						15
	<b>Totals</b>				<b>15</b>						<b>15</b>
<b>SHOREBIRDS (OTHER)</b>											
	AK				649				649		
	<b>Totals</b>				<b>649</b>				<b>649</b>		
<b>SKUNKS, STRIPED</b>											
	TN						1		1		
	<b>Totals</b>						<b>1</b>		<b>1</b>		
<b>SPARROWS, HOUSE/ENGLISH</b>											
	IL						1		1		
	NE				6,000				6,000		
	HI				5,003	36			5,038		1
	<b>Totals</b>				<b>11,003</b>	<b>36</b>	<b>1</b>		<b>11,039</b>		<b>1</b>
<b>SPARROWS, JAVA</b>											
	HI				692				692		
	<b>Totals</b>				<b>692</b>				<b>692</b>		
<b>SQUIRRELS, FOX</b>											
	TX					3			3		
	<b>Totals</b>					<b>3</b>			<b>3</b>		
<b>SQUIRRELS, GROUND (ALL)</b>											
	TX						9		9		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>SQUIRRELS, GROUND (ALL)</b>											
	<b>Totals</b>						9		9		
<b>STARLINGS, EUROPEAN</b>											
	KY				183,560				183,560		
	IA				50				50		
	WA				121,206				121,206		
	NJ				8,068				8,068		
	OR				15,000				15,000		
	IL				2,950				2,950		
	NY				66,645				66,645		
	TN				78,025				78,025		
	MO				3,000				3,000		
	<b>Totals</b>				<b>478,504</b>				<b>478,504</b>		
<b>STILTS, HAWAIIAN (T&amp;E)</b>											
	HI				67				67		
	<b>Totals</b>				<b>67</b>				<b>67</b>		
<b>SWALLOWS, BARN</b>											
	FL				2,281				2,281		
	MO				50				50		
	<b>Totals</b>				<b>2,331</b>				<b>2,331</b>		
<b>SWALLOWS, TREE</b>											
	NJ				26				26		
	<b>Totals</b>				<b>26</b>				<b>26</b>		
<b>SWALLOWS, z-(MIXED)</b>											
	AK				116				116		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>SWALLOWS, z-(MIXED)</b>											
	<b>Totals</b>				<b>116</b>				<b>116</b>		
<b>SWANS, TUNDRA (WHISTLING)</b>											
	AK				14				14		
	<b>Totals</b>				<b>14</b>				<b>14</b>		
<b>TERNS (OTHER)</b>											
	AK				103				103		
	NJ				2				2		
	WA				1,129				1,129		
	<b>Totals</b>				<b>1,234</b>				<b>1,234</b>		
<b>TURKEY, WILD (ALL)</b>											
	MO				4		22		26		
	<b>Totals</b>				<b>4</b>		<b>22</b>		<b>26</b>		
<b>TURNSTONES, RUDDY</b>											
	HI				1				1		
	<b>Totals</b>				<b>1</b>				<b>1</b>		
<b>TURTLES (ALL)</b>											
	WV						16		16		
	KY						1				1
	<b>Totals</b>						<b>17</b>		<b>16</b>		<b>1</b>
<b>VULTURES, (MIXED)</b>											
	AR				100				100		
	<b>Totals</b>				<b>100</b>				<b>100</b>		
<b>VULTURES, BLACK</b>											
	FL				610				610		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

### Table 3. Number of Animals Moved or Dispersed by the ADC Program During FY 1996

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>VULTURES, BLACK</b>											
	TN				1,217				1,217		
	<b>Totals</b>				<b>1,827</b>				<b>1,827</b>		
<b>VULTURES, TURKEY</b>											
	FL				12,168				12,168		
	NJ				11				11		
	TN				262				262		
	MO				29				29		
	ID				20				20		
	<b>Totals</b>				<b>12,490</b>				<b>12,490</b>		
<b>VULTURES, z-(MIXED)</b>											
	TN				6,636		40		6,676		
	FL				2,515				2,515		
	TX				9				9		
	GA				100				100		
	<b>Totals</b>				<b>9,260</b>		<b>40</b>		<b>9,300</b>		
<b>WOLVES, GRAY/TIMBER</b>											
	MT				12				12		
	<b>Totals</b>				<b>12</b>				<b>12</b>		
<b>z-PASSERINES (OTHER)</b>											
	AK				50				50		
	<b>Totals</b>				<b>50</b>				<b>50</b>		
	<b>Grand Totals</b>	<b>4,300</b>	<b>200</b>	<b>61</b>	<b>4,138,958</b>	<b>89</b>	<b>1,273</b>	<b>2,758</b>	<b>4,145,520</b>	<b>6</b>	<b>2,113</b>

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target