

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>ALBATROSS, LAYSAN</b>											
	HI				760				760		
	<b>Totals</b>				<b>760</b>				<b>760</b>		
<b>ANHINGAS</b>											
	FL				3				3		
	<b>Totals</b>				<b>3</b>				<b>3</b>		
<b>BATS (ALL)</b>											
	AL		150						150		
	<b>Totals</b>		<b>150</b>						<b>150</b>		
<b>BEARS, BLACK</b>											
	ID				1		1		2		
	MT						1		1		
	<b>Totals</b>				<b>1</b>		<b>2</b>		<b>3</b>		
<b>BEARS, GRIZZLY</b>											
	MT						3		1	2	
	<b>Totals</b>						<b>3</b>		<b>1</b>	<b>2</b>	
<b>BLACKBIRDS, RED-WINGED</b>											
	NJ				4				4		
	WA				33,004				33,000		4
	MO				10,015				10,015		
	FL				1,878				1,878		
	MS				50,000				50,000		
	KY				71				71		
	<b>Totals</b>				<b>94,972</b>				<b>94,968</b>		<b>4</b>
<b>BLACKBIRDS, z-(MIXED SPECIES)</b>											

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>BLACKBIRDS, z-(MIXED SPECIES)</b>											
	NM				17,500				17,500		
	MO				22,000				22,000		
	NE				6,800				6,800		
	TN				15,000				15,000		
	MS				92,000				92,000		
	OK				500				500		
	ND				10,000				10,000		
	WA				32,262				32,262		
	GA				10,000				10,000		
	NJ				110				110		
	<b>Totals</b>				<b>206,172</b>				<b>206,172</b>		
<b>BOBCATS</b>											
	FL				1				1		
	<b>Totals</b>				<b>1</b>				<b>1</b>		
<b>BULBUL, RED-WHISKERED</b>											
	HI				15						15
	<b>Totals</b>				<b>15</b>						<b>15</b>
<b>CARDINALS, NORTHERN</b>											
	HI				39				39		
	<b>Totals</b>				<b>39</b>				<b>39</b>		
<b>CARDINALS, RED CRESTED</b>											
	HI				644		4		648		
	<b>Totals</b>				<b>644</b>		<b>4</b>		<b>648</b>		
<b>CATS, FERAL/FREE RANGING</b>											

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>CATS, FERAL/FREE RANGING</b>											
	MO						1		1		
	HI				18				18		
	<b>Totals</b>				<b>18</b>		<b>1</b>		<b>19</b>		
<b>COOTS, AMERICAN</b>											
	FL				56				56		
	TN				55				55		
	MO				100				100		
	KY				1				1		
	<b>Totals</b>				<b>212</b>				<b>212</b>		
<b>CORMORANTS, DOUBLE-CRESTED</b>											
	AL				44,050				44,050		
	MS				62,130				62,130		
	WA				17,351				17,348		3
	NJ				9				9		
	FL				300				300		
	MO				30				30		
	<b>Totals</b>				<b>123,870</b>				<b>123,867</b>		<b>3</b>
<b>COWBIRDS, BROWN-HEADED</b>											
	KY				399				399		
	<b>Totals</b>				<b>399</b>				<b>399</b>		
<b>COYOTES</b>											
	WV						1		1		
	FL				1				1		
	OH				4				4		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>COYOTES</b>											
	KY				1				1		
	AK				26				26		
	<b>Totals</b>				<b>32</b>		<b>1</b>		<b>33</b>		
<b>CRANES, SANDHILL</b>											
	FL				41				41		
	NM				172,884				172,884		
	AK				9				9		
	<b>Totals</b>				<b>172,934</b>				<b>172,934</b>		
<b>CROWS, AMERICAN</b>											
	IL				95				95		
	MO				27				27		
	WA		14		3,226				3,234		6
	MA				80				80		
	NJ				59				59		
	NY				24,623				24,623		
	KY				10,386				10,386		
	<b>Totals</b>		<b>14</b>		<b>38,496</b>				<b>38,504</b>		<b>6</b>
<b>CROWS, FISH</b>											
	FL				2,348				2,348		
	<b>Totals</b>				<b>2,348</b>				<b>2,348</b>		
<b>DEER, WHITE-TAILED</b>											
	NJ				2				2		
	KY		380		2				382		
	FL				3				3		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

### Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>DEER, WHITE-TAILED</b>											
	<b>Totals</b>		<b>380</b>		<b>7</b>				<b>387</b>		
<b>DOGS, FERAL/FREE RANGING &amp; HYBR</b>											
	AL						1		1		
	GU						1		1		
	KY				1				1		
	FL				5				5		
	MO				1						1
	HI				7				6		1
	<b>Totals</b>				<b>14</b>		<b>2</b>		<b>14</b>		<b>2</b>
<b>DOVE, MOURNING</b>											
	MO				165				165		
	TN				185				185		
	KY				4,138				4,138		
	<b>Totals</b>				<b>4,488</b>				<b>4,488</b>		
<b>DOVE, SPOTTED</b>											
	HI				32,938				32,938		
	<b>Totals</b>				<b>32,938</b>				<b>32,938</b>		
<b>DOVE, ZEBRA</b>											
	HI				56,706				56,706		
	<b>Totals</b>				<b>56,706</b>				<b>56,706</b>		
<b>DOVE, zz-(OTHER)</b>											
	GU				157				157		
	NJ				12				12		
	<b>Totals</b>				<b>169</b>				<b>169</b>		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>DUCKS, DABBLING (OTHER)</b>											
	AK				3,428				3,428		
	FL				114				114		
	TN				36				36		
	ND				500				500		
	WA				3						3
	KY				56				56		
	MO				185				185		
	<b>Totals</b>				<b>4,322</b>				<b>4,319</b>		<b>3</b>
<b>DUCKS, DIVING (ALL)</b>											
	IL				31				31		
	AK		2		27,734				27,736		
	WA				33,133				33,109		24
	<b>Totals</b>		<b>2</b>		<b>60,898</b>				<b>60,876</b>		<b>24</b>
<b>DUCKS, FERAL</b>											
	NH						19		19		
	TN				450			3	453		
	VA							6	6		
	GA							12	12		
	<b>Totals</b>				<b>450</b>		<b>19</b>	<b>21</b>	<b>490</b>		
<b>DUCKS, HAWAIIAN (T&amp;E)</b>											
	HI				54				52		2
	<b>Totals</b>				<b>54</b>				<b>52</b>		<b>2</b>
<b>EAGLES, BALD</b>											
	AK				15				15		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
EAGLES, BALD											
	<b>Totals</b>				15				15		
EAGLES, GOLDEN											
	OR				3				3		
	<b>Totals</b>				3				3		
EGRETS, CATTLE											
	FL				17,103				17,103		
	TX				81,900				81,900		
	OK				14,685				14,685		
	GU				102				102		
	HI				10,921				10,921		
	<b>Totals</b>				124,711				124,711		
EGRETS, GREAT											
	NJ				1				1		
	FL				287				287		
	<b>Totals</b>				288				288		
EGRETS, SNOWY											
	FL				3				3		
	<b>Totals</b>				3				3		
EGRETS/HERONS (MIXED)											
	GU				85				85		
	FL				97				97		
	<b>Totals</b>				182				182		
EGRETS/HERONS/IBIS (MIXED)											
	FL				65				65		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>EGRETS/HERONS/IBIS (MIXED)</b>											
	<b>Totals</b>				65				65		
<b>EXOTIC BIRDS (OTHER)</b>											
	HI	5			1,444				1,449		
	<b>Totals</b>	5			1,444				1,449		
<b>FINCHES, HOUSE</b>											
	HI				8,687				8,687		
	<b>Totals</b>				8,687				8,687		
<b>FINCHES, PURPLE</b>											
	WA				35						35
	<b>Totals</b>				35						35
<b>FLICKERS, NORTHERN</b>											
	LA						1		1		
	<b>Totals</b>						1		1		
<b>FOXES, ARCTIC</b>											
	AK				4				4		
	<b>Totals</b>				4				4		
<b>FOXES, RED</b>											
	ME						1		1		
	<b>Totals</b>						1		1		
<b>FRANCOLIN, BLACK</b>											
	HI				171				171		
	<b>Totals</b>				171				171		
<b>FRANCOLIN, ERCKEL'S</b>											
	HI				151				151		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>FRANCOLIN, ERCKEL'S</b>											
	<b>Totals</b>				<b>151</b>				<b>151</b>		
<b>FRIGATEBIRDS (ALL)</b>											
	<b>HI</b>				<b>10</b>				<b>10</b>		
	<b>Totals</b>				<b>10</b>				<b>10</b>		
<b>GEESE, CANADA</b>											
	<b>WV</b>				<b>1,542</b>		<b>123</b>		<b>1,665</b>		
	<b>VA</b>						<b>121</b>		<b>121</b>		
	<b>TN</b>	<b>75</b>		<b>75</b>	<b>434</b>		<b>69</b>		<b>653</b>		
	<b>RI</b>						<b>40</b>		<b>40</b>		
	<b>MI</b>					<b>2</b>	<b>4</b>		<b>6</b>		
	<b>IL</b>				<b>764</b>		<b>1</b>		<b>765</b>		
	<b>GA</b>							<b>48</b>	<b>48</b>		
	<b>OH</b>				<b>364</b>				<b>364</b>		
	<b>NM</b>				<b>2,913</b>				<b>2,913</b>		
	<b>OK</b>				<b>1,000</b>				<b>1,000</b>		
	<b>NJ</b>				<b>460</b>				<b>460</b>		
	<b>WA</b>	<b>45</b>			<b>91,841</b>				<b>91,870</b>		<b>16</b>
	<b>MO</b>				<b>170</b>				<b>170</b>		
	<b>ID</b>				<b>130</b>				<b>130</b>		
	<b>AK</b>				<b>24,953</b>				<b>24,953</b>		
	<b>KY</b>				<b>949</b>				<b>949</b>		
	<b>Totals</b>	<b>120</b>		<b>75</b>	<b>125,520</b>	<b>2</b>	<b>358</b>	<b>48</b>	<b>126,107</b>		<b>16</b>
<b>GEESE, FERAL</b>											
	<b>NH</b>						<b>28</b>		<b>28</b>		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>GEESE, FERAL</b>											
	VA							1	1		
	<b>Totals</b>						28	1	29		
<b>GEESE, HAWAIIAN (T&amp;E)</b>											
	HI				1,878				1,878		
	<b>Totals</b>				1,878				1,878		
<b>GEESE, SNOW</b>											
	AK				30				30		
	MO				128				128		
	NM				20,500				20,500		
	<b>Totals</b>				20,658				20,658		
<b>GEESE, WHITE-FRONTED (ALL)</b>											
	AK				4				4		
	<b>Totals</b>				4				4		
<b>GOATS, FERAL</b>											
	HI				51				51		
	<b>Totals</b>				51				51		
<b>GRACKLES (OTHER)</b>											
	FL				8,713				8,713		
	PR				42				42		
	TN				12				12		
	<b>Totals</b>				8,767				8,767		
<b>GRACKLES, COMMON</b>											
	KY				2,500				2,500		
	OK				2,000				2,000		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>GRACKLES, COMMON</b>											
	MO				20				20		
	<b>Totals</b>				<b>4,520</b>				<b>4,520</b>		
<b>GREBES (ALL)</b>											
	MO				2				2		
	AK				45				45		
	WA				911				911		
	<b>Totals</b>				<b>958</b>				<b>958</b>		
<b>GROSBEAKS (ALL)</b>											
	WA				30						30
	<b>Totals</b>				<b>30</b>						<b>30</b>
<b>GULLS, CALIFORNIA</b>											
	WA				7,173				7,173		
	<b>Totals</b>				<b>7,173</b>				<b>7,173</b>		
<b>GULLS, GREAT BLACK-BACKED</b>											
	NY				99,497				99,497		
	<b>Totals</b>				<b>99,497</b>				<b>99,497</b>		
<b>GULLS, HERRING</b>											
	AL				1,100				1,100		
	NY				390,155				390,155		
	FL				17,060				17,060		
	AK				52				52		
	WA				6,389				6,389		
	IL				30				30		
	NJ				5				5		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>GULLS, HERRING</b>											
	<b>Totals</b>				<b>414,791</b>				<b>414,791</b>		
<b>GULLS, LAUGHING</b>											
	FL				94,121				94,121		
	NJ				7,180				7,180		
	<b>Totals</b>				<b>101,301</b>				<b>101,301</b>		
<b>GULLS, RING-BILLED</b>											
	FL				4,097				4,097		
	MO				26				26		
	OR				12,600				12,600		
	VA				32,550				32,550		
	WA				77,407				77,407		
	MI				400				400		
	NY				75,750				75,750		
	IL				2,730				2,730		
	<b>Totals</b>				<b>205,560</b>				<b>205,560</b>		
<b>GULLS, WESTERN</b>											
	CA				491				491		
	WA				4				4		
	<b>Totals</b>				<b>495</b>				<b>495</b>		
<b>GULLS, z-(OTHER)</b>											
	AL				600				600		
	MO				90				90		
	WA		65		80,226				80,255		36
	AK				48,716				48,716		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>GULLS, z-(OTHER)</b>											
	FL				1,600				1,600		
	VA				500				500		
	<b>Totals</b>		65		131,732				131,761		36
<b>HARRIERS (MARSH HAWKS)</b>											
	NJ				21				21		
	FL				1				1		
	MO				4				4		
	<b>Totals</b>				26				26		
<b>HAWKS, COOPER'S</b>											
	NM						3		3		
	<b>Totals</b>						3		3		
<b>HAWKS, RED-SHOULDERED</b>											
	FL				12				12		
	<b>Totals</b>				12				12		
<b>HAWKS, RED-TAILED</b>											
	AK				32				32		
	MO				47				47		
	NJ				32				32		
	KY				56				56		
	WA				5						5
	<b>Totals</b>				172				167		5
<b>HAWKS, z-(OTHER)</b>											
	AK				38				38		
	WA				1						1

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>HAWKS, z-(OTHER)</b>											
	MO				8				8		
	KY				6				6		
	<b>Totals</b>				<b>53</b>				<b>52</b>		<b>1</b>
<b>HERONS, BLACK-CROWNED NIGHT</b>											
	KY						4		4		
	WA				577				577		
	<b>Totals</b>				<b>577</b>		<b>4</b>		<b>581</b>		
<b>HERONS, GREAT BLUE</b>											
	NJ				4				4		
	MO				5				5		
	WA				858				858		
	KY				1				1		
	FL				10				10		
	<b>Totals</b>				<b>878</b>				<b>878</b>		
<b>HERONS, LITTLE BLUE</b>											
	FL				215				215		
	<b>Totals</b>				<b>215</b>				<b>215</b>		
<b>HOGS, FERAL</b>											
	HI				7				7		
	<b>Totals</b>				<b>7</b>				<b>7</b>		
<b>IBISES (OTHER)</b>											
	FL				4,708				4,708		
	<b>Totals</b>				<b>4,708</b>				<b>4,708</b>		
<b>JUNGLEFOWL, RED</b>											

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>JUNGLEFOWL, RED</b>											
	HI				3,159				3,159		
	<b>Totals</b>				<b>3,159</b>				<b>3,159</b>		
<b>KESTRELS, AMERICAN</b>											
	KY				89				89		
	NJ				33				33		
	MO				20				20		
	FL				6				6		
	<b>Totals</b>				<b>148</b>				<b>148</b>		
<b>KILLDEERS</b>											
	NJ				3				3		
	FL				1,197				1,197		
	MO				307				307		
	KY				678				678		
	<b>Totals</b>				<b>2,185</b>				<b>2,185</b>		
<b>KINGFISHERS (ALL)</b>											
	WA				44				44		
	<b>Totals</b>				<b>44</b>				<b>44</b>		
<b>KITES (ALL)</b>											
	CO						2		2		
	<b>Totals</b>						<b>2</b>		<b>2</b>		
<b>LARKS, HORNED</b>											
	MO				917				917		
	KY				5				5		
	FL				293				293		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>LARKS, HORNED</b>											
	<b>Totals</b>				1,215				1,215		
<b>LIONS, MOUNTAIN (COUGAR)</b>											
	ID				1				1		
	<b>Totals</b>				1				1		
<b>LYNXES</b>											
	AK				1				1		
	<b>Totals</b>				1				1		
<b>MAGPIES, BLACK-BILLED</b>											
	WA				8				8		
	AK				233				233		
	<b>Totals</b>				241				241		
<b>MALLARDS</b>											
	OH				100		2		102		
	MI					20			20		
	KY				603				603		
	IL				131				131		
	AK				6,806				6,806		
	MO				8				8		
	WA				15				15		
	<b>Totals</b>				7,663	20	2		7,685		
<b>MANNIKIN, CHESTNUT</b>											
	HI				108,267				108,267		
	<b>Totals</b>				108,267				108,267		
<b>MANNIKIN, NUTMEG</b>											

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>MANNIKIN, NUTMEG</b>											
	HI				9,411				9,411		
	<b>Totals</b>				<b>9,411</b>				<b>9,411</b>		
<b>MARMOTS/WOODCHUCKS (ALL)</b>											
	WA				12				12		
	<b>Totals</b>				<b>12</b>				<b>12</b>		
<b>MARTINS, PURPLE</b>											
	LA				4,000				4,000		
	MO				75				75		
	<b>Totals</b>				<b>4,075</b>				<b>4,075</b>		
<b>MEADOWLARKS, EASTERN</b>											
	MO				100				100		
	KY				60				60		
	FL				1,870				1,870		
	<b>Totals</b>				<b>2,030</b>				<b>2,030</b>		
<b>MEADOWLARKS, WESTERN</b>											
	HI				1,253				1,253		
	<b>Totals</b>				<b>1,253</b>				<b>1,253</b>		
<b>MERGANSE (OTHER)</b>											
	WA				358				358		
	<b>Totals</b>				<b>358</b>				<b>358</b>		
<b>MERGANSE, RED-BREASTED</b>											
	WA				10				10		
	<b>Totals</b>				<b>10</b>				<b>10</b>		
<b>MOOSE</b>											

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>MOOSE</b>											
	AK				369				369		
	<b>Totals</b>				<b>369</b>				<b>369</b>		
<b>MYNAS (ALL)</b>											
	HI				15,931				15,931		
	<b>Totals</b>				<b>15,931</b>				<b>15,931</b>		
<b>NIGHTHAWKS (ALL)</b>											
	FL				108				108		
	<b>Totals</b>				<b>108</b>				<b>108</b>		
<b>OPOSSUMS, VIRGINIA</b>											
	TN						1				1
	<b>Totals</b>						<b>1</b>				<b>1</b>
<b>OWLS, COMMON BARN</b>											
	HI				86				86		
	LA		1						1		
	<b>Totals</b>		<b>1</b>		<b>86</b>				<b>87</b>		
<b>OWLS, z-(OTHER)</b>											
	AK				17				17		
	HI				486				482		4
	<b>Totals</b>				<b>503</b>				<b>499</b>		<b>4</b>
<b>PELICANS, AMERICAN WHITE</b>											
	MS				5,125				5,125		
	WA				2						2
	<b>Totals</b>				<b>5,127</b>				<b>5,125</b>		<b>2</b>
<b>PHEASANT, RING-NECKED</b>											

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>PHEASANT, RING-NECKED</b>											
	HI				381				381		
	<b>Totals</b>				<b>381</b>				<b>381</b>		
<b>PIGEONS, FERAL (ROCK DOVE)</b>											
	HI				1,075				1,075		
	MO				15				15		
	OR				8				8		
	GU				38				38		
	AK				29				29		
	NM		50						50		
	WA				5,291				5,291		
	<b>Totals</b>		<b>50</b>		<b>6,456</b>				<b>6,506</b>		
<b>PLOVERS (OTHER)</b>											
	MO				30				30		
	GU				410				410		
	HI				58						58
	AK				5				5		
	<b>Totals</b>				<b>503</b>				<b>445</b>		<b>58</b>
<b>PLOVERS, LESSER GOLDEN</b>											
	HI				32,599				32,599		
	GU				10,285				10,285		
	<b>Totals</b>				<b>42,884</b>				<b>42,884</b>		
<b>PORCUPINES</b>											
	AK				17				17		
	<b>Totals</b>				<b>17</b>				<b>17</b>		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>RABBITS, COTTONTAIL</b>											
	NE						1		1		
	<b>Totals</b>						<b>1</b>		<b>1</b>		
<b>RACCOONS</b>											
	WV						3		3		
	KY						2		2		
	TN						1				1
	FL				25				25		
	<b>Totals</b>				<b>25</b>		<b>6</b>		<b>30</b>		<b>1</b>
<b>RAVENS, COMMON</b>											
	AK				202				202		
	<b>Totals</b>				<b>202</b>				<b>202</b>		
<b>ROBINS, AMERICAN</b>											
	KY				185				185		
	<b>Totals</b>				<b>185</b>				<b>185</b>		
<b>SHOREBIRDS (OTHER)</b>											
	KY				83				83		
	NJ				13				13		
	AK				1,849				1,849		
	MO				6				6		
	<b>Totals</b>				<b>1,951</b>				<b>1,951</b>		
<b>SNAKES, NON-POISONOUS (OTHER)</b>											
	IL						1		1		
	<b>Totals</b>						<b>1</b>		<b>1</b>		
<b>SPARROWS, HOUSE/ENGLISH</b>											

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>SPARROWS, HOUSE/ENGLISH</b>											
	CA						4		4		
	HI		30		6,040				6,070		
	<b>Totals</b>		<b>30</b>		<b>6,040</b>		<b>4</b>		<b>6,074</b>		
<b>SPARROWS, JAVA</b>											
	HI				462				462		
	<b>Totals</b>				<b>462</b>				<b>462</b>		
<b>STARLINGS, EUROPEAN</b>											
	WA				248,569		200		248,769		
	CA						3		3		
	KY		185		100,798		1		100,984		
	NY				1,018,995				1,018,995		
	NJ				2,132				2,132		
	TN				800				800		
	IL				200				200		
	UT				1,000				1,000		
	OH				400				400		
	MO				6,275				6,275		
	<b>Totals</b>		<b>185</b>		<b>1,379,169</b>		<b>204</b>		<b>1,379,558</b>		
<b>STILTS, HAWAIIAN (T&amp;E)</b>											
	HI				185				185		
	<b>Totals</b>				<b>185</b>				<b>185</b>		
<b>SWALLOWS, BARN</b>											
	OK				3,500				3,500		
	MO				182				182		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>SWALLOWS, BARN</b>											
	FL				5,510				5,510		
	<b>Totals</b>				<b>9,192</b>				<b>9,192</b>		
<b>SWALLOWS, TREE</b>											
	NJ				95				95		
	<b>Totals</b>				<b>95</b>				<b>95</b>		
<b>SWALLOWS, z-(MIXED)</b>											
	MO				210				210		
	AK				505				505		
	<b>Totals</b>				<b>715</b>				<b>715</b>		
<b>SWANS, TUNDRA (WHISTLING)</b>											
	AK				16				16		
	<b>Totals</b>				<b>16</b>				<b>16</b>		
<b>TERNS (OTHER)</b>											
	MO				40				40		
	FL				3				3		
	AK				117				117		
	WA				2				2		
	<b>Totals</b>				<b>162</b>				<b>162</b>		
<b>TERNS, CASPIAN</b>											
	WA				1,341				1,341		
	<b>Totals</b>				<b>1,341</b>				<b>1,341</b>		
<b>TURKEY, WILD (ALL)</b>											
	FL				2				2		
	MO				36				36		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>TURKEY, WILD (ALL)</b>											
	<b>Totals</b>				<b>38</b>				<b>38</b>		
<b>TURNSTONES, RUDDY</b>											
	<b>GU</b>				<b>85</b>						<b>85</b>
	<b>HI</b>				<b>34</b>				<b>34</b>		
	<b>Totals</b>				<b>119</b>				<b>34</b>		<b>85</b>
<b>TURTLES (ALL)</b>											
	<b>AL</b>						<b>1</b>				<b>1</b>
	<b>Totals</b>						<b>1</b>				<b>1</b>
<b>VULTURES, BLACK</b>											
	<b>TN</b>				<b>735</b>		<b>115</b>		<b>850</b>		
	<b>FL</b>				<b>229</b>				<b>229</b>		
	<b>MS</b>				<b>100</b>				<b>100</b>		
	<b>KY</b>				<b>3</b>				<b>3</b>		
	<b>Totals</b>				<b>1,067</b>		<b>115</b>		<b>1,182</b>		
<b>VULTURES, TURKEY</b>											
	<b>MO</b>				<b>37</b>				<b>37</b>		
	<b>NJ</b>				<b>23</b>				<b>23</b>		
	<b>KY</b>				<b>155</b>				<b>155</b>		
	<b>FL</b>				<b>21,349</b>				<b>21,349</b>		
	<b>TN</b>				<b>84</b>				<b>84</b>		
	<b>Totals</b>				<b>21,648</b>				<b>21,648</b>		
<b>VULTURES, z-(MIXED)</b>											
	<b>AL</b>				<b>1,432</b>				<b>1,432</b>		
	<b>TN</b>				<b>1,225</b>				<b>1,225</b>		

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target

**Table 3. Number of Animals Moved or Dispersed by the WS Program During FY 1997**

Species	State	Cultural Practices	Barriers	Environmental Manipulation	NonChemical Behavior Modification	Chemical Behavior Modification	NonChemical Population Management	Chemical Population Management	IT	UT	NT
<b>VULTURES, z-(MIXED)</b>											
	FL				6,080				6,080		
	<b>Totals</b>				<b>8,737</b>				<b>8,737</b>		
<b>WADING BIRDS (OTHER)</b>											
	FL				143				141		2
	<b>Totals</b>				<b>143</b>				<b>141</b>		<b>2</b>
<b>WOLVES, GRAY/TIMBER</b>											
	MT				9				9		
	<b>Totals</b>				<b>9</b>				<b>9</b>		
	<b>Grand Totals</b>	125	877	75	3,710,253	22	764	70	3,711,848	2	336

IT = Animal was dispersed intentionally; UT = Animal was dispersed unintentionally; NT = Animal was dispersed, but was not a target