

Western Forester

July/August 2003

Oregon • Washington State • Inland Empire • Alaska Societies

Volume 48 • Number 4

Developing Approaches to Reduce Wildlife Damage to Forest Resources

BY DALE L. NOLTE

Wildlife impacts on forest resources can be extensive. Although damage is generally considered in terms of reduced productivity or delayed harvest cycles,



attempts to replace trees after a harvest or a fire can fail because of foraging wildlife. Wildlife, particularly mammalian herbivores, can impede attempts to establish native plants to increase forest diversity, improve riparian areas, re-vegetate disturbed sites, restore endangered or threatened plants, or to create or improve habitat for wildlife. Foraging wildlife can be extremely detrimental if animals browse on plants before seedlings are well established, or if foraging is continuous or intense. Native plant projects are often destined to fail because target locations fall amongst animals with limited foraging options.

Managing resources to resolve problems is becoming increasingly difficult. The land base to produce timber is shrinking as increasing acreage is managed to provide suitable habitat for wildlife. Historical approaches to reduce problems are under increasing scrutiny with public demands for non-lethal and humane means to resolve animal damage conflicts. Conflicting management objectives also frequently impede attempts to resolve prob-



PHOTO COURTESY OF NWRC OLYMPIA FIELD STATION

NWRC Olympia Field Station conducts research on a variety of species that impact forest resources.

lems. One forester may need to reduce damage on a timber stand, while concurrently an adjacent landowner is working to increase wildlife populations. The combined result is a critical need for increased and enhanced research and outreach programs geared to solving human-wildlife conflicts and improving wildlife damage management.

The Olympia Field Station in Olympia, Wash., is an extension of the National Wildlife Research Center (NWRC) based in Fort Collins, Colorado. NWRC functions as the research arm of the Wildlife Service Program, an agency of the United

States Department of Agriculture, Animal and Plant Health Inspection Service, charged with the responsibility of conducting research on a wide variety of wildlife management problems on a national and international basis.

Research conducted at the Olympia Field Station focuses on developing feasible tools and strategies to resolve problems associated with wildlife damage to forest resources. Applied studies are conducted to develop new products (e.g., repellents, attractants, delivery systems), assess new or existing techniques (e.g., efficacy, non-target impacts, long-term conse-

(CONTINUED ON PAGE 2)

Reducing Wildlife Damage

(CONTINUED FROM FRONT PAGE)

quences), and investigate forest management options to reduce resource vulnerability. Because new tools cannot be created without first having a fundamental understanding of the problem, research of a more basic nature is also conducted. Station personnel conduct studies to elucidate the role of chemical senses and experience on foraging behaviors, and perform field research to clarify the environmental and ecological factors influencing the occurrence, dispersal and population densities of targeted species. Results are used by a broad array of managers that develop management plans to protect forest resources from damage by wildlife.

The NWRC Olympia Field Station consists of an office/laboratory building and separate animal facilities. The animal facility enables scientists to house and conduct research with



PHOTO COURTESY OF NWRC OLYMPIA FIELD STATION

Several methods including fencing, barriers and repellents have been tested to reduce deer browsing.

most mammals commonly found in the Pacific Northwest. Rodents can be maintained in individual pens for chemosensory assays or held in larger arenas that provide natural environments for behavioral work. Similar facilities are available for scientists to work with deer. These facilities have

been completely renovated over the past few years for the well being of research animals, to enhance research activities and to increase safety of employees. Pens are designed to permit flexibility to adjust to any special requirements posed by animals held at the facilities and to enable scientists to adapt facilities for experimental paradigms.

Field Station personnel are working to identify new non-lethal tools to remove targeted species causing damage and to evaluate and improve existing animal damage control technologies.

Physical deterrents are effective if they are constructed to completely impede access by offending wildlife. However, construction and maintenance are often cost prohibitive. Efforts are underway to identify less expensive materials and possibly reduced labor costs. Studies are also being conducted to improve our understanding of how materials used to construct barriers affect animals (e.g., attraction) and plants (e.g., microclimate), along with necessary strength, size and configuration for effective physical barriers.

Technology has provided a multitude of frightening devices and operating systems (e.g., acoustics, visuals, detection devices). Scientists are working to understand wildlife species responses to varied delivery intervals, paired consequences and varied responses depending on status (i.e., male vs. female, dominant vs. submissive, individuals vs. groups).

In addition, the station routinely evaluates efficacy of commercial repellents to deter deer browsing. Scientists continue to evaluate natural products (e.g., plant extracts, predator odors) to assess their potential as active ingredients in repellents. The Field Station recently completed a series of studies evaluating efficacy of an alternative feeding program to reduce tree girdling by bears, and assessing possible impacts on nutritional status and behavior of bears using feeding stations.

Developing non-lethal means to alleviate damage requires a thorough



Western Forester

Society of American Foresters

4033 S.W. Canyon Rd. • Portland, OR 97221 • (503) 224-8046 • FAX (503) 226-2515
rasor@safnwo.org • aimee@safnwo.org

Editor: Lori Rasor • **Assistant:** Aimee Sanders

Western Forester is published bimonthly by the World Forestry Center for the Oregon and Washington State Societies of American Foresters

State Society Chairs

Oregon: Bill Peterson, 2098 NW Lakeside Place, Bend, OR 97701; 541-317-8695; fax 541-383-4700; bpeterson@fs.fed.us

Washington State: Nancy Peckman, 705 Reynvaan Dr., Aberdeen, WA 98520; 360-537-8285; fax 360-537-8500; nancy.peckman@weyerhaeuser.com

Inland Empire: Lauren Fins, Dept. of Forest Resources, University of Idaho, Moscow, ID 83843; 208-885-7920; lfins@uidaho.edu

Alaska: Richard Coose, USDA Forest Service, P.O. Box 9533, Ketchikan, AK 99901; phone/fax 907-247-9533; dcoose@kpunct.net

Northwest Council Members

District I: Ann Forest Burns, 5508-35th Ave., NE, Suite 102, Seattle, WA 98105; 206-522-5942; fax 206-522-5392; aforestburns@msn.com

District II: Darrel Kenops, 1555 Hayden Bridge Rd., Springfield, OR 97477; 541-741-3466; dkenops@attbi.com

Please send change of address to:
Society of American Foresters
5400 Grosvenor Lane
Bethesda, MD 20814
(301) 897-8720

Anyone is at liberty to make fair use of the material in this publication. To reprint or make multiple reproductions, permission must be obtained from the editor. Proper notice of copyright and credit to the *Western Forester* must appear on all copies made. Permission is granted to quote from the *Western Forester* if the customary acknowledgement accompanies the quote.

Other than general editing, the articles appearing in this publication have not been peer reviewed for technical accuracy. The individual authors are primarily responsible for the content and opinions expressed herein.

Next Issue: Seedlings: The Next Generation

understanding of the underlying mechanisms governing foraging behavior. Although much information exists to describe foraging in a few model species (e.g., rats, sheep), little data have been collected for wildlife. Moreover, there is limited understanding of the factors that determine the effectiveness of most management strategies, including environmental context, forage and site selection by wildlife, and variables influencing animal movements and dispersal. All too often this limited understanding leads to the failure of management plans to achieve their intended objectives.

Several studies conducted at the Olympia Field Station have explored the roles that experience and chemical senses play in the foraging behaviors of various species. For example, a series of studies determined criteria used by black bears to select trees for girdling, and then related these criteria to silvicultural practices. Other ongoing studies are interpreting deer foraging response to active ingredients used in repellents. Scientists working at the station are trying to determine what role secondary metabolites (e.g., terpenes), contained in most conifers, have on wildlife foraging. A series of studies is investigating whether prior experience may cause animals to be more tolerant of metabolites and thus more likely to browse seedlings. Other studies seek to determine whether foraging preferences exhibited by deer among western redcedar

genotypes is correlated with terpene concentrations. Scientists also are investigating whether nutritional status of deer affect their ability to cope with secondary metabolites.

Scientists also are assessing potential baits to reduce rodent populations because non-lethal tools are not



PHOTO COURTESY OF NWRC OLYMPIA FIELD STATION

Deer are handled for both veterinary care and station research in the deer handler system at the Olympia Field Station.

always feasible, such as when wildlife populations exceed the capacity of available foraging resources. Thus the most effective, yet humane and environmentally safe products need to be identified.

Although the Olympia Field Station's primary focus is to develop approaches to protect forest resources, its staff has emerged as the NWRC leaders in conducting research with aquatic mammals. Scientists, cooperating with several Wildlife Services state programs across the nation, are assessing differences in biological and behavioral differences between beaver in colder climates and beaver from areas where food is less limiting. Ongoing collaborative efforts are developing non-lethal approaches to alleviate problems associated with beaver in urban areas or destructive to wetland enhancement

projects. Other research is directed toward developing feasible approaches to protect native marshes by reducing destructive foraging by nutria.

NWRC Olympia Field Station personnel are dedicated to developing feasible tools and strategies to resolve problems associated with wildlife damage to forest resources. They also recognize that an effective program requires a continuous informational exchange with resource managers. The Field Station has benefited from resource managers providing guidance to identify emerging issues, establishing experimental priorities, and ensuring the practicality of results. Anyone interested in resolving wildlife impacts to forest resources is encouraged to contact the field station. ♦

Dale L. Nolte is field station leader for the National Wildlife Research Center's Olympia Field Station in Olympia, Wash. He can be reached at 360-956-3793 or dale.l.nolte@aphis.usda.gov.

Collaborative Research Team

The Collaborative Research Team (CRT) is a collaboration of persons interested in identifying feasible solutions to resolving wildlife negative impacts to forest resources. An informal structure is used to keep participants apprised of research results and to exchange information on emerging methods and strategies to prevent damage. The Olympia Field Station has relied heavily on input from this group while developing research objectives.

CRT has provided guidance on problems associated with a variety of wildlife species. Past bear research and ongoing mountain beaver research in particular have benefited from CRT activity. CRT participants also have solicited resource and fiscal support for select projects. Past CRT participants have represented private and industrial forestry, along with several state and federal agencies. Anyone interested in participating with the CRT should contact the NWRC Olympia Field Station at 360-956-3793.

Disclaimer

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or marital or family status. Not all prohibited bases apply to all programs. Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD). To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 1400 Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.