

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services - FY 2008**

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------|--------------------------|-----------------------------------|----------------|
| AK | avian influenza | | |
| | | bramblings | 2 |
| | | buntings, rustic | 2 |
| | | cranes, sandhill | 152 |
| | | ducks, bufflehead | 2 |
| | | ducks, canvasback | 12 |
| | | ducks, gadwall | 15 |
| | | ducks, goldeneye, barrow`s | 13 |
| | | ducks, goldeneye, common | 5 |
| | | ducks, harlequin | 25 |
| | | ducks, long-tailed | 1 |
| | | ducks, mallards | 413 |
| | | ducks, merganser common | 5 |
| | | ducks, northern pintail | 243 |
| | | ducks, northern shoveler | 101 |
| | | ducks, redhead | 6 |
| | | ducks, ring-necked | 5 |
| | | ducks, scaup, greater | 60 |
| | | ducks, scaup, lesser | 8 |
| | | ducks, teal, blue-winged | 3 |
| | | ducks, teal, eurasian green-winge | 9 |
| | | ducks, teal, green-winged | 224 |
| | | ducks, wigeon, american | 229 |
| | | ducks, wigeon, eurasian | 2 |
| | | dunlins | 7 |
| | | flycatcher, gray-streaked | 1 |
| | | geese, aleutian cackling | 170 |
| | | geese, brant, black | 36 |
| | | geese, canada | 693 |
| | | geese, emperor | 69 |
| | | geese, snow, greater | 283 |
| | | geese, snow, lesser | 15 |
| | | geese, white-fronted, greater | 93 |
| | | grosbeak, pine | 2 |
| | | gulls, bonaparte`s | 16 |
| | | gulls, glaucous | 32 |
| | | gulls, glaucous-winged | 287 |
| | | gulls, herring | 52 |
| | | gulls, mew | 37 |
| | | gulls, thayer`s | 3 |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> | |
|--------------|---------------------------------------|--------------------------|---------------------------------------|-------|
| AK | avian influenza | kittiwakes, black-legged | 7 | |
| | | kittiwakes, red-legged | 30 | |
| | | murre, common | 2 | |
| | | non-wildlife | 177 | |
| | | olive-backed pipit | 1 | |
| | | phalaropes, red-necked | 2 | |
| | | pheasants, ring-necked | 1 | |
| | | pigeons, feral (rock) | 1 | |
| | | plovers, golden, pacific | 4 | |
| | | plovers, semipalmated | 2 | |
| | | sanderlings | 15 | |
| | | sandpipers, rock | 142 | |
| | | sandpipers, semipalmated | 2 | |
| | | sandpipers, spotted | 1 | |
| | | shrikes (all) | 1 | |
| | | swans, trumpeter | 12 | |
| | | swans, tundra | 26 | |
| | | tattlers, wandering | 4 | |
| | | turnstones, ruddy | 49 | |
| | | wagtails, white | 1 | |
| | | warblers, arctic | 1 | |
| | | whimbrels | 7 | |
| | | yellowlegs, greater | 2 | |
| | | yellowlegs, lesser | 1 | |
| | | | <i>Subtotal of Samples by Disease</i> | 3,824 |
| | | | plague | |
| | | | foxes, red | 1 |
| | <i>Subtotal of Samples by Disease</i> | 1 | | |
| | tularemia | | | |
| | beavers | 2 | | |
| | coyotes | 1 | | |
| | foxes, arctic | 7 | | |
| | foxes, red | 10 | | |
| | muskrats | 34 | | |
| | porcupines | 2 | | |
| | <i>Subtotal of Samples by Disease</i> | 56 | | |
| AL | avian influenza | ducks, american black | 5 | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|---------------------------------------|---------------------------------------|---------------------------------------|----------------|
| AL | avian influenza | ducks, gadwall | 45 |
| | | ducks, mallards | 110 |
| | | ducks, northern pintail | 1 |
| | | ducks, northern shoveler | 9 |
| | | ducks, teal, blue-winged | 1 |
| | | ducks, teal, green-winged | 3 |
| | | ducks, wigeon, american | 6 |
| | | geese, canada | 104 |
| | | martins, purple | 6 |
| | | pelicans, brown | 2 |
| | | <i>Subtotal of Samples by Disease</i> | 292 |
| | botulism | geese, canada | 4 |
| | | pelicans, brown | 1 |
| | | <i>Subtotal of Samples by Disease</i> | 5 |
| | classical swine fever | hogs, feral | 38 |
| | | <i>Subtotal of Samples by Disease</i> | 38 |
| | pseudorabies | hogs, feral | 38 |
| | | <i>Subtotal of Samples by Disease</i> | 38 |
| | rabies | bobcats | 2 |
| | | foxes, gray | 2 |
| | | raccoons | 1,111 |
| | | <i>Subtotal of Samples by Disease</i> | 1,115 |
| | swine brucellosis | hogs, feral | 38 |
| <i>Subtotal of Samples by Disease</i> | | 38 | |
| west nile virus | martins, purple | 6 | |
| | <i>Subtotal of Samples by Disease</i> | 6 | |
| AR | avian cholera | ducks, gadwall | 17 |
| | | ducks, teal, green-winged | 5 |
| | | | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------|---------------------------------------|---------------------------------------|----------------|
| AR | avian cholera | | |
| | | <i>Subtotal of Samples by Disease</i> | 22 |
| | avian influenza | | |
| | | ducks, bufflehead | 2 |
| | | ducks, canvasback | 1 |
| | | ducks, gadwall | 98 |
| | | ducks, mallards | 334 |
| | | ducks, merganser, hooded | 1 |
| | | ducks, northern pintail | 8 |
| | | ducks, northern shoveler | 38 |
| | | ducks, ring-necked | 27 |
| | | ducks, teal, green-winged | 54 |
| | | ducks, wigeon, american | 9 |
| | | ducks, wood | 22 |
| | | geese, canada | 232 |
| | | geese, snow, lesser | 613 |
| | | geese, white-fronted, greater | 10 |
| | non-wildlife | 200 | |
| | <i>Subtotal of Samples by Disease</i> | 1,649 | |
| | classical swine fever | | |
| | hogs, feral | 81 | |
| | <i>Subtotal of Samples by Disease</i> | 81 | |
| | exotic newcastle disease | | |
| | cormorants, double-crested | 40 | |
| | <i>Subtotal of Samples by Disease</i> | 40 | |
| | pseudorabies | | |
| | hogs, feral | 23 | |
| | <i>Subtotal of Samples by Disease</i> | 23 | |
| AZ | avian influenza | | |
| | | coots, american | 5 |
| | | geese, canada | 11 |
| | | geese, feral | 5 |
| | | <i>Subtotal of Samples by Disease</i> | 21 |
| | classical swine fever | | |
| | hogs, feral | 31 | |
| | <i>Subtotal of Samples by Disease</i> | 31 | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------------------|---------------------------------------|---------------------------------------|----------------|
| AZ | heartworms, other | | |
| | | coyotes | 5 |
| | | <i>Subtotal of Samples by Disease</i> | 5 |
| | plague | | |
| | | badgers | 9 |
| | | bobcats | 7 |
| | | coyotes | 143 |
| | | deer, mule | 6 |
| | | dogs, feral, free-ranging and hybri | 89 |
| | | foxes, gray | 7 |
| | | hogs, feral | 10 |
| | | lions, mountain (cougar) | 1 |
| | | peccaries, collared (javelina) | 10 |
| | | raccoons | 5 |
| | | skunks, hooded | 1 |
| | | skunks, striped | 14 |
| | | <i>Subtotal of Samples by Disease</i> | 302 |
| | pseudorabies | | |
| | | hogs, feral | 26 |
| | | <i>Subtotal of Samples by Disease</i> | 26 |
| | rabies | | |
| | | bats (all) | 1,992 |
| | | cats, feral/free ranging | 3 |
| | | coyotes | 6 |
| | | dogs, feral, free-ranging and hybri | 75 |
| | | foxes, gray | 13 |
| | | raccoons | 6 |
| | skunks, hog-nosed | 2 | |
| | skunks, hooded | 23 | |
| | skunks, spotted | 5 | |
| | skunks, striped | 28 | |
| | <i>Subtotal of Samples by Disease</i> | 2,153 | |
| swine brucellosis | | | |
| | hogs, feral | 26 | |
| | <i>Subtotal of Samples by Disease</i> | 26 | |
| tularemia | | | |
| | badgers | 9 | |
| | bobcats | 7 | |
| | coyotes | 143 | |
| | deer, mule | 6 | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|---------------------------------------|---------------------------------------|---------------------------------------|--------------------|
| AZ | tularemia | dogs, feral, free-ranging and hybr | 89 |
| | | foxes, gray | 7 |
| | | hogs, feral | 10 |
| | | lions, mountain (cougar) | 1 |
| | | peccaries, collared (javelina) | 10 |
| | | raccoons | 5 |
| | | skunks, hooded | 1 |
| | | skunks, striped | 14 |
| | | <i>Subtotal of Samples by Disease</i> | 302 |
| | CA | adenovirus hemorrhagic disease | deer, black-tailed |
| deer, mule | | | 114 |
| <i>Subtotal of Samples by Disease</i> | | 116 | |
| avian influenza | | ducks, bufflehead | 6 |
| | | ducks, gadwall | 69 |
| | | ducks, goldeneye, common | 1 |
| | | ducks, mallards | 213 |
| | | ducks, northern pintail | 29 |
| | | ducks, northern shoveler | 123 |
| | | ducks, redhead | 5 |
| | | ducks, ring-necked | 4 |
| | | ducks, ruddy | 2 |
| | | ducks, scaup, lesser | 1 |
| | | ducks, teal, cinnamon | 19 |
| | | ducks, teal, green-winged | 156 |
| | | ducks, wigeon, american | 82 |
| | | ducks, wood | 4 |
| | | geese, aleutian cackling | 6 |
| | | geese, canada | 21 |
| | geese, snow, lesser | 10 | |
| non-wildlife | 1,584 | | |
| <i>Subtotal of Samples by Disease</i> | 2,335 | | |
| chronic wasting disease | deer, black-tailed | 27 | |
| | deer, mule | 251 | |
| | <i>Subtotal of Samples by Disease</i> | 278 | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|---------------------------------------|-------------------------------|---------------------------------------|----------------|
| CA | classical swine fever | hogs, feral | 188 |
| | | <i>Subtotal of Samples by Disease</i> | 188 |
| | e.coli | coyotes | 31 |
| | | crows, american | 1 |
| | | deer, black-tailed | 6 |
| | | ducks, mallards | 2 |
| | | ducks, northern shoveler | 2 |
| | | ducks, teal, green-winged | 5 |
| | | ducks, wigeon, american | 1 |
| | | hares, jackrabbits (all) | 16 |
| | | hogs, feral | 187 |
| | | non-wildlife | 32 |
| | | opossums, virginia | 13 |
| | | rabbits, cottontail | 21 |
| | | raccoons | 17 |
| | | skunks, striped | 16 |
| | squirrels, ground, california | 44 | |
| | starlings, european | 153 | |
| | | <i>Subtotal of Samples by Disease</i> | 547 |
| | genetic | coyotes | 2 |
| hogs, feral | | 423 | |
| lions, mountain (cougar) | | 3 | |
| <i>Subtotal of Samples by Disease</i> | | 428 | |
| plague | badgers | 2 | |
| | bears, black | 21 | |
| | beavers | 39 | |
| | bobcats | 17 | |
| | cats, feral/free ranging | 1 | |
| | coyotes | 537 | |
| | deer, black-tailed | 1 | |
| | foxes, gray | 5 | |
| | foxes, red | 6 | |
| | hogs, feral | 230 | |
| | lions, mountain (cougar) | 22 | |
| | muskrats | 8 | |
| | opossums, virginia | 7 | |
| | raccoons | 65 | |
| | skunks, striped | 16 | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------|---------------------------------------|---------------------------------------|----------------|
| CA | plague | squirrels, ground, california | 5 |
| | | <i>Subtotal of Samples by Disease</i> | 982 |
| | pseudorabies | hogs, feral | 186 |
| | | <i>Subtotal of Samples by Disease</i> | 186 |
| | rabies | bobcats | 2 |
| | | coyotes | 1 |
| | | foxes, gray | 1 |
| | | opossums, virginia | 1 |
| | | raccoons | 5 |
| | | skunks, striped | 35 |
| | | <i>Subtotal of Samples by Disease</i> | 45 |
| | swine brucellosis | hogs, feral | 186 |
| | | <i>Subtotal of Samples by Disease</i> | 186 |
| | swine influenza | hogs, feral | 25 |
| | | <i>Subtotal of Samples by Disease</i> | 25 |
| | tularemia | badgers | 2 |
| | | bears, black | 21 |
| | | beavers | 39 |
| | | bobcats | 17 |
| | | cats, feral/free ranging | 1 |
| | | coyotes | 536 |
| | | deer, black-tailed | 1 |
| | | foxes, gray | 5 |
| | | foxes, red | 6 |
| | | hogs, feral | 230 |
| | | lions, mountain (cougar) | 22 |
| | | muskrats | 8 |
| | opossums, virginia | 7 | |
| | raccoons | 65 | |
| | skunks, striped | 16 | |
| | squirrels, ground, california | 5 | |
| | <i>Subtotal of Samples by Disease</i> | 981 | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------------------|---------------------------------------|---------------------------------------|----------------|
| CO | avian cholera | | |
| | | ducks, mallards | 1 |
| | | <i>Subtotal of Samples by Disease</i> | 1 |
| | avian influenza | | |
| | | ducks, canvasback | 1 |
| | | ducks, gadwall | 30 |
| | | ducks, mallards | 71 |
| | | ducks, northern pintail | 2 |
| | | ducks, northern shoveler | 19 |
| | | ducks, redhead | 3 |
| | | ducks, ruddy | 1 |
| | | ducks, teal, blue-winged | 6 |
| | | ducks, teal, cinnamon | 3 |
| | | ducks, teal, green-winged | 12 |
| | | ducks, wigeon, american | 9 |
| | | geese, canada | 163 |
| | | non-wildlife | 345 |
| | | <i>Subtotal of Samples by Disease</i> | 665 |
| | chronic wasting disease | | |
| | | deer, white-tailed (wild) | 1 |
| | | <i>Subtotal of Samples by Disease</i> | 1 |
| | classical swine fever | | |
| | | hogs, feral | 19 |
| | | <i>Subtotal of Samples by Disease</i> | 19 |
| | plague | | |
| | | beavers | 3 |
| | | coyotes | 238 |
| | foxes, red | 175 | |
| | voles (all) | 1 | |
| | <i>Subtotal of Samples by Disease</i> | 417 | |
| pseudorabies | | | |
| | hogs, feral | 19 | |
| | <i>Subtotal of Samples by Disease</i> | 19 | |
| rabies | | | |
| | skunks, striped | 2 | |
| | <i>Subtotal of Samples by Disease</i> | 2 | |
| swine brucellosis | | | |
| | hogs, feral | 19 | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------|---------------------------------------|---------------------------------------|----------------|
| CO | swine brucellosis | | |
| | | <i>Subtotal of Samples by Disease</i> | 19 |
| | toxoplasmosis | | |
| | | blackbirds, z-(mixed species) | 3 |
| | | doves, mourning | 24 |
| | | ducks, mallards | 8 |
| | | falcons, american kestrels | 9 |
| | | geese, canada | 6 |
| | | hawks, harrier, northern (marsh h | 3 |
| | | hawks, red-tailed | 36 |
| | | hawks, rough-legged | 3 |
| | | hawks, swainson`s | 15 |
| | | herons, great blue | 3 |
| | | killdeers | 3 |
| | | kingbirds, western | 6 |
| | | larks, horned | 27 |
| | | meadowlarks, western | 18 |
| | | owls, common barn | 3 |
| | | owls, great horned | 6 |
| | | pigeons, feral (rock) | 225 |
| | | starlings, european | 12 |
| | | vultures, turkey | 3 |
| | | <i>Subtotal of Samples by Disease</i> | 413 |
| | tularemia | | |
| | beavers | 3 | |
| | coyotes | 38 | |
| | foxes, red | 13 | |
| | voles (all) | 1 | |
| | <i>Subtotal of Samples by Disease</i> | 55 | |
| | west nile virus | | |
| | sparrows, house/english | 123 | |
| | <i>Subtotal of Samples by Disease</i> | 123 | |
| CT | avian influenza | | |
| | | cormorants, double-crested | 1 |
| | | crows, american | 2 |
| | | ducks, american black | 21 |
| | | ducks, bufflehead | 1 |
| | | ducks, feral | 1 |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------|--------------------------|---------------------------------------|---------------------------------------|
| CT | avian influenza | ducks, gadwall | 5 |
| | | ducks, long-tailed | 5 |
| | | ducks, mallards | 154 |
| | | ducks, merganser common | 3 |
| | | ducks, merganser, hooded | 6 |
| | | ducks, teal, green-winged | 4 |
| | | ducks, wood | 5 |
| | | egrets, great | 2 |
| | | egrets, snowy | 2 |
| | | geese, canada | 201 |
| | | geese, feral | 5 |
| | | geese, snow, greater | 1 |
| | | gulls, black-backed, greater | 8 |
| | | gulls, herring | 194 |
| | | gulls, laughing | 5 |
| | | gulls, ring-billed | 235 |
| | | herons, great blue | 4 |
| | | herons, night, black-crowned | 2 |
| | | kingfishers, belted | 1 |
| | | plovers, black-bellied | 1 |
| | | sandpipers, semipalmated | 2 |
| | | sandpipers, spotted | 1 |
| | | swans, mute | 6 |
| | | terns, common | 81 |
| | | turkeys, wild | 9 |
| | | yellowlegs, lesser | 1 |
| | | | <i>Subtotal of Samples by Disease</i> |
| | lead | ducks, american black | 1 |
| | | <i>Subtotal of Samples by Disease</i> | 1 |
| DE | avian influenza | ducks, american black | 10 |
| | | ducks, gadwall | 10 |
| | | ducks, mallards | 256 |
| | | ducks, merganser, hooded | 5 |
| | | ducks, northern pintail | 20 |
| | | ducks, northern shoveler | 15 |
| | | ducks, ring-necked | 12 |
| | | ducks, ruddy | 2 |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> | |
|---------------------------------------|---------------------------------------|---------------------------------------|------------------------|--------------------------|
| DE | avian influenza | ducks, scaup, lesser | 4 | |
| | | ducks, teal, green-winged | 140 | |
| | | ducks, wigeon, american | 7 | |
| | | ducks, wood | 20 | |
| | | geese, canada | 929 | |
| | | geese, snow, greater | 178 | |
| | | geese, snow, lesser | 1 | |
| | | gulls, black-backed, greater | 100 | |
| | | swans, mute | 1 | |
| | | <i>Subtotal of Samples by Disease</i> | | 1,710 |
| | | FL | avian influenza | dowitchers, short-billed |
| ducks, gadwall | 1 | | | |
| ducks, mallards | 1 | | | |
| ducks, mottled | 27 | | | |
| ducks, northern pintail | 1 | | | |
| ducks, northern shoveler | 11 | | | |
| ducks, ring-necked | 37 | | | |
| ducks, scaup, lesser | 1 | | | |
| ducks, teal, blue-winged | 13 | | | |
| ducks, teal, green-winged | 6 | | | |
| ducks, wigeon, american | 1 | | | |
| dunlins | 30 | | | |
| knots, red | 43 | | | |
| plovers, black-bellied | 4 | | | |
| sanderlings | 13 | | | |
| sandpipers, western | 5 | | | |
| turnstones, ruddy | 33 | | | |
| <i>Subtotal of Samples by Disease</i> | | | | 251 |
| classical swine fever | hogs, feral | | | 4 |
| | <i>Subtotal of Samples by Disease</i> | | | 4 |
| pseudorabies | hogs, feral | 4 | | |
| | <i>Subtotal of Samples by Disease</i> | | 4 | |
| rabies | bobcats | 2 | | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> | |
|---------------------------------------|---------------------------------------|---------------------------------------|-----------------------|----|
| FL | rabies | cats, feral/free ranging | 41 | |
| | | coyotes | 2 | |
| | | foxes, gray | 10 | |
| | | raccoons | 1,892 | |
| | | <i>Subtotal of Samples by Disease</i> | 1,947 | |
| | swine brucellosis | hogs, feral | 4 | |
| | | <i>Subtotal of Samples by Disease</i> | 4 | |
| | GA | avian influenza | coots, american | 10 |
| | | | ducks, american black | 6 |
| | | | ducks, bufflehead | 4 |
| ducks, canvasback | | | 1 | |
| ducks, feral | | | 29 | |
| ducks, gadwall | | | 38 | |
| ducks, mallards | | | 57 | |
| ducks, merganser, hooded | | | 35 | |
| ducks, northern pintail | | | 1 | |
| ducks, northern shoveler | | | 14 | |
| ducks, redhead | | | 1 | |
| ducks, ring-necked | | | 126 | |
| ducks, scaup, lesser | | | 8 | |
| ducks, teal, blue-winged | | | 7 | |
| ducks, teal, green-winged | | | 54 | |
| ducks, wigeon, american | | | 8 | |
| ducks, wood | | | 94 | |
| geese, canada | | | 1 | |
| <i>Subtotal of Samples by Disease</i> | | | 494 | |
| classical swine fever | | hogs, feral | 68 | |
| | | <i>Subtotal of Samples by Disease</i> | 68 | |
| pseudorabies | | hogs, feral | 20 | |
| | <i>Subtotal of Samples by Disease</i> | 20 | | |
| rabies | bats (all) | 1 | | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> | | |
|------------------------------------|--------------------------|---------------------------------------|---------------------------------------|-----------------|----|
| GA | rabies | bobcats | 1 | | |
| | | cats, feral/free ranging | 4 | | |
| | | coyotes | 2 | | |
| | | dogs, feral, free-ranging and hybri | 2 | | |
| | | foxes, gray | 16 | | |
| | | foxes, red | 1 | | |
| | | marmots/woodchucks (all) | 3 | | |
| | | raccoons | 335 | | |
| | | skunks, striped | 8 | | |
| | | <i>Subtotal of Samples by Disease</i> | | 373 | |
| | | swine brucellosis | hogs, feral | 20 | |
| | | | <i>Subtotal of Samples by Disease</i> | | 20 |
| | | | | | |
| | | GB | avian influenza | coots, american | 3 |
| cormorants, neotropic (olivaceous) | 2 | | | | |
| dowitchers, short-billed | 2 | | | | |
| ducks, northern shoveler | 2 | | | | |
| ducks, pintail, white-cheeked | 21 | | | | |
| ducks, teal, blue-winged | 20 | | | | |
| ducks, whistling, west indian | 2 | | | | |
| egrets, snowy | 10 | | | | |
| herons, green | 6 | | | | |
| herons, little blue | 2 | | | | |
| herons, night, yellow-crowned | 2 | | | | |
| herons, tricolored | 8 | | | | |
| killdeers | 8 | | | | |
| kingfishers, belted | 2 | | | | |
| plovers, semipalmated | 2 | | | | |
| plovers, wilson`s | 4 | | | | |
| sandpipers, least | 50 | | | | |
| sandpipers, semipalmated | 29 | | | | |
| sandpipers, spotted | 4 | | | | |
| sandpipers, stilt | 6 | | | | |
| snipes, common | 3 | | | | |
| stilts, black-necked | 113 | | | | |
| willets | 2 | | | | |
| yellowlegs, greater | 37 | | | | |
| yellowlegs, lesser | 18 | | | | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------|--------------------------|---------------------------------------|----------------|
| GB | <u>avian influenza</u> | | |
| | | <i>Subtotal of Samples by Disease</i> | 358 |
| GU | <u>avian influenza</u> | | |
| | | bird, unidentifiable | 95 |
| | | bitterns, yellow | 96 |
| | | doves, collared, island (philippine) | 1,249 |
| | | drongos, black | 7 |
| | | egrets, cattle | 4 |
| | | egrets, great | 3 |
| | | greenshanks, common | 60 |
| | | herons, night, black-crowned | 28 |
| | | kingfishers, belted | 2 |
| | | mannikins, chestnut | 27 |
| | | noddys, black | 1 |
| | | pigeons, feral (rock) | 32 |
| | | plovers, black-bellied | 2 |
| | | plovers, golden, pacific | 5,260 |
| | | plovers, mongolian | 12 |
| | | ruffs | 7 |
| | | sandpipers, common | 73 |
| | | sandpipers, pectoral | 3 |
| | | sandpipers, sharp-tailed | 497 |
| | | sandpipers, wood | 92 |
| | | snipes, common | 6 |
| | | sparrows, eurasian tree | 7 |
| | | stints, long-toed | 26 |
| | | stints, rufous-necked | 16 |
| | | swallows, bank | 36 |
| | | tattlers, gray-tailed | 39 |
| | | tattlers, wandering | 63 |
| | | terns, common | 16 |
| | | terns, common fairy | 1 |
| | | turnstones, ruddy | 129 |
| | | whimbrels | 11 |
| | | <i>Subtotal of Samples by Disease</i> | 7,900 |
| HI | <u>avian influenza</u> | | |
| | | bulbuls, red-whiskered | 2 |
| | | ducks, feral | 22 |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------|---------------------------------------|---------------------------------------|----------------|
| HI | avian influenza | | |
| | | ducks, mallards | 16 |
| | | egrets, cattle | 13 |
| | | geese, feral | 3 |
| | | herons, night, black-crowned | 1 |
| | | plovers, golden, pacific | 15 |
| | | sanderlings | 1 |
| | | turnstones, ruddy | 5 |
| | | <i>Subtotal of Samples by Disease</i> | 78 |
| | | classical swine fever | |
| | | hogs, feral | 21 |
| | | <i>Subtotal of Samples by Disease</i> | 21 |
| | | genetic | |
| | | hogs, feral | 16 |
| | | <i>Subtotal of Samples by Disease</i> | 16 |
| | | leptospirosis | |
| | | hogs, feral | 11 |
| | | <i>Subtotal of Samples by Disease</i> | 11 |
| | | pseudorabies | |
| | | hogs, feral | 25 |
| | | <i>Subtotal of Samples by Disease</i> | 25 |
| | swine brucellosis | | |
| | hogs, feral | 25 | |
| | <i>Subtotal of Samples by Disease</i> | 25 | |
| | west nile virus | | |
| | bulbuls, red-whiskered | 1 | |
| | cardinals, red crested | 67 | |
| | doves, spotted | 1,512 | |
| | doves, zebra | 1,691 | |
| | mynas (all) | 87 | |
| | sparrows, java | 364 | |
| | <i>Subtotal of Samples by Disease</i> | 3,722 | |
| IA | avian influenza | | |
| | | ducks, gadwall | 76 |
| | | ducks, mallards | 186 |
| | | ducks, northern pintail | 72 |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|---------------------------------------|--------------------------------|---------------------------------------|--------------------------|
| IA | avian influenza | ducks, northern shoveler | 91 |
| | | ducks, teal, blue-winged | 57 |
| | | ducks, teal, green-winged | 161 |
| | | ducks, wigeon, american | 27 |
| | | geese, canada | 449 |
| | | non-wildlife | 113 |
| | | <i>Subtotal of Samples by Disease</i> | 1,232 |
| | chronic wasting disease | deer, white-tailed (wild) | 122 |
| | | <i>Subtotal of Samples by Disease</i> | 122 |
| | ID | aleutian disease virus | cats, feral/free ranging |
| minks | | | 7 |
| skunks, striped | | | 40 |
| <i>Subtotal of Samples by Disease</i> | | | 199 |
| avian influenza | | ducks, gadwall | 31 |
| | | ducks, goldeneye, common | 28 |
| | | ducks, mallards | 345 |
| | | ducks, northern pintail | 23 |
| | | ducks, northern shoveler | 7 |
| | | ducks, redhead | 2 |
| | | ducks, ring-necked | 6 |
| | | ducks, scaup, lesser | 2 |
| | | ducks, teal, blue-winged | 3 |
| | | ducks, teal, green-winged | 40 |
| | | ducks, wigeon, american | 78 |
| | | ducks, wood | 7 |
| | | geese, canada | 8 |
| non-wildlife | 605 | | |
| <i>Subtotal of Samples by Disease</i> | 1,185 | | |
| plague | badgers | 10 | |
| | bears, black | 2 | |
| | beavers | 4 | |
| | cats, feral/free ranging | 15 | |
| | coyotes | 125 | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> | | |
|---------------------------|---------------------------------------|---------------------------------------|------------------------|-------------------|----|
| ID | plague | foxes, red | 9 | | |
| | | lions, mountain (cougar) | 1 | | |
| | | marmots/woodchucks (all) | 2 | | |
| | | minks | 1 | | |
| | | muskrats | 3 | | |
| | | raccoons | 6 | | |
| | | skunks, striped | 10 | | |
| | | wolves, gray/timber | 16 | | |
| | | <i>Subtotal of Samples by Disease</i> | | 204 | |
| | | tularemia | badgers | 10 | |
| | bears, black | | 2 | | |
| | beavers | | 4 | | |
| | cats, feral/free ranging | | 15 | | |
| | coyotes | | 125 | | |
| | foxes, red | | 9 | | |
| | lions, mountain (cougar) | | 1 | | |
| | marmots/woodchucks (all) | | 2 | | |
| | minks | | 1 | | |
| | muskrats | | 3 | | |
| | raccoons | | 6 | | |
| | skunks, striped | | 10 | | |
| | wolves, gray/timber | | 16 | | |
| | <i>Subtotal of Samples by Disease</i> | | 204 | | |
| | IL | | avian influenza | ducks, bufflehead | 1 |
| | | | | ducks, gadwall | 21 |
| | | | | ducks, mallards | 12 |
| | | ducks, merganser, hooded | | 4 | |
| ducks, northern pintail | | 3 | | | |
| ducks, northern shoveler | | 100 | | | |
| ducks, redhead | | 7 | | | |
| ducks, ring-necked | | 4 | | | |
| ducks, ruddy | | 4 | | | |
| ducks, scaup, greater | | 1 | | | |
| ducks, scaup, lesser | | 28 | | | |
| ducks, teal, blue-winged | | 95 | | | |
| ducks, teal, green-winged | | 94 | | | |
| ducks, wigeon, american | | 3 | | | |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds. *Page 18 of 58*

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|---------------------------------------|---------------------------------------|---------------------------------------|----------------|
| IL | avian influenza | ducks, wood | 12 |
| | | geese, canada | 74 |
| | | killdeers | 3 |
| | | non-wildlife | 623 |
| | | sandpipers, least | 3 |
| | | <i>Subtotal of Samples by Disease</i> | 1,092 |
| | chronic wasting disease | deer, white-tailed (wild) | 4 |
| | | <i>Subtotal of Samples by Disease</i> | 4 |
| | rabies | skunks, striped | 10 |
| | | <i>Subtotal of Samples by Disease</i> | 10 |
| | | | |
| IN | avian influenza | blackbirds, red-winged | 10 |
| | | coots, american | 2 |
| | | ducks, american black | 1 |
| | | ducks, gadwall | 6 |
| | | ducks, goldeneye, common | 1 |
| | | ducks, mallards | 63 |
| | | ducks, merganser, hooded | 1 |
| | | ducks, northern pintail | 3 |
| | | ducks, northern shoveler | 1 |
| | | ducks, ring-necked | 2 |
| | | ducks, teal, blue-winged | 3 |
| | | ducks, teal, green-winged | 16 |
| | | ducks, wigeon, american | 2 |
| | | geese, canada | 217 |
| | | not in mis | 121 |
| | | sandpipers, least | 8 |
| | | sandpipers, pectoral | 8 |
| | swans, mute | 8 | |
| | yellowlegs, lesser | 1 | |
| | <i>Subtotal of Samples by Disease</i> | 474 | |
| | bovine tuberculosis | deer, white-tailed (wild) | 17 |
| <i>Subtotal of Samples by Disease</i> | | 17 | |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|---------------------------------------|---------------------------------------|---------------------------------------|----------------|
| IN | chronic wasting disease | deer, white-tailed (wild) | 17 |
| | | <i>Subtotal of Samples by Disease</i> | 17 |
| | erlichiosis | deer, white-tailed (wild) | 1 |
| | | <i>Subtotal of Samples by Disease</i> | 1 |
| | lyme disease | deer, white-tailed (wild) | 56 |
| | | <i>Subtotal of Samples by Disease</i> | 56 |
| | tularemia | beavers | 19 |
| | | coyotes | 10 |
| | | foxes, gray | 1 |
| | | foxes, red | 1 |
| | | marmots/woodchucks (all) | 5 |
| | | minks | 1 |
| | | muskrats | 14 |
| | | raccoons | 1 |
| <i>Subtotal of Samples by Disease</i> | | 52 | |
| KS | | avian influenza | ducks, gadwall |
| | ducks, mallards | | 133 |
| | ducks, northern pintail | | 9 |
| | ducks, northern shoveler | | 24 |
| | ducks, teal, blue-winged | | 115 |
| | ducks, teal, green-winged | | 105 |
| | ducks, wigeon, american | | 11 |
| | geese, canada | | 79 |
| | geese, snow, lesser | | 49 |
| | geese, white-fronted, greater | | 3 |
| | non-wildlife | | 600 |
| | <i>Subtotal of Samples by Disease</i> | 1,147 | |
| | classical swine fever | hogs, feral | 141 |
| | | <i>Subtotal of Samples by Disease</i> | 141 |
| plague | coyotes | 71 | |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> | |
|--------------|---------------------------------------|---------------------------------------|----------------|--|
| KS | plague | | | |
| | | hogs, feral | 132 | |
| | | <i>Subtotal of Samples by Disease</i> | 203 | |
| | pseudorabies | | | |
| | | hogs, feral | 139 | |
| | | <i>Subtotal of Samples by Disease</i> | 139 | |
| | swine brucellosis | | | |
| | | hogs, feral | 138 | |
| | | <i>Subtotal of Samples by Disease</i> | 138 | |
| | | tularemia | | |
| | hogs, feral | 132 | | |
| | <i>Subtotal of Samples by Disease</i> | 132 | | |
| KY | avian influenza | | | |
| | | ducks, american black | 7 | |
| | | ducks, gadwall | 24 | |
| | | ducks, mallards | 160 | |
| | | ducks, merganser, hooded | 3 | |
| | | ducks, northern pintail | 4 | |
| | | ducks, northern shoveler | 10 | |
| | | ducks, ring-necked | 23 | |
| | | ducks, teal, green-winged | 2 | |
| | | ducks, wigeon, american | 2 | |
| | | ducks, wood | 4 | |
| | | geese, canada | 146 | |
| | | geese, white-fronted, greater | 3 | |
| | | <i>Subtotal of Samples by Disease</i> | 388 | |
| | | canine distemper | | |
| | | coyotes | 1 | |
| | | opossums, virginia | 4 | |
| | | otters, river | 1 | |
| | | raccoons | 31 | |
| | | skunks, striped | 4 | |
| | <i>Subtotal of Samples by Disease</i> | 41 | | |
| | classical swine fever | | | |
| | hogs, feral | 4 | | |
| | <i>Subtotal of Samples by Disease</i> | 4 | | |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|---------------------------------------|--------------------------|---------------------------------------|----------------|
| KY | genetic | coyotes | 1 |
| | | <i>Subtotal of Samples by Disease</i> | 1 |
| | pseudorabies | hogs, feral | 4 |
| | | <i>Subtotal of Samples by Disease</i> | 4 |
| | rabies | bats (all) | 1 |
| | | bobcats | 1 |
| | | coyotes | 41 |
| | | deer, white-tailed (wild) | 1 |
| | | foxes, gray | 16 |
| | | foxes, red | 18 |
| | | opossums, virginia | 1 |
| | | raccoons | 211 |
| | | skunks, striped | 4 |
| | | <i>Subtotal of Samples by Disease</i> | 294 |
| | swine brucellosis | hogs, feral | 4 |
| <i>Subtotal of Samples by Disease</i> | | 4 | |
| LA | avian influenza | dowitchers, long-billed | 552 |
| | | ducks, gadwall | 4 |
| | | ducks, mallards | 50 |
| | | ducks, northern pintail | 18 |
| | | ducks, northern shoveler | 35 |
| | | ducks, redhead | 2 |
| | | ducks, ring-necked | 5 |
| | | ducks, ruddy | 1 |
| | | ducks, teal, blue-winged | 75 |
| | | ducks, teal, green-winged | 55 |
| | | ducks, wood | 3 |
| | | dunlins | 3 |
| | | geese, white-fronted, greater | 90 |
| | | non-wildlife | 581 |
| | | sanderlings | 3 |
| | | sandpipers, least | 9 |
| | | sandpipers, western | 18 |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------|------------------------------|---------------------------------------|--------------------------|
| LA | avian influenza | stilts, black-necked | 1 |
| | | <i>Subtotal of Samples by Disease</i> | 1,505 |
| | classical swine fever | hogs, feral | 49 |
| | | <i>Subtotal of Samples by Disease</i> | 49 |
| | pseudorabies | hogs, feral | 49 |
| | | <i>Subtotal of Samples by Disease</i> | 49 |
| | rabies | raccoons | 18 |
| | | <i>Subtotal of Samples by Disease</i> | 18 |
| | swine brucellosis | hogs, feral | 49 |
| | | <i>Subtotal of Samples by Disease</i> | 49 |
| | MA | avian influenza | dowitchers, short-billed |
| | | ducks, american black | 18 |
| | | ducks, eider, common | 2 |
| | | ducks, feral | 1 |
| | | ducks, mallards | 152 |
| | | ducks, merganser, hooded | 4 |
| | | ducks, ring-necked | 9 |
| | | ducks, scaup, greater | 4 |
| | | ducks, scaup, lesser | 4 |
| | | ducks, scoter, surf | 1 |
| | | ducks, scoter, white-winged | 2 |
| | | ducks, wood | 3 |
| | | geese, brant, atlantic | 1 |
| | | geese, canada | 110 |
| | | gulls, black-backed, greater | 10 |
| | | gulls, herring | 68 |
| | | gulls, ring-billed | 25 |
| | | hawks, red-tailed | 2 |
| | | killdeers | 1 |
| | | loons, common | 2 |
| | plovers, black-bellied | 3 | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|------------------|---------------------------------------|---------------------------------------|----------------|
| MA | avian influenza | plovers, semipalmated | 8 |
| | | sandpipers, semipalmated | 44 |
| | | shearwaters (other) | 1 |
| | | swans, mute | 4 |
| | | terns, common | 1 |
| | | <i>Subtotal of Samples by Disease</i> | 497 |
| | lead | ducks, american black | 10 |
| | | <i>Subtotal of Samples by Disease</i> | 10 |
| | lyme disease | non-wildlife | 35 |
| | | <i>Subtotal of Samples by Disease</i> | 35 |
| | rabies | bats (all) | 2 |
| | | coyotes | 20 |
| | | foxes, red | 5 |
| | | marmots/woodchucks (all) | 1 |
| | | muskrats | 2 |
| | | opossums, virginia | 7 |
| | | raccoons | 511 |
| | | skunks, striped | 206 |
| | | squirrels, eastern gray | 1 |
| | | <i>Subtotal of Samples by Disease</i> | 755 |
| tularemia | non-wildlife | 70 | |
| | <i>Subtotal of Samples by Disease</i> | 70 | |
| MD | avian influenza | crows, american | 1 |
| | | ducks, american black | 1 |
| | | ducks, mallards | 259 |
| | | ducks, northern pintail | 4 |
| | | ducks, northern shoveler | 1 |
| | | ducks, teal, blue-winged | 1 |
| | | ducks, teal, green-winged | 34 |
| | | ducks, wood | 28 |
| | | geese, canada | 896 |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|---------------------------------------|--------------------------------|---------------------------------------|----------------|
| MD | avian influenza | geese, feral | 1 |
| | | geese, snow, greater | 37 |
| | | gulls, black-backed, greater | 70 |
| | | gulls, herring | 20 |
| | | gulls, ring-billed | 49 |
| | | <i>Subtotal of Samples by Disease</i> | 1,402 |
| | chronic wasting disease | deer, white-tailed (wild) | 45 |
| | | <i>Subtotal of Samples by Disease</i> | 45 |
| | rabies | foxes, gray | 2 |
| | | foxes, red | 1 |
| | | no species | 2 |
| | | raccoons | 495 |
| | | <i>Subtotal of Samples by Disease</i> | 500 |
| | tularemia | beavers | 2 |
| | | <i>Subtotal of Samples by Disease</i> | 2 |
| | west nile virus | crows, american | 3 |
| | | deer, white-tailed (wild) | 4 |
| | | doves, mourning | 2 |
| | | ducks, mallards | 2 |
| | | egrets, cattle | 1 |
| | | geese, canada | 8 |
| | | gulls, herring | 21 |
| | | gulls, ring-billed | 1 |
| | | killdeers | 3 |
| | | marmots/woodchucks (all) | 3 |
| | | pigeons, feral (rock) | 8 |
| | | starlings, european | 1 |
| <i>Subtotal of Samples by Disease</i> | | 57 | |
| ME | avian influenza | ducks, american black | 32 |
| | | ducks, mallards | 117 |
| | | ducks, northern pintail | 3 |
| | | | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------------------|---------------------------------------|---------------------------------------|----------------|
| ME | avian influenza | | |
| | | ducks, ring-necked | 3 |
| | | ducks, teal, blue-winged | 1 |
| | | ducks, teal, green-winged | 18 |
| | | ducks, wigeon, american | 1 |
| | | <i>Subtotal of Samples by Disease</i> | 175 |
| | chronic wasting disease | | |
| | | elk, wapiti (captive) | 3 |
| | | <i>Subtotal of Samples by Disease</i> | 3 |
| | erlichiosis | | |
| | | coyotes | 3 |
| | | <i>Subtotal of Samples by Disease</i> | 3 |
| | heartworms, other | | |
| | | coyotes | 3 |
| | | <i>Subtotal of Samples by Disease</i> | 3 |
| | lyme disease | | |
| | | coyotes | 5 |
| | | <i>Subtotal of Samples by Disease</i> | 5 |
| | rabies | | |
| | | coyotes | 6 |
| | | deer, fallow | 1 |
| | | foxes, red | 3 |
| | | goats, feral | 1 |
| | | raccoons | 275 |
| | | skunks, spotted | 2 |
| | | skunks, striped | 90 |
| | | <i>Subtotal of Samples by Disease</i> | 378 |
| raccoon roundworm | | | |
| | raccoons | 11 | |
| | <i>Subtotal of Samples by Disease</i> | 11 | |
| ticks, all | | | |
| | beavers | 11 | |
| | coyotes | 19 | |
| | deer, white-tailed (wild) | 1 | |
| | foxes, gray | 3 | |
| | foxes, red | 25 | |
| | marmots/woodchucks (all) | 1 | |
| | minks | 1 | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------|------------------------------|---------------------------------------|----------------|
| ME | ticks, all | non-wildlife | 5 |
| | | raccoons | 14 |
| | | skunks, striped | 8 |
| | | <i>Subtotal of Samples by Disease</i> | 88 |
| | tularemia | beavers | 87 |
| | | coyotes | 9 |
| | | fishers | 1 |
| | | foxes, gray | 2 |
| | | foxes, red | 4 |
| | | marmots/woodchucks (all) | 1 |
| | | minks | 12 |
| | | muskrats | 21 |
| | | raccoons | 5 |
| | | skunks, striped | 3 |
| | | <i>Subtotal of Samples by Disease</i> | 145 |
| MI | avian influenza | ducks, american black | 1 |
| | | ducks, bufflehead | 25 |
| | | ducks, canvasback | 6 |
| | | ducks, northern pintail | 8 |
| | | ducks, redhead | 6 |
| | | ducks, ring-necked | 1 |
| | | ducks, ruddy | 1 |
| | | ducks, scaup, greater | 4 |
| | | ducks, scaup, lesser | 3 |
| | | ducks, teal, green-winged | 12 |
| | | geese, canada | 55 |
| | | non-wildlife | 675 |
| | | swans, mute | 218 |
| | | <i>Subtotal of Samples by Disease</i> | 1,015 |
| | bovine tuberculosis | opossums, virginia | 45 |
| | | raccoons | 78 |
| | | <i>Subtotal of Samples by Disease</i> | 123 |
| | classical swine fever | hogs, feral | 38 |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------|---------------------------------------|---------------------------------------|----------------|
| MI | classical swine fever | | |
| | | <i>Subtotal of Samples by Disease</i> | 38 |
| | pseudorabies | | |
| | | hogs, feral | 51 |
| | | <i>Subtotal of Samples by Disease</i> | 51 |
| | rabies | | |
| | | foxes, gray | 10 |
| | | foxes, red | 2 |
| | | raccoons | 21 |
| | | <i>Subtotal of Samples by Disease</i> | 33 |
| | swine brucellosis | | |
| | hogs, feral | 35 | |
| | <i>Subtotal of Samples by Disease</i> | 35 | |
| MN | avian cholera | | |
| | | ducks, mallards | 171 |
| | | ducks, wood | 21 |
| | | geese, canada | 18 |
| | | <i>Subtotal of Samples by Disease</i> | 210 |
| | avian influenza | | |
| | | coots, american | 1 |
| | | cormorants, double-crested | 14 |
| | | ducks, canvasback | 27 |
| | | ducks, goldeneye, common | 114 |
| | | ducks, mallards | 57 |
| | | ducks, merganser common | 14 |
| | | ducks, merganser, hooded | 2 |
| | | ducks, northern pintail | 46 |
| | | ducks, northern shoveler | 35 |
| | | ducks, redhead | 9 |
| | | ducks, ring-necked | 134 |
| | | ducks, ruddy | 1 |
| | | ducks, scaup, greater | 4 |
| | | ducks, scaup, lesser | 106 |
| | ducks, teal, blue-winged | 9 | |
| | ducks, teal, green-winged | 19 | |
| | ducks, wigeon, american | 56 | |
| | ducks, wood | 7 | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> | |
|---------------------------------------|---------------------------------------|---------------------------------------|-------------------|---|
| MN | avian influenza | geese, canada | 160 | |
| | | geese, snow, lesser | 1 | |
| | | gulls, ring-billed | 2 | |
| | | non-wildlife | 1,101 | |
| | | pelicans, american white | 16 | |
| | | <i>Subtotal of Samples by Disease</i> | 1,935 | |
| | bovine tuberculosis | deer, white-tailed (wild) | 2,170 | |
| | | <i>Subtotal of Samples by Disease</i> | 2,170 | |
| | exotic newcastle disease | cormorants, double-crested | 45 | |
| | | <i>Subtotal of Samples by Disease</i> | 45 | |
| | neosporosis | deer, white-tailed (wild) | 13 | |
| | | <i>Subtotal of Samples by Disease</i> | 13 | |
| | MO | avian influenza | coots, american | 2 |
| | | | ducks, canvasback | 4 |
| ducks, gadwall | | | 69 | |
| ducks, mallards | | | 145 | |
| ducks, northern pintail | | | 70 | |
| ducks, northern shoveler | | | 120 | |
| ducks, teal, blue-winged | | | 179 | |
| ducks, teal, green-winged | | | 156 | |
| ducks, wigeon, american | | | 59 | |
| ducks, wood | | | 13 | |
| geese, canada | | | 26 | |
| geese, ross`s | | | 16 | |
| geese, snow, lesser | | | 147 | |
| geese, white-fronted, lesser | | | 1 | |
| non-wildlife | | | 456 | |
| <i>Subtotal of Samples by Disease</i> | | | 1,463 | |
| classical swine fever | | hogs, feral | 166 | |
| | <i>Subtotal of Samples by Disease</i> | 166 | | |
| porcine brucellosis | | | | |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> | |
|---------------------------------|----------------------------|---------------------------------------|----------------------|-----|
| MO | porcine brucellosis | hogs, feral | 167 | |
| | | <i>Subtotal of Samples by Disease</i> | 167 | |
| | pseudorabies | hogs, feral | 171 | |
| | | <i>Subtotal of Samples by Disease</i> | 171 | |
| | swine brucellosis | hogs, feral | 8 | |
| | | <i>Subtotal of Samples by Disease</i> | 8 | |
| | swine influenza | hogs, feral | 16 | |
| | | <i>Subtotal of Samples by Disease</i> | 16 | |
| | tularemia | hogs, feral | 171 | |
| | | raccoons | 78 | |
| | | <i>Subtotal of Samples by Disease</i> | 249 | |
| | MS | avian influenza | bird, unidentifiable | 475 |
| | | | ducks, mallards | 409 |
| | | | ducks, wood | 34 |
| | | geese, canada | 499 | |
| | | geese, feral | 12 | |
| | | hogs, feral | 10 | |
| | | <i>Subtotal of Samples by Disease</i> | 1,439 | |
| classical swine fever | | hogs, feral | 19 | |
| | | <i>Subtotal of Samples by Disease</i> | 19 | |
| erlichiosis | | beavers | 2 | |
| | | deer, white-tailed (wild) | 20 | |
| | | hogs, feral | 29 | |
| | | <i>Subtotal of Samples by Disease</i> | 51 | |
| exotic newcastle disease | | cormorants, double-crested | 47 | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> | |
|--------------|---------------------------------------|---------------------------------------|-------------------|---|
| MS | exotic newcastle disease | | | |
| | | <i>Subtotal of Samples by Disease</i> | 47 | |
| | pseudorabies | | | |
| | | hogs, feral | 16 | |
| | | <i>Subtotal of Samples by Disease</i> | 16 | |
| | swine brucellosis | | | |
| | | hogs, feral | 16 | |
| | | <i>Subtotal of Samples by Disease</i> | 16 | |
| | MT | avian influenza | | |
| | | | ducks, bufflehead | 1 |
| | | ducks, canvasback | 13 | |
| | | ducks, gadwall | 15 | |
| | | ducks, goldeneye, barrow`s | 2 | |
| | | ducks, mallards | 253 | |
| | | ducks, northern pintail | 12 | |
| | | ducks, northern shoveler | 19 | |
| | | ducks, redhead | 5 | |
| | | ducks, ruddy | 4 | |
| | | ducks, scaup, lesser | 2 | |
| | | ducks, teal, blue-winged | 11 | |
| | | ducks, teal, green-winged | 9 | |
| | | ducks, wigeon, american | 17 | |
| | | geese, ross`s | 11 | |
| | | geese, snow, greater | 11 | |
| | | geese, snow, lesser | 47 | |
| | | non-wildlife | 739 | |
| | | swans, trumpeter | 2 | |
| | | swans, tundra | 54 | |
| | | <i>Subtotal of Samples by Disease</i> | 1,227 | |
| | | bluetongue | | |
| | | sheep, bighorn | 43 | |
| | | <i>Subtotal of Samples by Disease</i> | 43 | |
| | | bovine brucellosis | | |
| | | sheep, bighorn | 43 | |
| | | wolves, gray/timber | 67 | |
| | <i>Subtotal of Samples by Disease</i> | 110 | | |
| | bovine viral diarrhea | | | |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds. Page 31 of 58

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------|------------------------------|---------------------------------------|----------------|
| MT | bovine viral diarrhea | sheep, bighorn | 43 |
| | | <i>Subtotal of Samples by Disease</i> | 43 |
| | canine adenovirus | wolves, gray/timber | 71 |
| | | <i>Subtotal of Samples by Disease</i> | 71 |
| | canine distemper | wolves, gray/timber | 62 |
| | | <i>Subtotal of Samples by Disease</i> | 62 |
| | canine parvovirus | wolves, gray/timber | 69 |
| | | <i>Subtotal of Samples by Disease</i> | 69 |
| | genetic | skunks, striped | 8 |
| | | <i>Subtotal of Samples by Disease</i> | 8 |
| | leptospirosis | sheep, bighorn | 43 |
| | | wolves, gray/timber | 69 |
| | | <i>Subtotal of Samples by Disease</i> | 112 |
| | plague | badgers | 12 |
| | | bears, black | 11 |
| | | bears, grizzly | 1 |
| | | bobcats | 1 |
| | | coyotes | 1,403 |
| | | foxes, red | 47 |
| | | lions, mountain (cougar) | 8 |
| | | raccoons | 7 |
| | | skunks, striped | 2 |
| | | wolves, gray/timber | 73 |
| | | <i>Subtotal of Samples by Disease</i> | 1,565 |
| | q fever | wolves, gray/timber | 69 |
| | | <i>Subtotal of Samples by Disease</i> | 69 |
| | tularemia | badgers | 12 |
| | bears, black | 11 | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------------------|---------------------------------------|---------------------------------------|----------------|
| MT | tularemia | | |
| | | bears, grizzly | 1 |
| | | beavers | 5 |
| | | bobcats | 1 |
| | | coyotes | 1,400 |
| | | foxes, red | 47 |
| | | lions, mountain (cougar) | 8 |
| | | raccoons | 7 |
| | | skunks, striped | 2 |
| | | wolves, gray/timber | 73 |
| | | <i>Subtotal of Samples by Disease</i> | 1,567 |
| NC | avian influenza | | |
| | | geese, canada | 175 |
| | | <i>Subtotal of Samples by Disease</i> | 175 |
| | classical swine fever | | |
| | | hogs, feral | 110 |
| | | <i>Subtotal of Samples by Disease</i> | 110 |
| | porcine brucellosis | | |
| | | hogs, feral | 41 |
| | | <i>Subtotal of Samples by Disease</i> | 41 |
| | pseudorabies | | |
| | | hogs, feral | 124 |
| | | <i>Subtotal of Samples by Disease</i> | 124 |
| | rabies | | |
| | | coyotes | 3 |
| | | foxes, gray | 7 |
| | foxes, red | 5 | |
| | marmots/woodchucks (all) | 2 | |
| | minks | 1 | |
| | raccoons | 306 | |
| | skunks, striped | 1 | |
| | <i>Subtotal of Samples by Disease</i> | 325 | |
| swine brucellosis | | | |
| | hogs, feral | 83 | |
| | <i>Subtotal of Samples by Disease</i> | 83 | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------|---------------------------------------|---------------------------------------|----------------|
| ND | avian influenza | cranes, sandhill | 14 |
| | | ducks, bufflehead | 9 |
| | | ducks, canvasback | 9 |
| | | ducks, gadwall | 85 |
| | | ducks, goldeneye, common | 2 |
| | | ducks, mallards | 277 |
| | | ducks, northern pintail | 75 |
| | | ducks, northern shoveler | 31 |
| | | ducks, redhead | 15 |
| | | ducks, ring-necked | 24 |
| | | ducks, scaup, lesser | 17 |
| | | ducks, teal, blue-winged | 21 |
| | | ducks, teal, green-winged | 33 |
| | | ducks, wigeon, american | 33 |
| | | ducks, wood | 6 |
| | | geese, cackling | 33 |
| | | geese, canada | 42 |
| | geese, snow, lesser | 25 | |
| | non-wildlife | 829 | |
| | | <i>Subtotal of Samples by Disease</i> | 1,580 |
| | | classical swine fever | |
| | | hogs, feral | 21 |
| | | <i>Subtotal of Samples by Disease</i> | 21 |
| | | plague | |
| | | badgers | 2 |
| | | beavers | 10 |
| | | coyotes | 252 |
| | foxes, red | 19 | |
| | muskrats | 1 | |
| | raccoons | 6 | |
| | <i>Subtotal of Samples by Disease</i> | 290 | |
| | pseudorabies | | |
| | hogs, feral | 21 | |
| | <i>Subtotal of Samples by Disease</i> | 21 | |
| | swine brucellosis | | |
| | hogs, feral | 21 | |
| | <i>Subtotal of Samples by Disease</i> | 21 | |
| | tularemia | | |
| | badgers | 4 | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------------|---------------------------------------|---------------------------------------|----------------|
| ND | tularemia | beavers | 154 |
| | | coyotes | 201 |
| | | foxes, red | 16 |
| | | raccoons | 5 |
| | | <i>Subtotal of Samples by Disease</i> | 380 |
| NE | avian influenza | ducks, gadwall | 11 |
| | | ducks, mallards | 67 |
| | | ducks, northern pintail | 8 |
| | | ducks, northern shoveler | 12 |
| | | ducks, redhead | 4 |
| | | ducks, ring-necked | 1 |
| | | ducks, ruddy | 1 |
| | | ducks, teal, blue-winged | 137 |
| | | ducks, teal, cinnamon | 1 |
| | | ducks, teal, green-winged | 64 |
| | | ducks, wigeon, american | 30 |
| | | ducks, wood | 1 |
| | | geese, canada | 37 |
| | | gulls, franklin`s | 69 |
| | | gulls, ring-billed | 2 |
| | | killdeers | 17 |
| | | non-wildlife | 430 |
| | | sandpipers, least | 23 |
| | | sandpipers, pectoral | 21 |
| | | snipes, common | 1 |
| yellowlegs, lesser | 4 | | |
| | <i>Subtotal of Samples by Disease</i> | 941 | |
| | classical swine fever | | |
| | hogs, feral | 26 | |
| | <i>Subtotal of Samples by Disease</i> | 26 | |
| | plague | | |
| | coyotes | 83 | |
| | <i>Subtotal of Samples by Disease</i> | 83 | |
| | porcine reprod/resp syndrome | | |
| | hogs, feral | 27 | |
| | <i>Subtotal of Samples by Disease</i> | 27 | |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds. Page 35 of 58

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|-----------------|---------------------------|---------------------------------------|----------------|
| NE | pseudorabies | hogs, feral | 25 |
| | | <i>Subtotal of Samples by Disease</i> | 25 |
| | rabies | opossums, virginia | 1 |
| | | raccoons | 5 |
| | | skunks, striped | 85 |
| | | <i>Subtotal of Samples by Disease</i> | 91 |
| | swine brucellosis | hogs, feral | 25 |
| | | <i>Subtotal of Samples by Disease</i> | 25 |
| | swine influenza | hogs, feral | 25 |
| | | <i>Subtotal of Samples by Disease</i> | 25 |
| | tularemia | coyotes | 82 |
| | | <i>Subtotal of Samples by Disease</i> | 82 |
| | viral encephalitis | coyotes | 1 |
| | | <i>Subtotal of Samples by Disease</i> | 1 |
| NH | avian influenza | cormorants, double-crested | 1 |
| | | doves, mourning | 2 |
| | | ducks, american black | 28 |
| | | ducks, mallards | 192 |
| | | ducks, wood | 73 |
| | | geese, canada | 249 |
| | | gulls, black-backed, greater | 4 |
| | | gulls, herring | 49 |
| | | gulls, ring-billed | 1 |
| | | redpolls, common | 2 |
| | | swans, mute | 1 |
| | | terns, arctic | 2 |
| | | terns, common | 67 |
| | | terns, roseate (t/e) | 7 |
| waxwings, cedar | 4 | | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> | |
|--------------|---------------------------------------|---------------------------------------|-----------------------|----|
| NH | avian influenza | | | |
| | | <i>Subtotal of Samples by Disease</i> | 682 | |
| | chronic wasting disease | | | |
| | | deer, white-tailed (wild) | 363 | |
| | | <i>Subtotal of Samples by Disease</i> | 363 | |
| | rabies | | | |
| | | raccoons | 2 | |
| | | <i>Subtotal of Samples by Disease</i> | 2 | |
| | NJ | avian influenza | | |
| | | | ducks, american black | 40 |
| | | ducks, bufflehead | 20 | |
| | | ducks, gadwall | 4 | |
| | | ducks, goldeneye, common | 1 | |
| | | ducks, mallards | 130 | |
| | | ducks, merganser common | 2 | |
| | | ducks, merganser, hooded | 6 | |
| | | ducks, northern pintail | 5 | |
| | | ducks, scaup, lesser | 6 | |
| | | ducks, teal, blue-winged | 1 | |
| | | ducks, teal, green-winged | 131 | |
| | | ducks, wigeon, american | 3 | |
| | | ducks, wood | 17 | |
| | | dunlins | 9 | |
| | | geese, brant, atlantic | 32 | |
| | | geese, canada | 146 | |
| | | gulls, herring | 2 | |
| | | gulls, laughing | 52 | |
| | | no species | 1,285 | |
| | | sanderlings | 55 | |
| | | sandpipers, semipalmated | 1 | |
| | | sandpipers, western | 3 | |
| | | snipes, common | 1 | |
| | | swans, mute | 2 | |
| | | swans, tundra | 8 | |
| | | turnstones, ruddy | 1 | |
| | <i>Subtotal of Samples by Disease</i> | 1,963 | | |
| | classical swine fever | | | |
| | hogs, feral | 17 | | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------|---------------------------------------|---------------------------------------|----------------|
| NJ | classical swine fever | | |
| | | <i>Subtotal of Samples by Disease</i> | 17 |
| | genetic | | |
| | | hogs, feral | 5 |
| | | <i>Subtotal of Samples by Disease</i> | 5 |
| | lead | | |
| | | geese, canada | 5 |
| | | <i>Subtotal of Samples by Disease</i> | 5 |
| | pseudorabies | | |
| | | hogs, feral | 8 |
| | | <i>Subtotal of Samples by Disease</i> | 8 |
| | | swine brucellosis | |
| | hogs, feral | 8 | |
| | <i>Subtotal of Samples by Disease</i> | 8 | |
| NM | avian influenza | | |
| | | ducks, mallards | 109 |
| | | ducks, northern pintail | 102 |
| | | ducks, teal, green-winged | 96 |
| | | ducks, wigeon, american | 100 |
| | | geese, snow, lesser | 2 |
| | | <i>Subtotal of Samples by Disease</i> | 409 |
| | classical swine fever | | |
| | | hogs, feral | 14 |
| | | <i>Subtotal of Samples by Disease</i> | 14 |
| | plague | | |
| | | badgers | 1 |
| | | bobcats | 17 |
| | | coyotes | 532 |
| | | hogs, feral | 13 |
| | lions, mountain (cougar) | 1 | |
| | raccoons | 2 | |
| | skunks, striped | 1 | |
| | <i>Subtotal of Samples by Disease</i> | 567 | |
| | pseudorabies | | |
| | hogs, feral | 14 | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------|---------------------------------------|---------------------------------------|----------------|
| NM | pseudorabies | | |
| | | <i>Subtotal of Samples by Disease</i> | 14 |
| | rabies | | |
| | | bobcats | 1 |
| | | coyotes | 150 |
| | | foxes, gray | 1 |
| | | <i>Subtotal of Samples by Disease</i> | 152 |
| | swine brucellosis | | |
| | | hogs, feral | 14 |
| | | <i>Subtotal of Samples by Disease</i> | 14 |
| | tularemia | | |
| | | badgers | 1 |
| | | bobcats | 17 |
| | | coyotes | 530 |
| | | hogs, feral | 13 |
| | lions, mountain (cougar) | 1 | |
| | raccoons | 2 | |
| | skunks, striped | 1 | |
| | <i>Subtotal of Samples by Disease</i> | 565 | |
| NV | avian influenza | | |
| | | ducks, gadwall | 22 |
| | | ducks, mallards | 54 |
| | | ducks, northern pintail | 60 |
| | | ducks, northern shoveler | 34 |
| | | ducks, teal, green-winged | 21 |
| | | ducks, wigeon, american | 49 |
| | | ducks, wood | 17 |
| | | geese, canada | 8 |
| | | swans, tundra | 3 |
| | | <i>Subtotal of Samples by Disease</i> | 268 |
| | botulism | | |
| | | ducks, mallards | 4 |
| | | <i>Subtotal of Samples by Disease</i> | 4 |
| | plague | | |
| | badgers | 12 | |
| | bears, black | 1 | |
| | bobcats | 5 | |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> | | |
|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|-------|---|
| NV | plague | coyotes | 1,239 | | |
| | | foxes, kit | 1 | | |
| | | foxes, red | 2 | | |
| | | lions, mountain (cougar) | 19 | | |
| | | raccoons | 13 | | |
| | | skunks, striped | 2 | | |
| | | <i>Subtotal of Samples by Disease</i> | | 1,294 | |
| | | rabies | raccoons | 1 | |
| | | | <i>Subtotal of Samples by Disease</i> | | 1 |
| | | | NY | | |
| avian influenza | dowitchers, long-billed | 13 | | | |
| | ducks, american black | 17 | | | |
| | ducks, gadwall | 2 | | | |
| | ducks, mallards | 88 | | | |
| | ducks, northern pintail | 2 | | | |
| | ducks, teal, blue-winged | 5 | | | |
| | ducks, teal, green-winged | 40 | | | |
| | ducks, wigeon, american | 3 | | | |
| | ducks, wood | 69 | | | |
| | geese, brant, atlantic | 80 | | | |
| | geese, canada | 25 | | | |
| | gulls, black-backed, greater | 22 | | | |
| | gulls, herring | 192 | | | |
| | gulls, ring-billed | 5 | | | |
| | non-wildlife | 825 | | | |
| | not in mis | 1 | | | |
| | plovers, semipalmated | 52 | | | |
| | sandpipers, least | 49 | | | |
| | sandpipers, semipalmated | 87 | | | |
| | sandpipers, spotted | 4 | | | |
| <i>Subtotal of Samples by Disease</i> | | 1,581 | | | |
| classical swine fever | hogs, feral | 13 | | | |
| | <i>Subtotal of Samples by Disease</i> | | 13 | | |
| pseudorabies | hogs, feral | 15 | | | |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------------------------|---------------------------------------|---------------------------------------|----------------|
| NY | pseudorabies | | |
| | | <i>Subtotal of Samples by Disease</i> | 15 |
| | rabies | | |
| | | coyotes | 2 |
| | | foxes, red | 1 |
| | | raccoons | 901 |
| | | skunks, striped | 82 |
| | | <i>Subtotal of Samples by Disease</i> | 986 |
| | reovirus | | |
| | | crows, american | 25 |
| | | hawks, cooper`s | 1 |
| | | <i>Subtotal of Samples by Disease</i> | 26 |
| swine brucellosis | | | |
| | hogs, feral | 15 | |
| | <i>Subtotal of Samples by Disease</i> | 15 | |
| OH | avian influenza | | |
| | | crows, american | 4 |
| | | ducks, american black | 26 |
| | | ducks, feral | 6 |
| | | ducks, gadwall | 15 |
| | | ducks, mallards | 85 |
| | | ducks, northern pintail | 24 |
| | | ducks, northern shoveler | 20 |
| | | ducks, teal, blue-winged | 75 |
| | | ducks, teal, green-winged | 58 |
| | | ducks, wigeon, american | 3 |
| | | ducks, wood | 20 |
| | | geese, canada | 164 |
| | | geese, feral | 1 |
| | | gulls, herring | 3 |
| | | gulls, ring-billed | 13 |
| | | non-wildlife | 456 |
| | <i>Subtotal of Samples by Disease</i> | 973 | |
| chronic wasting disease | | | |
| | deer, white-tailed (wild) | 183 | |
| | <i>Subtotal of Samples by Disease</i> | 183 | |
| rabies | | | |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds. Page 41 of 58

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> | |
|---------------------------------------|---------------------------------------|---------------------------------------|-----------------|-------|
| OH | rabies | cats, feral/free ranging | 2 | |
| | | coyotes | 7 | |
| | | dogs, feral, free-ranging and hybri | 1 | |
| | | foxes, red | 3 | |
| | | marmots/woodchucks (all) | 11 | |
| | | opossums, virginia | 14 | |
| | | rabbits, cottontail | 1 | |
| | | raccoons | 1,777 | |
| | | skunks, striped | 175 | |
| | | squirrels, fox | 7 | |
| | | squirrels, z-(other) | 1 | |
| | | <i>Subtotal of Samples by Disease</i> | | 1,999 |
| | | reovirus | crows, american | 1 |
| | <i>Subtotal of Samples by Disease</i> | | 1 | |
| | tularemia | beavers | 4 | |
| | | coyotes | 6 | |
| | | foxes, red | 2 | |
| | | muskrats | 62 | |
| | | <i>Subtotal of Samples by Disease</i> | | 74 |
| | west nile virus | crows, american | 1 | |
| <i>Subtotal of Samples by Disease</i> | | 1 | | |
| OK | avian influenza | ducks, gadwall | 77 | |
| | | ducks, goldeneye, common | 1 | |
| | | ducks, mallards | 259 | |
| | | ducks, merganser, hooded | 2 | |
| | | ducks, northern pintail | 3 | |
| | | ducks, northern shoveler | 14 | |
| | | ducks, redhead | 3 | |
| | | ducks, ring-necked | 21 | |
| | | ducks, scaup, lesser | 2 | |
| | | ducks, teal, blue-winged | 5 | |
| | | ducks, teal, green-winged | 59 | |
| | | ducks, wigeon, american | 34 | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> | |
|--------------|---------------------------------------|---------------------------------------|--------------------------|-----|
| OK | avian influenza | | | |
| | | ducks, wood | 7 | |
| | | geese, cackling | 9 | |
| | | geese, canada | 39 | |
| | | geese, ross's | 3 | |
| | | geese, snow, lesser | 12 | |
| | | geese, white-fronted, greater | 1 | |
| | | non-wildlife | 548 | |
| | | pelicans, american white | 2 | |
| | | <i>Subtotal of Samples by Disease</i> | 1,101 | |
| | | classical swine fever | | |
| | | | hogs, feral | 206 |
| | | <i>Subtotal of Samples by Disease</i> | 206 | |
| | | plague | | |
| | | | badgers | 2 |
| | | | beavers | 61 |
| | | | bobcats | 2 |
| | | | cats, feral/free ranging | 1 |
| | | | coyotes | 101 |
| | | | hogs, feral | 3 |
| | | | raccoons | 4 |
| | | | skunks, striped | 2 |
| | | <i>Subtotal of Samples by Disease</i> | 176 | |
| | | pseudorabies | | |
| | | | hogs, feral | 206 |
| | | <i>Subtotal of Samples by Disease</i> | 206 | |
| | | swine brucellosis | | |
| | | hogs, feral | 206 | |
| | <i>Subtotal of Samples by Disease</i> | 206 | | |
| | ticks, all | | | |
| | | egrets, cattle | 18 | |
| | <i>Subtotal of Samples by Disease</i> | 18 | | |
| | tularemia | | | |
| | | badgers | 2 | |
| | | beavers | 61 | |
| | | bobcats | 2 | |
| | | cats, feral/free ranging | 1 | |
| | | coyotes | 101 | |
| | | hogs, feral | 3 | |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> | |
|--------------|---------------------------------------|---------------------------------------|---------------------------------------|-------|
| OK | tularemia | raccoons | 4 | |
| | | skunks, striped | 2 | |
| | | <i>Subtotal of Samples by Disease</i> | 176 | |
| | | | | |
| OR | avian influenza | ducks, bufflehead | 14 | |
| | | ducks, canvasback | 8 | |
| | | ducks, gadwall | 36 | |
| | | ducks, goldeneye, common | 1 | |
| | | ducks, mallards | 202 | |
| | | ducks, northern pintail | 56 | |
| | | ducks, northern shoveler | 79 | |
| | | ducks, redhead | 1 | |
| | | ducks, ring-necked | 16 | |
| | | ducks, ruddy | 2 | |
| | | ducks, scaup, greater | 22 | |
| | | ducks, scaup, lesser | 5 | |
| | | ducks, teal, cinnamon | 2 | |
| | | ducks, teal, green-winged | 111 | |
| | | ducks, wigeon, american | 119 | |
| | | ducks, wigeon, eurasian | 1 | |
| | | ducks, wood | 2 | |
| | | geese, cackling | 434 | |
| | | geese, canada | 461 | |
| | | geese, snow, lesser | 82 | |
| | | geese, white-fronted, greater | 12 | |
| | | gulls, ring-billed | 2 | |
| | | swans, tundra | 35 | |
| | | | <i>Subtotal of Samples by Disease</i> | 1,703 |
| | | | chronic wasting disease | |
| | | | deer, mule | 4 |
| | | | <i>Subtotal of Samples by Disease</i> | 4 |
| | plague | | | |
| | badgers | 3 | | |
| | coyotes | 53 | | |
| | raccoons | 1 | | |
| | skunks, striped | 1 | | |
| | <i>Subtotal of Samples by Disease</i> | 58 | | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> | |
|--------------|---------------------------------------|---------------------------------------|---------------------------------------|-------|
| OR | tularemia | badgers | 2 | |
| | | beavers | 1 | |
| | | coyotes | 47 | |
| | | <i>Subtotal of Samples by Disease</i> | 50 | |
| | | | | |
| PA | avian influenza | coots, american | 6 | |
| | | ducks, american black | 5 | |
| | | ducks, bufflehead | 35 | |
| | | ducks, canvasback | 3 | |
| | | ducks, gadwall | 5 | |
| | | ducks, goldeneye, common | 12 | |
| | | ducks, mallards | 142 | |
| | | ducks, merganser common | 3 | |
| | | ducks, merganser, hooded | 17 | |
| | | ducks, redhead | 13 | |
| | | ducks, ring-necked | 4 | |
| | | ducks, ruddy | 7 | |
| | | ducks, scaup, greater | 27 | |
| | | ducks, scaup, lesser | 40 | |
| | | ducks, scoter, white-winged | 1 | |
| | | ducks, teal, blue-winged | 2 | |
| | | ducks, wood | 21 | |
| | | geese, canada | 167 | |
| | | geese, snow, greater | 2 | |
| | | non-wildlife | 1,155 | |
| | | | <i>Subtotal of Samples by Disease</i> | 1,667 |
| | | | bovine viral diarrhea | |
| | starlings, european | 80 | | |
| | <i>Subtotal of Samples by Disease</i> | 80 | | |
| | chronic wasting disease | | | |
| | deer, white-tailed (wild) | 360 | | |
| | <i>Subtotal of Samples by Disease</i> | 360 | | |
| | classical swine fever | | | |
| | hogs, feral | 1 | | |
| | <i>Subtotal of Samples by Disease</i> | 1 | | |
| | coccidioidomycosis | | | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------------------|---------------------------------------|---------------------------------------|----------------|
| PA | coccidioidomycosis | non-wildlife | 10 |
| | | pigeons, feral (rock) | 20 |
| | | <i>Subtotal of Samples by Disease</i> | 30 |
| | erlichiosis | deer, white-tailed (wild) | 15 |
| | | <i>Subtotal of Samples by Disease</i> | 15 |
| | genetic | geese, canada | 113 |
| | | <i>Subtotal of Samples by Disease</i> | 113 |
| | lead | geese, canada | 40 |
| | | <i>Subtotal of Samples by Disease</i> | 40 |
| | pseudorabies | hogs, feral | 10 |
| | | <i>Subtotal of Samples by Disease</i> | 10 |
| | rabies | bats (all) | 47 |
| | | cats, feral/free ranging | 161 |
| | | coyotes | 9 |
| | | dogs, feral, free-ranging and hybri | 3 |
| | | foxes, gray | 14 |
| | | foxes, red | 21 |
| | | goats, feral | 1 |
| | | marmots/woodchucks (all) | 6 |
| | | mice, house | 1 |
| | | minks | 2 |
| | | muskrats | 1 |
| | | opossums, virginia | 1 |
| | | otters, river | 1 |
| | | rabbits, cottontail | 1 |
| | | raccoons | 3,674 |
| | | skunks, striped | 457 |
| | squirrels, eastern gray | 1 | |
| | squirrels, fox | 1 | |
| | <i>Subtotal of Samples by Disease</i> | 4,402 | |
| raccoon roundworm | raccoons | 7 | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------|---------------------------------------|---------------------------------------|----------------|
| PA | raccoon roundworm | | |
| | | <i>Subtotal of Samples by Disease</i> | 7 |
| | reovirus | | |
| | | crows, american | 11 |
| | | <i>Subtotal of Samples by Disease</i> | 11 |
| | roundworms, other | | |
| | | geese, canada | 12 |
| | | <i>Subtotal of Samples by Disease</i> | 12 |
| | swine brucellosis | | |
| | | hogs, feral | 10 |
| | <i>Subtotal of Samples by Disease</i> | 10 | |
| RI | avian influenza | | |
| | | cormorants, double-crested | 4 |
| | | ducks, american black | 4 |
| | | ducks, bufflehead | 3 |
| | | ducks, feral | 5 |
| | | ducks, goldeneye, common | 1 |
| | | ducks, mallards | 89 |
| | | ducks, merganser common | 5 |
| | | ducks, merganser, red-breasted | 9 |
| | | ducks, scaup, greater | 1 |
| | | ducks, scoter, surf | 1 |
| | | ducks, wigeon, american | 2 |
| | | geese, brant, atlantic | 3 |
| | | geese, canada | 144 |
| | | gulls, black-backed, greater | 3 |
| | | gulls, herring | 88 |
| | | gulls, laughing | 5 |
| | | gulls, ring-billed | 75 |
| | | plovers, semipalmated | 6 |
| | | sandpipers, semipalmated | 5 |
| | swans, mute | 11 | |
| | terns, least | 1 | |
| | yellowlegs, lesser | 2 | |
| | <i>Subtotal of Samples by Disease</i> | 467 | |
| | lead | | |
| | ducks, american black | 2 | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------|---------------------------------------|---------------------------------------|----------------|
| RI | lead | | |
| | | <i>Subtotal of Samples by Disease</i> | 2 |
| SC | avian influenza | | |
| | | ducks, gadwall | 49 |
| | | ducks, mallards | 17 |
| | | ducks, mottled | 2 |
| | | ducks, northern pintail | 18 |
| | | ducks, northern shoveler | 47 |
| | | ducks, teal, blue-winged | 30 |
| | | ducks, teal, green-winged | 29 |
| | | ducks, wigeon, american | 24 |
| | | ducks, wood | 158 |
| | | geese, canada | 60 |
| | | rails, clapper | 24 |
| | | <i>Subtotal of Samples by Disease</i> | 458 |
| | | classical swine fever | |
| | hogs, feral | 107 | |
| | <i>Subtotal of Samples by Disease</i> | 107 | |
| | pseudorabies | | |
| | hogs, feral | 155 | |
| | <i>Subtotal of Samples by Disease</i> | 155 | |
| | swine brucellosis | | |
| | hogs, feral | 155 | |
| | <i>Subtotal of Samples by Disease</i> | 155 | |
| SD | avian influenza | | |
| | | cranes, sandhill | 2 |
| | | ducks, bufflehead | 27 |
| | | ducks, canvasback | 1 |
| | | ducks, gadwall | 82 |
| | | ducks, goldeneye, common | 3 |
| | | ducks, mallards | 226 |
| | | ducks, merganser, hooded | 2 |
| | | ducks, northern pintail | 58 |
| | | ducks, northern shoveler | 41 |
| | | ducks, redhead | 15 |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------|---------------------------------------|-------------------------------|---------------------------------------|
| SD | avian influenza | ducks, ring-necked | 5 |
| | | ducks, ruddy | 4 |
| | | ducks, scaup, greater | 1 |
| | | ducks, scaup, lesser | 26 |
| | | ducks, teal, blue-winged | 51 |
| | | ducks, teal, green-winged | 73 |
| | | ducks, wigeon, american | 17 |
| | | ducks, wood | 12 |
| | | geese, cackling | 6 |
| | | geese, canada | 41 |
| | | geese, ross`s | 2 |
| | | geese, snow, lesser | 30 |
| | | geese, white-fronted, greater | 2 |
| | | non-wildlife | 878 |
| | | swans, tundra | 1 |
| | <i>Subtotal of Samples by Disease</i> | 1,606 | |
| TN | avian influenza | blackbirds, red-winged | 1 |
| | | coots, american | 1 |
| | | ducks, american black | 2 |
| | | ducks, bufflehead | 1 |
| | | ducks, canvasback | 3 |
| | | ducks, gadwall | 42 |
| | | ducks, mallards | 225 |
| | | ducks, merganser, hooded | 4 |
| | | ducks, northern pintail | 7 |
| | | ducks, northern shoveler | 5 |
| | | ducks, ring-necked | 10 |
| | | ducks, teal, green-winged | 3 |
| | | ducks, wigeon, american | 4 |
| | | ducks, wood | 10 |
| | | geese, canada | 96 |
| | | grackles, common | 17 |
| | | non-wildlife | 580 |
| | | vultures, black | 8 |
| | | vultures, turkey | 2 |
| | | | <i>Subtotal of Samples by Disease</i> |
| | canine distemper | | |
| | coyotes | 6 | |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds. *Page 49 of 58*

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|-------------------|---------------------------------------|---------------------------------------|----------------|
| TN | canine distemper | | |
| | | foxes, red | 4 |
| | | raccoons | 14 |
| | | <i>Subtotal of Samples by Disease</i> | 24 |
| | classical swine fever | | |
| | | hogs, feral | 14 |
| | | <i>Subtotal of Samples by Disease</i> | 14 |
| | pseudorabies | | |
| | | hogs, feral | 14 |
| | | <i>Subtotal of Samples by Disease</i> | 14 |
| | rabies | | |
| | | bobcats | 7 |
| | | cats, feral/free ranging | 1 |
| | | coyotes | 33 |
| | | dogs, feral, free-ranging and hybri | 1 |
| | | foxes, gray | 59 |
| | | foxes, red | 13 |
| | | marmots/woodchucks (all) | 3 |
| | | opossums, virginia | 3 |
| | | raccoons | 1,967 |
| | | skunks, striped | 208 |
| | | <i>Subtotal of Samples by Disease</i> | 2,295 |
| | swine brucellosis | | |
| | | hogs, feral | 14 |
| | <i>Subtotal of Samples by Disease</i> | 14 | |
| ticks, all | | | |
| | coyotes | 1 | |
| | raccoons | 1 | |
| | <i>Subtotal of Samples by Disease</i> | 2 | |
| TX | anthrax | | |
| | | pronghorns (antelope) | 2 |
| | | <i>Subtotal of Samples by Disease</i> | 2 |
| | avian influenza | | |
| | | coots, american | 21 |
| | ducks, bufflehead | 4 | |
| | ducks, canvasback | 2 | |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds. Page 50 of 58

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> | |
|--------------|---------------------------------------|---------------------------------|---------------------------------------|-------|
| TX | avian influenza | ducks, feral | 178 | |
| | | ducks, gadwall | 116 | |
| | | ducks, mallards | 246 | |
| | | ducks, merganser, hooded | 2 | |
| | | ducks, mottled | 19 | |
| | | ducks, northern pintail | 400 | |
| | | ducks, northern shoveler | 189 | |
| | | ducks, redhead | 181 | |
| | | ducks, ring-necked | 26 | |
| | | ducks, ruddy | 2 | |
| | | ducks, scaup, lesser | 13 | |
| | | ducks, teal, blue-winged | 121 | |
| | | ducks, teal, cinnamon | 1 | |
| | | ducks, teal, green-winged | 160 | |
| | | ducks, whistling, black-bellied | 7 | |
| | | ducks, whistling, fulvous | 5 | |
| | | ducks, wigeon, american | 57 | |
| | | ducks, wood | 6 | |
| | | geese, canada | 172 | |
| | | geese, feral | 15 | |
| | | geese, snow, lesser | 2 | |
| | | geese, white-fronted, greater | 36 | |
| | | | <i>Subtotal of Samples by Disease</i> | 1,981 |
| | | | biomarker | |
| | | | coyotes | 242 |
| | | | foxes, gray | 83 |
| | | | <i>Subtotal of Samples by Disease</i> | 325 |
| | canine distemper | | | |
| | coyotes | 60 | | |
| | <i>Subtotal of Samples by Disease</i> | 60 | | |
| | classical swine fever | | | |
| | hogs, feral | 307 | | |
| | <i>Subtotal of Samples by Disease</i> | 307 | | |
| | e.coli | | | |
| | hogs, feral | 8 | | |
| | <i>Subtotal of Samples by Disease</i> | 8 | | |
| | erlichiosis | | | |
| | coyotes | 32 | | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|---------------------|---------------------------------------|---------------------------------------|----------------|
| TX | erlichiosis | | |
| | | <i>Subtotal of Samples by Disease</i> | 32 |
| | genetic | | |
| | | hogs, feral | 91 |
| | | <i>Subtotal of Samples by Disease</i> | 91 |
| | heartworms, other | | |
| | | coyotes | 1 |
| | | <i>Subtotal of Samples by Disease</i> | 1 |
| | lyme disease | | |
| | | coyotes | 30 |
| | | foxes, gray | 5 |
| | | raccoons | 1 |
| | | <i>Subtotal of Samples by Disease</i> | 36 |
| | plague | | |
| | | badgers | 8 |
| | | bobcats | 111 |
| | | coyotes | 1,407 |
| | | foxes, gray | 195 |
| | | foxes, red | 7 |
| | | hogs, feral | 3 |
| | | lions, mountain (cougar) | 1 |
| | | nutrias | 1 |
| | | opossums, virginia | 1 |
| | | raccoons | 160 |
| | | skunks, spotted | 1 |
| | | skunks, striped | 7 |
| | | <i>Subtotal of Samples by Disease</i> | 1,902 |
| pseudorabies | | | |
| | hogs, feral | 524 | |
| | <i>Subtotal of Samples by Disease</i> | 524 | |
| rabies | | | |
| | badgers | 2 | |
| | bobcats | 62 | |
| | coyotes | 1,225 | |
| | foxes, gray | 242 | |
| | foxes, red | 1 | |
| | hogs, feral | 1 | |
| | not in mis | 1 | |
| | peccaries, collared (javelina) | 1 | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|---------------------------------------|--------------------------|---------------------------------------|----------------|
| TX | rabies | raccoons | 59 |
| | | skunks, hog-nosed | 1 |
| | | skunks, striped | 1 |
| | | <i>Subtotal of Samples by Disease</i> | 1,596 |
| | swine brucellosis | hogs, feral | 524 |
| | | <i>Subtotal of Samples by Disease</i> | 524 |
| | tularemia | badgers | 1 |
| | | beavers | 38 |
| | | bobcats | 17 |
| | | coyotes | 678 |
| | | foxes, gray | 33 |
| | | foxes, red | 1 |
| | | hares, jackrabbits (all) | 4 |
| | | hogs, feral | 6 |
| | | muskrats | 2 |
| | | nutrias | 4 |
| | | raccoons | 57 |
| <i>Subtotal of Samples by Disease</i> | | 841 | |
| VA | avian influenza | coots, american | 1 |
| | | ducks, american black | 35 |
| | | ducks, bufflehead | 221 |
| | | ducks, feral | 55 |
| | | ducks, gadwall | 24 |
| | | ducks, goldeneye, common | 1 |
| | | ducks, long-tailed | 14 |
| | | ducks, mallards | 47 |
| | | ducks, merganser common | 3 |
| | | ducks, merganser, hooded | 45 |
| | | ducks, merganser, red-breasted | 16 |
| | | ducks, northern pintail | 4 |
| | | ducks, northern shoveler | 2 |
| | | ducks, ruddy | 6 |
| | | ducks, scaup, lesser | 5 |
| | | ducks, teal, green-winged | 33 |
| | | ducks, wigeon, american | 5 |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> | |
|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|-----|
| VA | avian influenza | ducks, wood | 32 | |
| | | dunlins | 11 | |
| | | geese, canada | 223 | |
| | | geese, feral | 18 | |
| | | sanderlings | 2 | |
| | | sandpipers, semipalmated | 3 | |
| | | swans, tundra | 1 | |
| | | <i>Subtotal of Samples by Disease</i> | | 807 |
| | | classical swine fever | hogs, feral | 12 |
| | | | <i>Subtotal of Samples by Disease</i> | |
| | pseudorabies | hogs, feral | 12 | |
| | | <i>Subtotal of Samples by Disease</i> | | 12 |
| | rabies | bats (all) | 1 | |
| | | beavers | 7 | |
| | | bobcats | 5 | |
| | | coyotes | 172 | |
| | | foxes, gray | 3 | |
| | | foxes, red | 23 | |
| | | marmots/woodchucks (all) | 1 | |
| | | minks | 1 | |
| | | opossums, virginia | 2 | |
| raccoons | | 736 | | |
| skunks, striped | | 5 | | |
| <i>Subtotal of Samples by Disease</i> | | 956 | | |
| swine brucellosis | | hogs, feral | 12 | |
| | <i>Subtotal of Samples by Disease</i> | | 12 | |
| VT | avian influenza | cormorants, double-crested | 60 | |
| | | ducks, mallards | 200 | |
| | | ducks, wood | 238 | |
| | | geese, canada | 250 | |
| | | gulls, ring-billed | 112 | |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------|--------------------------|---------------------------------------|----------------|
| VT | avian influenza | | |
| | | <i>Subtotal of Samples by Disease</i> | 860 |
| | rabies | | |
| | | coyotes | 4 |
| | | fishers | 2 |
| | | foxes, red | 17 |
| | | marmots/woodchucks (all) | 2 |
| | | raccoons | 757 |
| | | skunks, striped | 95 |
| | | <i>Subtotal of Samples by Disease</i> | 877 |
| WA | avian influenza | | |
| | | ducks, mallards | 20 |
| | | ducks, northern pintail | 33 |
| | | ducks, northern shoveler | 62 |
| | | ducks, teal, blue-winged | 1 |
| | | ducks, teal, green-winged | 49 |
| | | ducks, wigeon, american | 80 |
| | | ducks, wood | 46 |
| | | non-wildlife | 454 |
| | | <i>Subtotal of Samples by Disease</i> | 745 |
| WI | avian influenza | | |
| | | ducks, american black | 13 |
| | | ducks, gadwall | 1 |
| | | ducks, long-tailed | 3 |
| | | ducks, mallards | 180 |
| | | ducks, merganser common | 4 |
| | | ducks, northern pintail | 23 |
| | | ducks, northern shoveler | 13 |
| | | ducks, redhead | 1 |
| | | ducks, ring-necked | 5 |
| | | ducks, scaup, greater | 12 |
| | | ducks, scoter, black | 5 |
| | | ducks, scoter, surf | 5 |
| | | ducks, scoter, white-winged | 5 |
| | | ducks, teal, blue-winged | 56 |
| | | ducks, teal, green-winged | 76 |
| | | ducks, wigeon, american | 12 |

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|---------------------------------------|------------------------------|---------------------------------------|----------------------|
| WI | avian influenza | ducks, wood | 19 |
| | | geese, canada | 60 |
| | | geese, feral | 1 |
| | | gulls, herring | 30 |
| | | gulls, ring-billed | 55 |
| | | non-wildlife | 595 |
| | | swans, mute | 9 |
| | | <i>Subtotal of Samples by Disease</i> | 1,183 |
| | classical swine fever | hogs, feral | 18 |
| | | <i>Subtotal of Samples by Disease</i> | 18 |
| | pseudorabies | hogs, feral | 22 |
| | | <i>Subtotal of Samples by Disease</i> | 22 |
| | swine brucellosis | hogs, feral | 18 |
| | | <i>Subtotal of Samples by Disease</i> | 18 |
| | WV | avian influenza | bird, unidentifiable |
| catbirds, gray | | | 2 |
| ducks, american black | | | 1 |
| ducks, canvasback | | | 1 |
| ducks, feral | | | 78 |
| ducks, gadwall | | | 4 |
| ducks, mallards | | | 161 |
| ducks, merganser, hooded | | | 1 |
| ducks, ruddy | | | 1 |
| ducks, wood | | | 47 |
| geese, canada | | | 46 |
| geese, feral | | | 14 |
| grebes, horned | | | 1 |
| starlings, european | | | 10 |
| <i>Subtotal of Samples by Disease</i> | | 385 | |
| chronic wasting disease | | deer, white-tailed (wild) | 5 |
| | | <i>Subtotal of Samples by Disease</i> | 5 |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> |
|--------------------------|---------------------------------------|---------------------------------------|----------------|
| WV | classical swine fever | hogs, feral | 22 |
| | | <i>Subtotal of Samples by Disease</i> | 22 |
| | pseudorabies | hogs, feral | 22 |
| | | <i>Subtotal of Samples by Disease</i> | 22 |
| | rabies | bobcats | 5 |
| | | cats, feral/free ranging | 4 |
| | | coyotes | 29 |
| | | deer, white-tailed (wild) | 1 |
| | | foxes, gray | 16 |
| | | foxes, red | 21 |
| | | marmots/woodchucks (all) | 2 |
| | | raccoons | 2,117 |
| | | rats, norway | 1 |
| | | skunks, striped | 63 |
| | | <i>Subtotal of Samples by Disease</i> | 2,259 |
| swine brucellosis | | hogs, feral | 22 |
| | <i>Subtotal of Samples by Disease</i> | 22 | |
| WY | avian influenza | avocets, american | 1 |
| | | bird, unidentifiable | 3 |
| | | ducks, gadwall | 2 |
| | | ducks, mallards | 166 |
| | | ducks, northern pintail | 12 |
| | | ducks, redhead | 2 |
| | | ducks, ring-necked | 2 |
| | | ducks, scaup, lesser | 6 |
| | | ducks, teal, blue-winged | 32 |
| | | ducks, teal, green-winged | 1 |
| | | ducks, wigeon, american | 5 |
| | | geese, canada | 87 |
| | | godwits, marbled | 1 |
| | | hawks, ferruginous | 1 |
| | | killdeers | 19 |
| | | phalaropes, red-necked | 6 |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.

| <i>State</i> | <i>Disease/Condition</i> | <i>Species Sampled</i> | <i>Samples</i> | |
|---|--------------------------|---------------------------------------|----------------|---------------------------------------|
| WY | avian influenza | sandpipers, baird`s | 1 | |
| | | sandpipers, least | 3 | |
| | | sandpipers, semipalmated | 11 | |
| | | sandpipers, spotted | 2 | |
| | | sandpipers, stilt | 9 | |
| | | sandpipers, western | 9 | |
| | | willetts | 2 | |
| | | yellowlegs, greater | 1 | |
| | | yellowlegs, lesser | 10 | |
| | | | | <i>Subtotal of Samples by Disease</i> |
| | canine heartworm | coyotes | 471 | |
| | | foxes, red | 11 | |
| | | | | <i>Subtotal of Samples by Disease</i> |
| | plague | beavers | 2 | |
| | | coyotes | 256 | |
| | | foxes, red | 10 | |
| | | foxes, swift | 1 | |
| | | wolves, gray/timber | 2 | |
| | | | | <i>Subtotal of Samples by Disease</i> |
| | rabies | raccoons | 2 | |
| | | skunks, striped | 38 | |
| | | | | <i>Subtotal of Samples by Disease</i> |
| | tularemia | beavers | 2 | |
| | | coyotes | 255 | |
| | | foxes, red | 10 | |
| | | foxes, swift | 1 | |
| | | wolves, gray/timber | 2 | |
| | | <i>Subtotal of Samples by Disease</i> | 270 | |
| <i>Grand Total of All Samples of All Types - All States</i> | | | 115,586 | |