

Table F-9. Wildlife Disease Sampling Conducted For Tularemia by Wildlife Services - FY 2009

<i>Disease/Condition</i>	<i>Species Sampled</i>	<i># of Samples</i>
Tularemia		
	Badgers	8
	Bears, Black	26
	Bears, Grizzly	3
	Beavers	477
	Bobcats	50
	Cats, Feral/Free Ranging	13
	Coyotes	4,315
	Deer, Mule	1
	Dogs, Feral, Free-Ranging And Hybrid	32
	Fishers	1
	Foxes, Gray	63
	Foxes, Kit	2
	Foxes, Red	136
	Foxes, Swift	3
	Hares, Jackrabbits (Other)	4
	Hares, Snowshoe	3
	Lions, Mountain (Cougar)	26
	Marmots/Woodchucks (All)	11
	Mice, Deer (All)	13
	Mice, House	2
	Minks	23
	Muskrats	93
	Non-Wildlife	6
	Nutrias	7
	Opossums, Virginia	12
	Otters, River	2
	Prairie Dogs, Black-Tailed	2
	Rabbits, Cottontail	11
	Raccoons	264
	Skunks, Hog-Nosed	1
	Skunks, Hooded	18
	Skunks, Spotted	4
	Skunks, Striped	126
	Squirrels, Eastern Gray	1
	Squirrels, Ground, Other	1
	Swine, Feral	383
	Voles (All)	4
	Wolves, Gray/Timber	148
	<i>Tularemia Total Samples</i>	6,295

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.