

**Table F. Wildlife Disease Sampling Conducted by
Wildlife Services in South Carolina - FY 2009**

| <i>Disease/Condition</i> | <i>Species Sampled</i> | <i># of Samples</i> |
|------------------------------|---|---------------------|
| Avian Influenza | | |
| | Ducks, American Black | 1 |
| | Ducks, Bufflehead | 3 |
| | Ducks, Gadwall | 39 |
| | Ducks, Mallards | 23 |
| | Ducks, Merganser, Hooded | 9 |
| | Ducks, Mottled | 75 |
| | Ducks, Northern Pintail | 19 |
| | Ducks, Northern Shoveler | 28 |
| | Ducks, Ring-Necked | 5 |
| | Ducks, Ruddy | 7 |
| | Ducks, Scaup, Lesser | 6 |
| | Ducks, Teal, Blue-Winged | 26 |
| | Ducks, Teal, Green-Winged | 49 |
| | Ducks, Wigeon, American | 7 |
| | Ducks, Wood | 121 |
| | Geese, Canada | 60 |
| | Geese, Snow, Lesser | 2 |
| | <i>Subtotal of # of Samples for Avian Influenza</i> | 480 |
| Classical Swine Fever | | |
| | Swine, Feral | 66 |
| | <i>Subtotal of # of Samples for Classical Swine Fever</i> | 66 |
| Pseudorabies | | |
| | Swine, Feral | 77 |
| | <i>Subtotal of # of Samples for Pseudorabies</i> | 77 |
| Swine Brucellosis | | |
| | Swine, Feral | 77 |
| | <i>Subtotal of # of Samples for Swine Brucellosis</i> | 77 |
| | <i>Grand Total of Samples For All Diseases/Conditions</i> | 700 |
| | <i>Total # Diseases/Conditions Sampled In SC</i> | 4 |

Entries of "bird, unidentifiable" or "non-wildlife" usually refer to samples of matter, such as fecal material, found in the environment. "Bird, unidentifiable" is a name assigned to material when WS wants to know it is associated with birds.