

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
A/C Powder	UnIntentional	Ducks, Mallards	6			
Barriers, Exclusion (Other)	Intentional	Owls, Burrowing			3	
Calling Device, Electronic	Intentional	Bobcats	8			
		Cats, Feral/Free Ranging	1			
		Coyotes	819			
		Crows, American	65			
		Foxes, Gray	1			
		Swine, Feral	4			
Calling Device, Manual(Hand,Blown)	Intentional	Bobcats	7			
		Cats, Feral/Free Ranging	1			
		Coyotes	657			
		Crows, American	5			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Catch Pole	Intentional	Deer, Black-Tailed	1			
		Foxes, Gray	1		2	
		Opossums, Virginia	27		1	
		Otters, River			1	
		Pigeons, Feral (Rock)	4			
		Porcupines			1	
		Raccoons	5		1	3
		Snakes, Non-Venomous (Other)			4	
		Snakes, Rattlesnakes, Southern Pacific				8
		Squirrels, Western Gray	1			
			UnIntentional	Snakes, Rattlesnakes, Southern Pacific		
Dog	Intentional	Bears, Black			1	
		Ducks, Mallards				6
		Geese, Canada				24
		Hawks, Red-Tailed				1

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Dog	Intentional	Lions, Mountain (Cougar)			2	
DRC-1339 Eggs	Intentional	Crows, American	68			
		Ravens, Common	60			
DRC-1339-Feedlots	Intentional	Blackbirds, Brewer`s	750			
		Blackbirds, Z-(Mixed Species)	1,000			
		Starlings, European	7,745			
Drug Delivery Devices (Other)	Intentional	Deer, Mule			6	
		Opossums, Virginia	1			
Effigy, Vulture	Intentional	Vultures, Turkey				32
Electronic Harassment Devices (Other)	Intentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Electronic Harassment Devices (Other)						
	Intentional					
		Crows, American				21
		Ducks, Teal, Green-Winged				35
		Ducks, Wigeon, American				15
		Gulls, California				685
		Gulls, Ring-Billed				15
		Gulls, Western				300
		Hawks, Red-Tailed				10
		Ravens, Common				25
Firearms						
	Intentional					
		Avocets, American	18			83
		Badgers	24			
		Bears, Black	36			
		Beavers	382			
		Blackbirds, Brewer`s	1,282			4,345
		Blackbirds, Red-Winged	4,217			642
		Blackbirds, Z-(Mixed Species)	5			13,100
		Bobcats	7			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Cats, Feral/Free Ranging	40			
		Chickens, Feral/Free Ranging	1			
		Chukars	19			275
		Coots, American	597			736
		Cormorants, Brandt`s	1			
		Cormorants, Double-Crested	40			48
		Cormorants, Pelagic	1			
		Cowbirds, Brown-Headed	15			40
		Coyotes	2,088			8
		Cranes, Sandhill				220
		Crows, American	539			313
		Curlews, Long-Billed	2			125
		Deer, Black-Tailed	11			
		Deer, Mule	9			
		Dogs, Feral, Free-Ranging And Hybrids	30			
		Doves, Collared, Eurasian	28			146
		Doves, Mourning	2,367			4,274
		Dowitchers, Long-Billed				10

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Ducks, Bufflehead	52			188
		Ducks, Gadwall	33			19
		Ducks, Goldeneye, Common	1			18
		Ducks, Mallards	546			3,612
		Ducks, Northern Pintail	9			1,011
		Ducks, Northern Shoveler	15			2,815
		Ducks, Redhead	2			30
		Ducks, Ruddy	27			28
		Ducks, Scaup, Greater	11			49
		Ducks, Scaup, Lesser	4			
		Ducks, Scoter, Black	2			
		Ducks, Scoter, Surf	5			
		Ducks, Teal, Cinnamon	47			41
		Ducks, Teal, Green-Winged	2			55
		Ducks, Wigeon, American	16			340
		Egrets, Cattle	1			
		Egrets, Great	52			148
		Egrets, Snowy	121			180

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Falcons, American Kestrels	23			36
		Falcons, Prairie				7
		Finches, House	17			358
		Foxes, Gray	9			
		Foxes, Red	8			
		Geese, Cackling				2
		Geese, Canada	348			1,642
		Geese, Snow, Lesser	13			
		Geese, White-Fronted, Greater	29			12
		Goldfinches, American	5			1,300
		Grackles, Great-Tailed				2
		Grebes, Eared	1			
		Grebes, Pied-Billed	1			
		Gulls, California	224			5,010
		Gulls, Glaucous-Winged	22			5
		Gulls, Heermann`s	3			50
		Gulls, Herring	2			10
		Gulls, Mew	9			55

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Gulls, Ring-Billed	19			803
		Gulls, Western	380			245
		Hawks, Cooper`s	8			2
		Hawks, Ferruginous	1			6
		Hawks, Harrier, Northern (Marsh Hawks	17			26
		Hawks, Red-Tailed	40			146
		Hawks, Swainson`s				7
		Hérons, Great Blue	29			102
		Hérons, Night, Black-Crowned	3			13
		Ibises, White-Faced	115			35
		Jackrabbits, Black Tailed	330			7
		Killdeers	146			581
		Kingbirds, Western	18			44
		Larks, Horned	2			3,120
		Lions, Mountain (Cougar)	74			
		Marmots/Woodchucks (All)	12			
		Meadowlarks, Western	125			774
		Muskrats	296			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Opossums, Virginia	2			
		Ospreys				4
		Owls, Common Barn	9			
		Owls, Great Horned	3			5
		Pelicans, American White				72
		Pelicans, Brown				13
		Pheasants, Ring-Necked	4			
		Pigeons, Feral (Rock)	4,179			1,024
		Pipits, American				700
		Plovers, Black-Bellied				4
		Rabbits, Cottontail	152			
		Rabbits, Desert Cottontail	16			7
		Raccoons	87			
		Rats, Norway	1			
		Ravens, Common	243			49
		Skunks, Striped	86			
		Snakes, Rattlesnakes, Western Diamon	1			
		Sparrows, House/English	4			3

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Sparrows, Savannah				6
		Squirrels, Fox	24			
		Squirrels, Ground, California	900			
		Squirrels, Western Gray	15			
		Starlings, European	1,061			13,029
		Stilts, Black-Necked	42			54
		Swallows, Barn	9			106
		Swallows, Cliff	11			63
		Swallows, Northern Rough-Winged	1			
		Swallows, Violet-Green	4			50
		Swans, Mute				5
		Swans, Tundra				80
		Swine, Feral	405			
		Terns, Caspian	5			
		Terns, Forster`s	1			14
		Turkeys, Wild	62			
		Vultures, Turkey	42			560
		Whimbrels	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Woodpeckers, Acorn	7			
		Yellowlegs, Greater	3			10
Fixed Wing	Intentional	Coyotes	667			
Gas Cartridge (Rodent)	Intentional	Squirrels, Ground, California	174			
Gas Cartridge, Large	Intentional	Coyotes	9			
		Coyotes DEN		2		
		Foxes, Red	15			
Handcaught/Gathered	Intentional	Blackbirds, Red-Winged			7	
		Bobcats			2	
		Coots, American	1,608			
		Cowbirds, Brown-Headed			11	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Handcaught/Gathered	Intentional	Deer, Black-Tailed	1		1	
		Ducks, Feral			1	
		Ducks, Mallards	51			
		Finches, House	22			
		Geese, Canada	45			
		Gulls, Western	2			
		Hawks, Red-Tailed				1
		Hérons, Great Blue	1			
		Mice, House	10			
		Opossums, Virginia	20			
		Owls, Common Barn				3
		Owls, Great Horned				1
		Pigeons, Feral (Rock)	284			
		Raccoons	2			
		Ravens, Common	4			
		Skunks, Striped	18			
		Snakes, Gopher	2			2
		Snakes, Rattlesnakes, Western Diamon	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Handcaught/Gathered	Intentional	Sparrows, House/English	9			
		Swallows, Cliff	1			
		Swine, Feral			3	
	UnIntentional	Blackbirds, Brewer`s			1	
		Dogs, Feral, Free-Ranging And Hybrids			1	
		Ducks, Feral			24	
		Ducks, Mallards			68	
		Swans, Black			1	
Harness, Pigeon	Intentional	Falcons, Peregrine			1	
		Hawks, Cooper`s			2	
Jabstick	Intentional	Foxes, Gray	1			
		Opossums, Virginia	2			
		Skunks, Striped	19			
Lasers (All) (Deterrent)						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
	Intentional	Hawks, Red-Tailed				6
M-44 Cyanide Capsule						
	Intentional	Coyotes	10			
Nets, Bow						
	Intentional	Hawks, Red-Tailed			1	
Nets, Mist						
	Intentional	Woodpeckers, Acorn	5			
Nets, Other						
	Intentional	Ducks, Feral			1	
		Pigeons, Feral (Rock)	58			
Night Vision/Infrared Equipment						
	Intentional	Coyotes	3			
Physical Actions (Hand/Voice)						
	Intentional	Crows, American				4

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Physical Actions (Hand/Voice)	Intentional	Hawks, Red-Tailed				1	
		Vultures, Turkey				2	
Pneumatics	Intentional	Blackbirds, Red-Winged	2			10	
		Cats, Feral/Free Ranging				1	
		Coots, American	3				
		Cowbirds, Brown-Headed	1				
		Coyotes				1	
		Crows, American	39				294
		Doves, Collared, Eurasian	2				
		Doves, Mourning	480				503
		Ducks, Mallards	28				49
		Egrets, Great					2
		Falcons, American Kestrels	1				
		Finches, House	7				10
		Foxes, Red					1
		Gophers, Pocket (All)	1				

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pneumatics	Intentional	Gulls, California	3			2
		Gulls, Western	12			1
		Hawks, Cooper`s	17			13
		Hawks, Red-Shouldered				1
		Hawks, Red-Tailed	7			22
		Hérons, Great Blue	5			15
		Killdeers	35			320
		Kingbirds, Western	2			1
		Meadowlarks, Western	53			8
		Mockingbirds, Northern	1			
		Orioles, Hooded	1			
		Pigeons, Feral (Rock)	201			1,352
		Sparrows, Sage	2			3
		Squirrels, Ground, California	7			
		Starlings, European	126			3,254
		Stilts, Black-Necked				1
		Whimbrels	2			5
		Willets	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Avocets, American				358
		Blackbirds, Brewer`s				60,565
		Blackbirds, Red-Winged				10,164
		Blackbirds, Z-(Mixed Species)				101,520
		Coots, American				2,008
		Cormorants, Double-Crested				55
		Crows, American				458
		Curlews, Long-Billed				166
		Doves, Mourning				80
		Dowitchers, Long-Billed				10
		Ducks, Bufflehead				1,313
		Ducks, Canvasback				176
		Ducks, Gadwall				509
		Ducks, Goldeneye, Common				135
		Ducks, Mallards				1,651
		Ducks, Merganser Common				3
		Ducks, Northern Pintail				39,653

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Ducks, Northern Shoveler				12,897
		Ducks, Ring-Necked				4
		Ducks, Ruddy				145
		Ducks, Scaup, Greater				34
		Ducks, Scaup, Lesser				104
		Ducks, Teal, Cinnamon				42
		Ducks, Teal, Green-Winged				41
		Ducks, Wigeon, American				2,534
		Ducks, Wood				20
		Eagles, Golden				1
		Egrets, Cattle				6,475
		Egrets, Great				999
		Egrets, Snowy				1,560
		Elk, Wapiti (Wild)				12
		Falcons, American Kestrels				9
		Falcons, Peregrine				3
		Falcons, Prairie				1
		Finches, House				10

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Geese, Brant, Black				1
		Geese, Cackling				1
		Geese, Canada				4,851
		Geese, Snow, Lesser				58,102
		Geese, White-Fronted, Greater				19,354
		Godwits, Marbled				25
		Goldfinches, American				1,150
		Gulls, California				4,412
		Gulls, Glaucous-Winged				10
		Gulls, Heermann`s				700
		Gulls, Herring				25
		Gulls, Mew				47
		Gulls, Ring-Billed				630
		Gulls, Western				225
		Hawks, Ferruginous				8
		Hawks, Harrier, Northern (Marsh Hawks				22
		Hawks, Red-Tailed				130
		Hawks, Rough-Legged				2

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Hawks, Swainson`s				286
		Hérons, Great Blue				125
		Ibises, White-Faced				26,375
		Killdeers				94
		Kingbirds, Western				50
		Kites, White-Tailed				2
		Larks, Horned				2,483
		Meadowlarks, Western				90
		Pelicans, American White				250
		Pelicans, Brown				124
		Pheasants, Ring-Necked				1
		Pigeons, Feral (Rock)				100
		Pipits, American				2,480
		Ravens, Common				26
		Sandpipers, Western				2,206
		Starlings, European				9,043
		Stilts, Black-Necked				69
		Swallows, Barn				77

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Swallows, Cliff				3,403
		Swallows, Violet-Green				200
		Swans, Tundra				6,338
		Swifts (All)				8
		Terns, Black				1
		Terns, Forster`s				16
		Vultures, Turkey				161
		Warblers, Pine				260
		Whimbrels				13
Snares, Foot/Leg						
	Intentional					
		Badgers	10			
		Bears, Black	1			
		Bobcats	2			
		Coyotes	183			
		Dogs, Feral, Free-Ranging And Hybrids			2	
		Raccoons	1			
		Swine, Feral	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Snares, Foot/Leg	UnIntentional	Bobcats			1	
		Dogs, Feral, Free-Ranging And Hybrids			1	
		Raccoons			3	
Snares, Neck	Intentional	Badgers	36			
		Beavers	372			
		Bobcats	6			
		Cats, Feral/Free Ranging	4			
		Coyotes	1,445			2
		Dogs, Feral, Free-Ranging And Hybrids	5			1
		Foxes, Gray	1			
		Foxes, Red	12			
		Lions, Mountain (Cougar)	1			
		Opossums, Virginia	1			
		Porcupines	5			
		Raccoons	24			
		Skunks, Striped	7			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Snares, Neck						
	Intentional					
		Swine, Feral	12			
	UnIntentional					
		Cats, Feral/Free Ranging	1			
		Deer, Black-Tailed			1	
		Otters, River			2	
		Raccoons	1		1	
		Skunks, Striped	3			
Snares, Neck Mechanical (Collarum)						
	Intentional					
		Coyotes	234			
		Dogs, Feral, Free-Ranging And Hybrids	5			
		Foxes, Red	1			
		Raccoons	1			
		Skunks, Striped	1			
	UnIntentional					
		Dogs, Feral, Free-Ranging And Hybrids			1	
Sodium Pentobarbital (390 Mg/MI)						
	Intentional					
		Skunks, Striped	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Spotlight	Intentional	Beavers	2			
		Cats, Feral/Free Ranging	55			
		Coyotes	251			
		Deer, Black-Tailed	5			
		Dogs, Feral, Free-Ranging And Hybrids	1			
		Foxes, Red	3			
		Geese, Canada	1			
		Hérons, Night, Black-Crowned	1			
		Jackrabbits, Black Tailed	84			
		Opossums, Virginia	5			
		Owls, Common Barn	9			
		Pigeons, Feral (Rock)	39			
		Rabbits, Cottontail	46			
		Raccoons	62			
		Skunks, Striped	144			
		Starlings, European	1			
		Swine, Feral	15			
		Traps, Bal-Chatri				

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
	Intentional	Falcons, American Kestrels			21	
		Falcons, Peregrine			1	
		Hawks, Red-Tailed			7	
Traps, Body Grip	Intentional	Beavers	501			
		Cats, Feral/Free Ranging	5			
		Foxes, Gray	1			
		Foxes, Red	8			
		Gophers, Pocket (All)	5			
		Jackrabbits, Black Tailed	3			
		Muskrats	20			
		Opossums, Virginia	11			
		Otters, River	6			
		Owls, Burrowing			1	
		Rabbits, Desert Cottontail	7			
		Raccoons	2			
		Rats, Norway	2			
		Skunks, Striped	15			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>		
Traps, Body Grip	Intentional	Squirrels, Ground, California	727					
		Starlings, European	7					
		Weasels, Long-Tailed	2					
	UnIntentional	Blackbirds, Brewer`s	1					
		Cats, Feral/Free Ranging	1					
		Coyotes	1					
		Crows, American	6					
		Meadowlarks, Western	1					
		Muskrats	1					
		Otters, River	3					
		Owls, Burrowing	1					
		Owls, Great Horned				1		
		Traps, Cage	Intentional	Badgers	1			
				Bears, Black	12			
Beavers	16							

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Cage	Intentional	Blackbirds, Red-Winged			7	
		Bobcats	42		1	
		Cats, Feral/Free Ranging	196		14	
		Cowbirds, Brown-Headed	15			
		Coyotes	1			
		Crows, American	5			
		Dogs, Feral, Free-Ranging And Hybrids	1		3	
		Fowl, Pea	1		6	
		Foxes, Gray	162		11	
		Foxes, Red	6			
		Jackrabbits, Black Tailed			3	
		Lions, Mountain (Cougar)	28			
		Mice, House	2			
		Opossums, Virginia	1,168		2	
		Otters, River	1			
		Pigeons, Feral (Rock)	1,279			
		Rabbits, Cottontail	11			
		Rabbits, Desert Cottontail	30			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Cage	Intentional	Raccoons	2,461		6		
		Rats, Black (Roof)	50				
		Rats, Norway	12				
		Skunks, Spotted	5				
		Skunks, Striped	4,432		3		
		Sparrows, House/English	110				
		Sparrows, White-Crowned			3		
		Squirrels, Douglas`	1				
		Squirrels, Fox	16				
		Squirrels, Ground, California	954				
		Squirrels, Western Gray	63				
		Starlings, European	212				
		Swine, Feral	254				
		Turkeys, Wild	37				
		Weasels, Long-Tailed	2				
		UnIntentional	Bears, Black			1	
			Bobcats			1	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Cage	Unintentional	Cats, Feral/Free Ranging			27		
		Dogs, Feral, Free-Ranging And Hybrids			3		
		Ducks, Mallards			4		
		Foxes, Gray			148		
		Gulls, Heermann`s			1		
		Hawks, Cooper`s			1		
		Jackrabbits, Black Tailed			12		
		Mice, Deer (All)			1		
		Mockingbirds, Northern			1		
		Opossums, Virginia			78		
		Rabbits, Cottontail			120		
		Raccoons			28		
		Shrikes, Loggerhead			2		
		Skunks, Striped			1		
		Squirrels, Ground, California			1	19	
		Vultures, Turkey				2	
		Traps, Culvert	Intentional				

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Culvert	Intentional	Bears, Black	81		6	
	UnIntentional	Bears, Black			1	
Traps, Decoy	Intentional	Blackbirds, Brewer`s	602		26	
		Blackbirds, Red-Winged	368			
		Blackbirds, Yellow-Headed	396		26	
		Blackbirds, Z-(Mixed Species)			67	
		Cats, Feral/Free Ranging	1			
		Cowbirds, Brown-Headed	1,604			
		Doves, Collared, Eurasian	7			
		Doves, Mourning	1,289			
		Falcons, American Kestrels				14
		Finches, House	404			20
		Hawks, Cooper`s	2			37
		Hawks, Red-Tailed				7
		Jays, Scrub	2			1

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Decoy	Intentional	Kingbirds, Western	2		5	
		Mockingbirds, Northern	8			
		Owls, Common Barn			1	
		Phoebes, Black	1			
		Phoebes, Say`s	1		1	
		Pigeons, Feral (Rock)	870			
		Skunks, Striped	1			
		Sparrows, House/English	391			
		Sparrows, Sage	6			
		Sparrows, White-Crowned	8		112	
		Squirrels, Ground, California	11			
		Starlings, European	6,293			
		Towhees, Brown	3		18	
	UnIntentional	Flickers, Northern	1		1	
		Jays, Scrub			1	
		Kingbirds, Western			26	
		Mockingbirds, Northern			28	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Decoy	Unintentional	Opossums, Virginia	3			
		Phoebes, Black	1		2	
		Raccoons	3			
		Rats, Norway	1			
		Sparrows, White-Crowned				7
		Squirrels, Fox	1			
		Squirrels, Ground, California	1			
		Towhees, Brown				5
		Warblers, Pine				1
		Traps, Drive/Corral	Intentional	Swine, Feral	214	
Turkeys, Wild	2					
Traps, Foothold (Padded)	Intentional	Bobcats	2			
		Cats, Feral/Free Ranging	21			
		Coyotes	79			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Foothold (Padded)	Intentional	Foxes, Red	39				
		Opossums, Virginia	3				
		Raccoons	20				
		Ravens, Common	1				
		Skunks, Striped	39				
		Squirrels, Ground, California	10				
	UnIntentional	Badgers				1	
		Bobcats				5	
		Coyotes				3	
		Foxes, Gray				13	
		Jackrabbits, Black Tailed				1	
		Opossums, Virginia				6	
		Rabbits, Cottontail				1	
		Raccoons		1			15
		Starlings, European		1			
Traps, Gopher	Intentional						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Gopher	Intentional	Gophers, Pocket (All)	1			
Traps, Other	Intentional	Blackbirds, Brewer`s	5			
		Cowbirds, Brown-Headed	4			
		Crows, American	2			
		Doves, Mourning	9			
		Finches, House	2			
		Gulls, Western	1			
		Pigeons, Feral (Rock)	172			
		Raccoons	1			
		Sparrows, House/English	15			
		Starlings, European	74			
			UnIntentional	Kingbirds, Western		
Traps, Pole	Intentional	Falcons, American Kestrels	2		15	
		Hawks, Cooper`s	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Pole	Intentional	Owls, Common Barn	1		11		
		Owls, Great Horned			3		
		UnIntentional					
			Finches, House	1		2	
			Meadowlarks, Western			1	
			Mockingbirds, Northern			1	
	Traps, Raptor (Swedish Goshawk)	Intentional	Crows, American	2			
Falcons, Peregrine					1		
Hawks, Cooper`s					13		
Hawks, Red-Tailed			1		50		
Owls, Common Barn					1		
Owls, Great Horned					3		
Ravens, Common			2				
UnIntentional							
			Cats, Feral/Free Ranging	1			
			Opossums, Virginia	1			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Snake	Intentional	Snakes, Gopher	2			
Traps, Snap (Rat, Mouse, Etc.)	Intentional	Flickers, Northern	1			
		Mice, Deer (All)	1			
		Mice, House	28			
		Rats, Black (Roof)	66			
		Rats, Norway	5			
		Squirrels, Ground, California	1			
		Starlings, European	5			
Traps, Suitcase	Intentional	Beavers	15			
Vehicles (All) (Planes, Boats, Auto, ATV)	Intentional	Avocets, American				462
		Blackbirds, Brewer`s				16,509
		Blackbirds, Red-Winged				1,995

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All) (Planes, Boats, Auto, ATV)						
	Intentional					
		Blackbirds, Z-(Mixed Species)				1,945
		Cats, Feral/Free Ranging				11
		Coots, American				2,078
		Cormorants, Double-Crested				87
		Coyotes				10
		Crows, American				2,121
		Curlews, Long-Billed				678
		Doves, Mourning				4,154
		Dowitchers, Long-Billed				60
		Dowitchers, Short-Billed				85
		Ducks, Bufflehead				316
		Ducks, Gadwall				366
		Ducks, Goldeneye, Common				12
		Ducks, Mallards				3,186
		Ducks, Northern Pintail				1,803
		Ducks, Northern Shoveler				6,146
		Ducks, Ruddy				158
		Ducks, Scaup, Greater				331

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All) (Planes, Boats, Auto, ATV)						
	Intentional					
		Ducks, Scaup, Lesser				77
		Ducks, Teal, Blue-Winged				4
		Ducks, Teal, Cinnamon				299
		Ducks, Teal, Green-Winged				482
		Ducks, Wigeon, American				1,075
		Egrets, Cattle				5
		Egrets, Great				1,212
		Egrets, Snowy				927
		Falcons, American Kestrels				307
		Falcons, Merlin				1
		Falcons, Peregrine				3
		Falcons, Prairie				7
		Finches, House				171
		Foxes, Gray				1
		Geese, Canada				2,328
		Geese, White-Fronted, Greater				3
		Godwits, Marbled				71
		Gulls, California				825

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All) (Planes, Boats, Auto, ATV)						
	Intentional					
		Gulls, Heermann`s				1,059
		Gulls, Ring-Billed				239
		Gulls, Western				123
		Hawks, Cooper`s				12
		Hawks, Ferruginous				2
		Hawks, Harrier, Northern (Marsh Hawks)				62
		Hawks, Red-Shouldered				1
		Hawks, Red-Tailed				871
		Hawks, Swainson`s				47
		Hérons, Great Blue				696
		Hérons, Night, Black-Crowned				61
		Jackrabbits, Black Tailed				17
		Killdeers				1,601
		Kingbirds, Western				30
		Kingfishers, Belted				1
		Kites, White-Tailed				2
		Larks, Horned				543
		Magpies, Yellow-Billed				115

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All) (Planes, Boats, Auto, ATV)						
	Intentional					
		Meadowlarks, Western				4,588
		Mockingbirds, Northern				4
		Ospreys				1
		Owls, Common Barn				3
		Owls, Great Horned				4
		Pelicans, American White				82
		Pelicans, Brown				42
		Pheasants, Ring-Necked				7
		Phoebes, Black				1
		Pigeons, Feral (Rock)				2,010
		Plovers, Black-Bellied				25
		Ravens, Common				461
		Sandpipers, Western				1,518
		Shrikes, Loggerhead				7
		Sparrows, White-Crowned				39
		Starlings, European				27,488
		Stilts, Black-Necked				203
		Swallows, Barn				32

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in California - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All) (Planes, Boats, Auto, ATV)						
	Intentional					
		Swallows, Cliff				1,061
		Terns, Forster`s				43
		Vultures, Turkey				251
		Warblers, Pine				303
		Whimbrels				2
		Willets				83
		<i>Total Take for CA</i>	66,975	2	1,279	551,953

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.