

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Car/Truck</b>	<b>Intentional</b>	Buntings, Lark				550
		Coots, American				2
		Coyotes				23
		Doves, Mourning				75
		Eagles, Bald				4
		Falcons, American Kestrels				15
		Falcons, Prairie				1
		Geese, Canada				984
		Hawks, Ferruginous				1
		Hawks, Harrier, Northern (Marsh Hawks)				5
		Hawks, Red-Tailed				19
		Hawks, Swainson`s				6
		Kingbirds, Western				205
		Larks, Horned				450
		Meadowlarks, Western				316
		Shrikes (Other)				4
		Sparrows, House/English				85

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Car/Truck</b>						
	<b>Intentional</b>					
		Starlings, European				250
		Vultures, Turkey				4
<b>Dog</b>						
	<b>Intentional</b>					
		Avocets, American				2
		Bears, Black			1	
		Cormorants, Double-Crested				11
		Ducks, Mallards				126
		Ducks, Merganser, Hooded				3
		Ducks, Teal, Blue-Winged				42
		Geese, Canada				1,097
		Gulls, Ring-Billed				451
		Hérons, Great Blue				4
		Lions, Mountain (Cougar)			4	
	<b>UnIntentional</b>					
		Bears, Black			1	
<b>DRC-1339 Meat</b>						
	<b>Intentional</b>					
		Ravens, Common	5			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>DRC-1339-Feedlots</b>						
	<b>Intentional</b>					
		<b>Starlings, European</b>	19,904			
<b>Exploders, Gas (All)</b>						
	<b>Intentional</b>					
		<b>Blackbirds, Red-Winged</b>				700,000
<b>Firearms</b>						
	<b>Intentional</b>					
		<b>Bears, Black</b>	51			
		<b>Beavers</b>	80			
		<b>Blackbirds, Red-Winged</b>	1,266			551,840
		<b>Blackbirds, Z-(Mixed Species)</b>				1,000
		<b>Bobcats</b>	1			
		<b>Buntings, Lark</b>	99			2,312
		<b>Cats, Feral/Free Ranging</b>	2			
		<b>Cormorants, Double-Crested</b>				2
		<b>Coyotes</b>	731			78
		<b>Cranes, Sandhill</b>				225
		<b>Crows, American</b>	8			3
		<b>Deer, Mule</b>	4			68

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Doves, Collared, Eurasian	18			
		Doves, Mourning	1,222			31,940
		Ducks, Gadwall				6
		Ducks, Mallards	139			213
		Ducks, Northern Pintail				4
		Ducks, Northern Shoveler				4
		Ducks, Redhead	2			
		Ducks, Ring-Necked				13
		Ducks, Scaup, Lesser	5			
		Ducks, Teal, Blue-Winged	3			7
		Ducks, Teal, Green-Winged				15
		Eagles, Bald				4
		Eagles, Golden				12
		Falcons, American Kestrels	5			24
		Foxes, Red	41			1
		Geese, Canada	201			35,988
		Grackles, Common	42			190
		Gulls, California	15			94

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Gulls, Franklin`s	4			21
		Gulls, Herring				2
		Gulls, Ring-Billed	1			6
		Hares, Jackrabbits (Other)	392			100
		Hawks, Cooper`s				2
		Hawks, Ferruginous	12			255
		Hawks, Harrier, Northern (Marsh Hawks)	9			676
		Hawks, Red-Tailed	85			1,794
		Hawks, Rough-Legged	4			66
		Hawks, Swainson`s	24			403
		Hérons, Great Blue	23			22
		Killdeers	6			147
		Kingbirds, Western	135			1,423
		Larks, Horned	775			5,200
		Lions, Mountain (Cougar)	11			2
		Magpies, Black-Billed	11			
		Meadowlarks, Western	365			2,465
		Muskrats	4			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Owls, Common Barn	2			6
		Owls, Great Horned	8			21
		Pigeons, Feral (Rock)	882			8,375
		Prairie Dogs, Black-Tailed	6,028			284
		Prairie Dogs, White-Tailed	66			
		Rabbits, Cottontail	4,945			15
		Raccoons	5			
		Ravens, Common	4			3
		Robins, American				7
		Skunks, Striped	28			
		Snakes, Venomous (Other)	3			
		Sparrows, House/English	19			50
		Squirrels, Fox	4			
		Squirrels, Ground, Other	9			
		Starlings, European	624			8,018
		Swallows, Cliff	613			8,475
		Terns, Black				5
		Vultures, Turkey	9			53

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed / Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Fixed Wing</b>						
	<b>Intentional</b>					
		<b>Coyotes</b>	1,723			
		<b>Foxes, Red</b>	27			
<b>Fumitoxin Tablets</b>						
	<b>Intentional</b>					
		<b>Prairie Dogs, Black-Tailed BURROW/DEN</b>		13,252		
		<b>Prairie Dogs, Gunnison`s BURROW/DEN</b>		625		
		<b>Prairie Dogs, White-Tailed BURROW/DEN</b>		1,950		
<b>Gas Cartridge, Large</b>						
	<b>Intentional</b>					
		<b>Coyotes BURROW/DEN</b>		4		
<b>Helicopter</b>						
	<b>Intentional</b>					
		<b>Swine, Feral</b>	21			
<b>Lasers (All) (Deterrent)</b>						
	<b>Intentional</b>					
		<b>Vultures, Turkey</b>				23
<b>M-44 Cyanide Capsule</b>						
	<b>Intentional</b>					
		<b>Coyotes</b>	45			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>M-44 Cyanide Capsule</b>						
	<b>Unintentional</b>					
		<b>Foxes, Red</b>	4			
<b>Pneumatics</b>						
	<b>Intentional</b>					
		<b>Blackbirds, Brewer`s</b>	1			
		<b>Blackbirds, Red-Winged</b>	6			10
		<b>Buntings, Lark</b>				65
		<b>Crows, American</b>	16			
		<b>Doves, Collared, Eurasian</b>	1			
		<b>Doves, Mourning</b>	433			413
		<b>Ducks, Mallards</b>	2			
		<b>Falcons, American Kestrels</b>	1			
		<b>Geese, Canada</b>	2			
		<b>Gulls, Ring-Billed</b>	2			
		<b>Hares, Jackrabbits (Other)</b>	1			
		<b>Hawks, Ferruginous</b>				1
		<b>Hawks, Harrier, Northern (Marsh Hawks)</b>				1
		<b>Hawks, Red-Tailed</b>				3
		<b>Hawks, Swainson`s</b>	1			4

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pneumatics</b>						
	<b>Intentional</b>					
		Herons, Great Blue				1
		Killdeers	1			
		Kingbirds, Western	40			107
		Larks, Horned	36			2
		Meadowlarks, Western	55			47
		Owls, Great Horned				1
		Pigeons, Feral (Rock)	1,512			25
		Prairie Dogs, Black-Tailed	14			
		Prairie Dogs, White-Tailed	3			
		Rabbits, Cottontail	174			
		Skunks, Striped	5			
		Sparrows, House/English	79			
		Squirrels, Ground, Other	7			
		Starlings, European	54			129
		Swallows, Cliff	4			100
		Vultures, Turkey	2			
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2009*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Avocets, American				32
		Blackbirds, Red-Winged				10
		Coots, American				20
		Cormorants, Double-Crested				7
		Coyotes				3
		Cranes, Sandhill				30
		Crows, American				10
		Curlews, Long-Billed				15
		Deer, Mule				20
		Doves, Mourning				623
		Ducks, Canvasback				3
		Ducks, Mallards				222
		Ducks, Northern Shoveler				24
		Ducks, Redhead				2
		Ducks, Ruddy				10
		Ducks, Scaup, Lesser				10
		Ducks, Teal, Blue-Winged				27
		Ducks, Teal, Cinnamon				8

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Ducks, Teal, Green-Winged				8
		Ducks, Wood				2
		Eagles, Bald				37
		Eagles, Golden				4
		Falcons, American Kestrels				69
		Falcons, Prairie				7
		Geese, Canada				14,792
		Gulls, Ring-Billed				134
		Hawks, Cooper`s				1
		Hawks, Ferruginous				42
		Hawks, Harrier, Northern (Marsh Hawks)				88
		Hawks, Red-Tailed				305
		Hawks, Rough-Legged				12
		Hawks, Swainson`s				52
		Hérons, Great Blue				17
		Ibises, White-Faced				3
		Kingbirds, Western				27
		Larks, Horned				73

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Magpies, Black-Billed				7
		Meadowlarks, Western				128
		Owls, Common Barn				2
		Owls, Great Horned				8
		Pelicans, American White				10
		Prairie Dogs, Black-Tailed				28
		Ravens, Common				19
		Robins, American				24
		Shrikes (Other)				12
		Starlings, European				230
		Swallows, Cliff				200
		Vultures, Turkey				14
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Badgers	1			
		Beavers	4			
		Coyotes	112			
		Dogs, Feral, Free-Ranging And Hybrids	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

*Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2009*

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>	<b>Intentional</b>	Foxes, Red	3			
		Raccoons	4			
	<b>UnIntentional</b>	Hares, Jackrabbits (Other)	2			
		Raccoons	1			
<b>Traps, Body Grip</b>	<b>Intentional</b>	Beavers	10			
	<b>UnIntentional</b>	Raccoons	1			
<b>Traps, Cage</b>	<b>Intentional</b>	Bears, Black	3			
		Cats, Feral/Free Ranging	5			
		Dogs, Feral, Free-Ranging And Hybrids	1			
		Foxes, Red	8			
		Pigeons, Feral (Rock)	180			
		Rabbits, Cottontail	280			
		Raccoons	27			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Cage</b>	<b>Intentional</b>	Skunks, Striped	79				
		Squirrels, Ground, Other	2				
		Squirrels, Rock	18				
		Starlings, European	3				
	<b>UnIntentional</b>	Dogs, Feral, Free-Ranging And Hybrids				1	
		Grackles, Great-Tailed				4	
<b>Traps, Decoy</b>	<b>Intentional</b>	Pigeons, Feral (Rock)	936				
<b>Traps, Foothold (Padded)</b>	<b>Intentional</b>	Coyotes	165				
		Foxes, Red	8				
		Hawks, Red-Tailed				2	
		Raccoons	1				
	<b>UnIntentional</b>	Dogs, Feral, Free-Ranging And Hybrids				1	
<b>Traps, Pole</b>							

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Pole</b>	<b>Intentional</b>	Hawks, Red-Tailed			9	
		Hawks, Swainson`s			2	
<b>Traps, Raptor (Other)</b>	<b>Intentional</b>	Falcons, American Kestrels			6	
		Hawks, Ferruginous			4	
		Hawks, Red-Tailed			12	
		Hawks, Swainson`s			4	
<b>Traps, Snap (Rat, Mouse, Etc.)</b>	<b>Intentional</b>	Mice, Deer (All)	22			
<b>Traps, Suitcase</b>	<b>Intentional</b>	Beavers	95		4	
<b>Vehicles (All) (Planes, Boats, Auto, ATV)</b>	<b>Intentional</b>	Coyotes				2
		Deer, Mule				12
		Hawks, Harrier, Northern (Marsh Hawks)				1

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Colorado - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All) (Planes, Boats, Auto, ATV)</b>	<b>Intentional</b>	Hawks, Red-Tailed				1
		Hawks, Swainson`s				2
		<i>Total Take for CO</i>	45,198	15,831	55	1,385,055

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*