

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Florida - FY 2009

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|----------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| A/C Powder | | | | | | |
| | Intentional | | | | | |
| | | Ducks, Feral | 29 | | | |
| Car/Truck | | | | | | |
| | Intentional | | | | | |
| | | Blackbirds, Red-Winged | | | | 13 |
| | | Cowbirds, Brown-Headed | | | | 421 |
| | | Crows, American | | | | 7 |
| | | Deer, White-Tailed (Wild) | | | | 4 |
| | | Doves, Mourning | | | | 291 |
| | | Ducks, Merganser, Hooded | | | | 3 |
| | | Dunlins | | | | 8 |
| | | Eagles, Bald | | | | 2 |
| | | Egrets, Cattle | | | | 18 |
| | | Finches, House | | | | 2 |
| | | Grackles, Common | | | | 15 |
| | | Killdeers | | | | 22 |
| | | Martins, Purple | | | | 10 |
| | | Meadowlarks, Eastern | | | | 5 |
| | | Ospreys | | | | 3 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Florida - FY 2009

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|--|------------------------------------|---------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Car/Truck | Intentional | Robins, American | | | | 1,000 |
| | | Starlings, European | | | | 75 |
| | | Turkeys, Wild | | | | 13 |
| | | Vultures, Black | | | | 1 |
| | | Vultures, Turkey | | | | 11 |
| | | Yellowlegs, Greater | | | | 46 |
| | | Catch Pole | Intentional | Alligators, American | | |
| | | | | | | |
| Effigy, Vulture | Intentional | Vultures, Black | | | | 10 |
| | | Vultures, Turkey | | | | 330 |
| | | | | | | |
| Electronic Harassment Devices (Other) | Intentional | Blackbirds, Red-Winged | | | | 30 |
| | | Cowbirds, Brown-Headed | | | | 35 |
| | | Crows, American | | | | 895 |
| | | Deer, White-Tailed (Wild) | | | | 1 |
| | | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Florida - FY 2009

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|--|------------------------------------|-------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Electronic Harassment Devices (Other) | | | | | | |
| | Intentional | | | | | |
| | | Doves, Mourning | | | | 360 |
| | | Ducks, Bufflehead | | | | 4 |
| | | Egrets, Cattle | | | | 35 |
| | | Grackles, Common | | | | 122 |
| | | Hawks, Cooper`s | | | | 5 |
| | | Hawks, Red-Tailed | | | | 4 |
| | | Hawks, Sharp-Shinned | | | | 2 |
| | | Hérons, Great Blue | | | | 1 |
| | | Jays, Blue | | | | 1 |
| | | Killdeers | | | | 509 |
| | | Kingbirds, Eastern | | | | 16 |
| | | Martins, Purple | | | | 40 |
| | | Meadowlarks, Eastern | | | | 12 |
| | | Mockingbirds, Northern | | | | 16 |
| | | Owls, Eastern Screech | | | | 1 |
| | | Rabbits, Cottontail | | | | 1 |
| | | Robins, American | | | | 283 |
| | | Sparrows, House/English | | | | 60 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Florida - FY 2009

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|--|------------------------------------|----------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Electronic Harassment Devices (Other) | Intentional | Starlings, European | | | | 189 |
| | | Turkeys, Wild | | | | 94 |
| | | Vultures, Black | | | | 3 |
| | | Vultures, Turkey | | | | 6 |
| | | | | | | |
| Firearms | Intentional | Anhingas | 4 | | | |
| | | Armadillos, Nine-Banded | 12 | | | |
| | | Beavers | 14 | | | |
| | | Blackbirds, Red-Winged | 19 | | | 6 |
| | | Bobcats | 3 | | | |
| | | Caimans, Spectacled | 7 | | | |
| | | Coots, American | 6 | | | 4 |
| | | Cormorants, Double-Crested | 14 | | | |
| | | Cowbirds, Brown-Headed | 61 | | | 327 |
| | | Coyotes | 10 | | | |
| | | Crows, American | 75 | | | 42 |
| | | Crows, Fish | 5 | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Florida - FY 2009

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|---------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Firearms | Intentional | Deer, White-Tailed (Wild) | 50 | | | 10 |
| | | Dogs, Feral, Free-Ranging And Hybrids | 1 | | | |
| | | Doves, Collared, Eurasian | 7 | | | 1 |
| | | Doves, Mourning | 494 | | | 896 |
| | | Ducks, Merganser, Hooded | 5 | | | 1 |
| | | Ducks, Mottled | 8 | | | |
| | | Dunlins | 115 | | | 633 |
| | | Egrets, Cattle | 820 | | | 844 |
| | | Egrets, Great | 27 | | | 18 |
| | | Egrets, Snowy | 3 | | | |
| | | Falcons, American Kestrels | 6 | | | |
| | | Foxes, Gray | 1 | | | |
| | | Geese, Canada | 4 | | | |
| | | Geese, Snow, Lesser | 1 | | | 1 |
| | | Grackles, Boat-Tailed | 83 | | | |
| | | Grackles, Common | 18 | | | |
| | | Gulls, Black-Backed, Lesser | 6 | | | |
| | | Gulls, Herring | 625 | | | 301 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Florida - FY 2009

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|-----------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Firearms | Intentional | Gulls, Laughing | 1,235 | | | 6,207 |
| | | Gulls, Ring-Billed | 71 | | | 550 |
| | | Hawks, Red-Shouldered | 8 | | | |
| | | Hérons, Great Blue | 13 | | | 1 |
| | | Hérons, Little Blue | 2 | | | |
| | | Ibises, White | | | | 100 |
| | | Iguanas, Black Spiny-Tailed | 1,323 | | | |
| | | Iguanas, Green | 92 | | | |
| | | Killdeers | 147 | | | 43 |
| | | Kingbirds, Eastern | 6 | | | 10 |
| | | Kites, Mississippi | 1 | | | |
| | | Lizards, Monitor | 6 | | | |
| | | Lizards, Z-(Other) | 3 | | | |
| | | Martins, Purple | 6 | | | 15 |
| | | Meadowlarks, Eastern | 109 | | | 130 |
| | | Meadowlarks, Western | 2 | | | |
| | | Moorhens, Common | 36 | | | 5 |
| | | Nighthawks (All) | 25 | | | 15 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Florida - FY 2009

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|----------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Firearms | Intentional | Opossums, Virginia | 3 | | | |
| | | Ospreys | 1 | | | |
| | | Pigeons, Feral (Rock) | 191 | | | 350 |
| | | Plovers, Black-Bellied | 1 | | | 91 |
| | | Prairie Dogs, Black-Tailed | 84 | | | |
| | | Rabbits, Cottontail | 7 | | | |
| | | Raccoons | 20 | | | |
| | | Reptiles, Exotic | 2 | | | |
| | | Robins, American | 2 | | | |
| | | Sandpipers, Least | 5 | | | 50 |
| | | Sparrows, Grasshopper | 2 | | | |
| | | Starlings, European | 73 | | | 610 |
| | | Swallows, Barn | 16 | | | 4 |
| | | Swine, Feral | 362 | | | |
| | | Terns, Black | 7 | | | |
| | | Turkeys, Wild | 54 | | | 73 |
| | | Vultures, Black | 87 | | | 520 |
| | | Vultures, Turkey | 533 | | | 3,235 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Florida - FY 2009

| Capture / Restraint Method ^ | Intentional / Unintentional | Species | Killed / Euthanized | Removed/ Destroyed | Freed / Released / Relocated | Dispersed |
|-------------------------------------|------------------------------------|--|----------------------------|---------------------------|-------------------------------------|------------------|
| Firearms | Intentional | Yellowlegs, Greater | 11 | | | 58 |
| | | | | | | |
| Handcaught/Gathered | Intentional | Dogs, Feral, Free-Ranging And Hybrids | | | 1 | |
| | | Killdeers | | | 3 | |
| | | Raccoons | 1 | | | |
| | | Snakes, Non-Venomous (Other) | | | 3 | |
| | | Turtles Other | | | 1 | |
| | | | | | | |
| Lasers (All) (Deterrent) | Intentional | Vultures, Black | | | | 27 |
| | | Vultures, Turkey | | | | 415 |
| | | | | | | |
| Nets, Mist | Intentional | Sparrows, House/English | 2 | | | |
| | | | | | | |
| Nets, Other | Intentional | Bass, Largemouth | | | 6 | |
| | | Fish (Other) | | | 17 | |
| | | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Florida - FY 2009

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|--|------------------------------------|--|----------------------------|---------------------------|-------------------------------------|------------------|
| Night Vision/Infrared Equipment | | | | | | |
| | Intentional | | | | | |
| | | Raccoons | 2 | | | |
| Pyrotechnics (All) | | | | | | |
| | Intentional | | | | | |
| | | Aningas | | | | 5 |
| | | Bears, Black | | | | 1 |
| | | Blackbirds, Red-Winged | | | | 449 |
| | | Coots, American | | | | 10 |
| | | Cormorants, Double-Crested | | | | 49 |
| | | Cowbirds, Brown-Headed | | | | 530 |
| | | Cranes, Sandhill | | | | 111 |
| | | Crows, American | | | | 574 |
| | | Crows, Fish | | | | 17 |
| | | Deer, White-Tailed (Wild) | | | | 2 |
| | | Dogs, Feral, Free-Ranging And Hybrids | | | | 7 |
| | | Doves, Mourning | | | | 1,620 |
| | | Ducks, Mottled | | | | 107 |
| | | Dunlins | | | | 500 |
| | | Egrets, Cattle | | | | 54,365 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Florida - FY 2009

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|---------------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Pyrotechnics (All) | | | | | | |
| | Intentional | | | | | |
| | | Egrets, Great | | | | 381 |
| | | Egrets, Snowy | | | | 58 |
| | | Falcons, American Kestrels | | | | 430 |
| | | Grackles, Boat-Tailed | | | | 91,488 |
| | | Grackles, Common | | | | 125 |
| | | Gulls, Herring | | | | 99,003 |
| | | Gulls, Laughing | | | | 129,902 |
| | | Gulls, Ring-Billed | | | | 13,900 |
| | | Hawks, Harrier, Northern (Marsh Hawks | | | | 87 |
| | | Hawks, Red-Shouldered | | | | 34 |
| | | Hérons, Great Blue | | | | 717 |
| | | Hérons, Green | | | | 1 |
| | | Hérons, Little Blue | | | | 36 |
| | | Hérons, Tricolored | | | | 52 |
| | | Ibises, White | | | | 5,457 |
| | | Killdeers | | | | 1,000 |
| | | Kites, Mississippi | | | | 5 |
| | | Meadowlarks, Eastern | | | | 214 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Florida - FY 2009

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|--|------------------------------------|-------------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Pyrotechnics (All) | | | | | | |
| | Intentional | | | | | |
| | | Moorhens, Common | | | | 15 |
| | | Nighthawks (All) | | | | 70 |
| | | Ospreys | | | | 66 |
| | | Owls, Barred | | | | 1 |
| | | Pelicans, Brown | | | | 12 |
| | | Pigeons, Feral (Rock) | | | | 308 |
| | | Plovers, Black-Bellied | | | | 10 |
| | | Robins, American | | | | 800 |
| | | Starlings, European | | | | 29,158 |
| | | Swallows, Barn | | | | 6,000 |
| | | Turkeys, Wild | | | | 261 |
| | | Vultures, Black | | | | 23,898 |
| | | Vultures, Turkey | | | | 58,584 |
| | | Yellowlegs, Greater | | | | 25 |
| Repellents, Other Non-Regulated | | | | | | |
| | Intentional | | | | | |
| | | Blackbirds, Z-(Mixed Species) | | | | 9,900 |
| Snares, Neck | | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Florida - FY 2009

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|----------------------------------|----------------------------|----------------------------------|-------------------------------------|------------------|
| Snares, Neck | Intentional | Beavers | 156 | | | |
| | | Bobcats | 1 | | | |
| | | Coyotes | 29 | | | |
| | | Deer, White-Tailed (Wild) | 1 | | | |
| | | Swine, Feral | 37 | | | |
| | | Spotlight | Intentional | Deer, White-Tailed (Wild) | | |
| Traps, Body Grip | Intentional | Beavers | 16 | | | |
| | | Traps, Cage | Intentional | Cats, Feral/Free Ranging | 21 | |
| Cowbirds, Brown-Headed | 20 | | | | | |
| Foxes, Gray | 1 | | | | | |
| Iguanas, Black Spiny-Tailed | 102 | | | | | |
| Iguanas, Green | 38 | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Florida - FY 2009

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|-------------------------------------|------------------------------------|----------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Traps, Cage | Intentional | Opossums, Virginia | 37 | | 103 | |
| | | Raccoons | 472 | | 304 | |
| | | Rats, Black (Roof) | 49 | | | |
| | | Rats, Gambian | 10 | | 2 | |
| | | Swine, Feral | 1,884 | | | |
| | | UnIntentional | Armadillos, Nine-Banded | | | 1 |
| | Cats, Feral/Free Ranging | | | | 5 | |
| | Opossums, Virginia | | | | 125 | |
| | Rabbits, Swamp | | | | 1 | |
| | Rabbits, Z-(Other) | | | | 1 | |
| | Raccoons | | 1 | | 62 | |
| | | | | | | |
| | Traps, Decoy | Intentional | Pigeons, Feral (Rock) | 258 | | |
| | | | | | | |
| Traps, Foothold | UnIntentional | Raccoons | | | 1 | |
| | | | | | | |
| Traps, Foothold (Padded) | | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Florida - FY 2009

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|--|------------------------------------|--|-----------------------------------|---------------------------|-------------------------------------|------------------|
| Traps, Foothold (Padded) | Intentional | Beavers | 6 | | | |
| | | Bobcats | 2 | | 5 | |
| | | Coyotes | 61 | | | |
| | | Foxes, Gray | 2 | | | |
| | | Foxes, Red | 9 | | | |
| | | Opossums, Virginia | 2 | | | 1 |
| | | Raccoons | 60 | | | |
| | UnIntentional | Bobcats | | | | 1 |
| | | Vultures, Turkey | 1 | | | |
| | Traps, Pole | Intentional | Falcons, American Kestrels | | | 8 |
| Hawks, Cooper`s | | | | | 1 | |
| | | | | | | |
| Vehicles (All) (Planes, Boats, Auto, ATV) | Intentional | Alligators, American | | | | 1 |
| | | Dogs, Feral, Free-Ranging And Hybrids | | | | 1 |
| | | | | | | |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Florida - FY 2009

| <i>Capture / Restraint Method ^</i> | <i>Intentional / Unintentional</i> | <i>Species</i> | <i>Killed / Euthanized</i> | <i>Removed/ Destroyed</i> | <i>Freed / Released / Relocated</i> | <i>Dispersed</i> |
|--|------------------------------------|-----------------------------|----------------------------|---------------------------|-------------------------------------|------------------|
| Vehicles (All) (Planes, Boats, Auto, ATV) | Intentional | Doves, Mourning | | | | 100 |
| | | Meadowlarks, Eastern | | | | 20 |
| | | <i>Total Take for FL</i> | 10,360 | | 657 | 551,125 |

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.