

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Citric Acid, Anhydrous (Cas#77-92-9)</b>						
	<b>Intentional</b>	<b>Frogs, Common Coqui</b>	11,900			
<b>Firearms</b>						
	<b>Intentional</b>	<b>Avadavats, Red</b>	2,873			5,085
		<b>Bulbuls, Red-Vented</b>	1,419			2,536
		<b>Bulbuls, Red-Whiskered</b>				2
		<b>Cardinals, Northern</b>	266			37
		<b>Cardinals, Red Crested</b>	2,124			763
		<b>Cats, Feral/Free Ranging</b>	123			
		<b>Chickens, Feral/Free Ranging</b>	1,394			291
		<b>Deer, Axis</b>	67			53
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>	4			
		<b>Doves, Mourning</b>	129			364
		<b>Doves, Spotted</b>	7,018			9,864
		<b>Doves, Zebra</b>	17,505			17,240
		<b>Ducks, Mallards</b>	6			3
		<b>Egrets, Cattle</b>	2,045			4,164
		<b>Finches, House</b>	5,135			12,649

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	<b>Fowl, Pea</b>	1			
		<b>Francolins, Black</b>	593			49
		<b>Francolins, Erckel's</b>	189			38
		<b>Francolins, Gray</b>	1,100			397
		<b>Hérons, Night, Black-Crowned</b>	2			
		<b>Junglefowl, Red</b>	497			109
		<b>Mannikins, Chestnut</b>	41,794			141,411
		<b>Mannikins, Nutmeg</b>	25,196			57,275
		<b>Meadowlarks, Western</b>	186			167
		<b>Mockingbirds, Northern</b>	18			1
		<b>Mongoose, Indian</b>	72			1
		<b>Mynas (All)</b>	3,642			7,041
		<b>Owls, Common Barn</b>	178			66
		<b>Owls, Short-Eared</b>				2
		<b>Parakeets, Rose-Ringed</b>	613			2,354
		<b>Pheasants, Ring-Necked</b>	672			183
		<b>Pigeons, Feral (Rock)</b>	1,020			1,824
		<b>Plovers, Golden, Pacific</b>				173

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Quail (All)	2			1
		Rats, Black (Roof)	2			
		Silverbills, Warbling	2			6
		Skylarks, Eurasian	978			2,040
		Sparrows, House/English	592			814
		Sparrows, Java	4,125			13,010
		Stilts, Hawaiian (T/E)				4
		Swine, Feral	167			45
		Turkeys, Wild	14			11
		Turnstones, Ruddy				71
		Waxbills, Common	874			2,940
<b>Handcaught/Gathered</b>	<b>Intentional</b>	Albatrosses, Laysan			543	
		Bird, Unidentifiable			2	
		Cats, Feral/Free Ranging			7	
		Dogs, Feral, Free-Ranging And Hybrids			12	
		Doves, Spotted	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Handcaught/Gathered</b>	<b>Intentional</b>	Pigeons, Feral (Rock)	2			
		Shearwaters (Other)			14	
		Shearwaters, Wedge-Tailed			1	
		Swine, Feral			7	
<b>Lights (All)</b>	<b>Intentional</b>	Cardinals, Red Crested				2
		Doves, Spotted				1
		Doves, Zebra				3
		Francolins, Gray				1
		Mynas (All)				10
<b>Nets, Gun</b>	<b>Intentional</b>	Owls, Short-Eared				2
<b>Physical Actions (Hand/Voice)</b>	<b>Intentional</b>	Cardinals, Northern				1
		Cardinals, Red Crested				23
		Chickens, Feral/Free Ranging				2

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Physical Actions (Hand/Voice)</b>	<b>Intentional</b>	Deer, Axis				9
		Francolins, Black				27
		Francolins, Gray				37
		Mannikins, Nutmeg				63
		Pigeons, Feral (Rock)				68
		Swine, Feral				4
<b>Pneumatics</b>	<b>Intentional</b>	Bulbuls, Red-Vented	1			
		Cardinals, Northern	2			
		Cardinals, Red Crested	251			2
		Chickens, Feral/Free Ranging				1
		Doves, Spotted	517			
		Doves, Zebra	65			
		Egrets, Cattle	1			12
		Finches, House	1			5
		Francolins, Black	14			1
		Francolins, Erckel's	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pneumatics</b>	<b>Intentional</b>	Francolins, Gray	7			4
		Mynas (All)	97			
		Pigeons, Feral (Rock)	762			70
		Plovers, Golden, Pacific				32
		Skylarks, Eurasian	1			1
		Sparrows, Java	38			
<b>Pyrotechnics (All)</b>	<b>Intentional</b>	Albatrosses, Laysan				245
		Avadavats, Red				65
		Bird, Unidentifiable				73
		Bulbuls, Red-Vented				68
		Cardinals, Northern				31
		Cardinals, Red Crested				108
		Cats, Feral/Free Ranging				2
		Deer, Axis				1
		Doves, Spotted				2,694
		Doves, Zebra				1,971

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Ducks, Feral				289
		Ducks, Hawaiian (T/E)				293
		Ducks, Mallards				3
		Egrets, Cattle				3,287
		Finches, House				1,301
		Francolins, Gray				4
		Frigatebirds (All)				233
		Frigatebirds, Greater				804
		Geese, Feral				2
		Geese, Hawaiian (T/E)				761
		Hawks, Hawaiian (T/E)				1
		Hérons, Night, Black-Crowned				67
		Mannikins, Chestnut				2,954
		Mannikins, Nutmeg				9,067
		Meadowlarks, Western				107
		Mynas (All)				6,934
		Owls, Common Barn				6
		Owls, Short-Eared				330

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Pigeons, Feral (Rock)				388
		Plovers, Golden, Pacific				59,877
		Skylarks, Eurasian				432
		Sparrows, House/English				433
		Sparrows, Java				115
		Stilts, Hawaiian (T/E)				434
		Swine, Feral				16
		Terns, Common Fairy				5
		Turnstones, Ruddy				3,764
		Waxbills, Common				210
	<b>UnIntentional</b>					
		Frigatebirds (All)				75
<b>Snares, Foot/Leg</b>						
	<b>Intentional</b>					
		Mongoose, Indian	8			
		Swine, Feral	109			
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Swine, Feral	183			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Spotlight</b>	<b>Intentional</b>	Cats, Feral/Free Ranging				1
		Chickens, Feral/Free Ranging				2
		Deer, Axis				273
		Ducks, Feral				4
		Egrets, Cattle				21
		Hérons, Night, Black-Crowned				18
		Owls, Common Barn				17
		Owls, Short-Eared				33
		Plovers, Golden, Pacific				104
		Skylarks, Eurasian				90
		<b>Traps, Cage</b>	<b>Intentional</b>	Bulbuls, Red-Vented	2	
Cardinals, Northern	143				41	
Cardinals, Red Crested	1,253				3	
Cats, Feral/Free Ranging	177				311	
Chickens, Feral/Free Ranging	558					
Dogs, Feral, Free-Ranging And Hybrids	2				5	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Cage</b>	<b>Intentional</b>	Doves, Mourning	7			
		Doves, Spotted	4,193			
		Doves, Zebra	1,848			
		Ducks, Feral	1			
		Ducks, Mallards	5			
		Finches, House	393			
		Francolins, Black	93			13
		Francolins, Erckel`s	137			
		Francolins, Gray	472			128
		Junglefowl, Red	572			
		Mice, House	62			
		Mongoose, Indian	2,117			
		Mynas (All)	86			
		Pheasants, Ring-Necked	18			
		Pigeons, Feral (Rock)	304			
		Rats, Black (Roof)	127			
		Rats, Norway	6			
		Rats, Polynesian	25			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Cage</b>	<b>Intentional</b>	Sparrows, House/English	918				
		Sparrows, Java	2,609				
		Swine, Feral	63		4		
		Waxbills, Common	1				
	<b>UnIntentional</b>	Cardinals, Northern				11	
		Mongoose, Indian				9	
		Moorhens, Hawaiian, Common (T/E)				1	
		Plovers, Golden, Pacific				1	
		Toads, Marine				2	
<b>Traps, Decoy</b>	<b>Intentional</b>	Bulbuls, Red-Vented	14				
		Bulbuls, Red-Whiskered	1				
		Cardinals, Northern	156		1		
		Cardinals, Red Crested	385				
		Cats, Feral/Free Ranging			2		
		Doves, Spotted	3,306				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Decoy</b>	<b>Intentional</b>	Doves, Zebra	276			
		Finches, House	324			
		Francolins, Black	58			
		Francolins, Gray	289			
		Mynas (All)	262			
		Pheasants, Ring-Necked	2			
		Pigeons, Feral (Rock)	67			
		Sparrows, House/English	1,103			
		Sparrows, Java	10,863			
		<b>Traps, Drive/Corral</b>	<b>Intentional</b>	Swine, Feral	94	
<b>UnIntentional</b>	Dogs, Feral, Free-Ranging And Hybrids					2
<b>Traps, Foothold</b>	<b>Intentional</b>	Cats, Feral/Free Ranging	9			
		Dogs, Feral, Free-Ranging And Hybrids	4		1	
		Mongoose, Indian	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Snap (Rat, Mouse, Etc.)</b>	<b>Intentional</b>	Mice, House	20			
<b>Vehicles (All) (Planes, Boats, Auto, ATV)</b>	<b>Intentional</b>	Albatrosses, Laysan				942
		Avadavats, Red				7,494
		Bird, Unidentifiable				3
		Bulbuls, Red-Vented				5,028
		Bulbuls, Red-Whiskered				6
		Cardinals, Northern				851
		Cardinals, Red Crested				6,388
		Cats, Feral/Free Ranging				140
		Chickens, Feral/Free Ranging				1,911
		Deer, Axis				232
		Deer, Black-Tailed				2
		Dogs, Feral, Free-Ranging And Hybrids				9
		Doves, Mourning				602
		Doves, Spotted				40,545
		Doves, Zebra				55,594

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All) (Planes, Boats, Auto, ATV)</b>						
	<b>Intentional</b>					
		Ducks, Feral				474
		Ducks, Hawaiian (T/E)				189
		Ducks, Mallards				14
		Egrets, Cattle				12,519
		Finches, House				28,207
		Finches, Saffron				17
		Francolins, Black				710
		Francolins, Erckel`s				261
		Francolins, Gray				960
		Frigatebirds, Greater				16
		Geese, Hawaiian (T/E)				1,147
		Hérons, Night, Black-Crowned				200
		Junglefowl, Red				761
		Mannikins, Chestnut				77,514
		Mannikins, Nutmeg				43,486
		Meadowlarks, Western				3,341
		Mockingbirds, Northern				519
		Mongoose, Indian				20

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All) (Planes, Boats, Auto, ATV)</b>						
	<b>Intentional</b>					
		Mynas (All)				50,350
		Owls, Common Barn				273
		Owls, Short-Eared				581
		Parakeets, Rose-Ringed				210
		Pheasants, Ring-Necked				884
		Pigeons, Feral (Rock)				1,200
		Plovers, Golden, Pacific				137,528
		Shearwaters, Wedge-Tailed				2
		Silverbills, Warbling				155
		Skylarks, Eurasian				39,681
		Sparrows, House/English				4,679
		Sparrows, Java				6,330
		Stilts, Hawaiian (T/E)				416
		Swine, Feral				8
		Terns, Common Fairy				35
		Turnstones, Ruddy				10,469
		Waxbills, Common				7,653
	<b>UnIntentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Hawaii - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All) (Planes, Boats, Auto, ATV)</b>						
	<b>Unintentional</b>					
		Ducks, Feral				3
		Frigatebirds (All)				15
		Owls, Short-Eared				1
		<i>Total Take for HI</i>	170,024		1,121	932,053

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*