

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Illinois - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Avitrol:-6 Corn Chops</b>	<b>Intentional</b>	<b>Sparrows, House/English</b>	21			79
		<b>Starlings, European</b>	7			30
<b>Catch Pole</b>	<b>Intentional</b>	<b>Coyotes</b>	1			
		<b>Raccoons</b>	1			
<b>DRC-1339-Feedlots</b>	<b>Intentional</b>	<b>Starlings, European</b>	18,676			
<b>DRC-1339-Pigeons</b>	<b>Intentional</b>	<b>Pigeons, Feral (Rock)</b>	5			
<b>DRC-1339-Staging Areas</b>	<b>Intentional</b>	<b>Starlings, European</b>	22,277			
<b>Firearms</b>	<b>Intentional</b>	<b>Beavers</b>	2			
		<b>Blackbirds, Red-Winged</b>	267			1,100

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Illinois - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Firearms</b>	<b>Intentional</b>	<b>Blackbirds, Z-(Mixed Species)</b>				2,175	
		<b>Buntings, Snow</b>				40	
		<b>Cats, Feral/Free Ranging</b>	1				
		<b>Coots, American</b>	2				
		<b>Cormorants, Double-Crested</b>	14				19
		<b>Cowbirds, Brown-Headed</b>	184				1,797
		<b>Coyotes</b>	35				
		<b>Crows, American</b>	12				221
		<b>Deer, White-Tailed (Wild)</b>	1,240				
		<b>Doves, Mourning</b>	242				872
		<b>Ducks, Bufflehead</b>					1
		<b>Ducks, Mallards</b>	263				1,087
		<b>Ducks, Merganser, Hooded</b>	1				
		<b>Ducks, Northern Shoveler</b>					2
		<b>Ducks, Redhead</b>	4				25
		<b>Ducks, Ruddy</b>					1
		<b>Ducks, Teal, Blue-Winged</b>	3				5
		<b>Egrets, Great</b>	8				60

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Illinois - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Falcons, American Kestrels	28			
		Foxes, Red	8			
		Geese, Canada	222			1,593
		Grackles, Common	13			
		Gulls, Bonaparte`s				1
		Gulls, Herring	25			13
		Gulls, Ring-Billed	837			1,279
		Hawks, Red-Tailed	55			3
		Hawks, Rough-Legged	2			
		Hérons, Great Blue	15			50
		Killdeers	45			13
		Marmots/Woodchucks (All)	5			
		Muskrats	6			
		Opossums, Virginia	3			
		Pheasants, Ring-Necked	2			
		Pigeons, Feral (Rock)	287			1,537
		Rabbits, Cottontail	8			
		Raccoons	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Illinois - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Skunks, Striped	13			
		Sparrows, House/English	20			
		Starlings, European	1,046			19,641
		Swallows, Barn	2			100
		Swans, Mute	2			
		Swine, Feral	1			
		Turkeys, Wild	5			42
		Vultures, Turkey	4			1
		<b>Hand Tools</b>	<b>Intentional</b>	Marmots/Woodchucks (All) BURROW		4
Pigeons, Feral (Rock)						100
Starlings, European						15,100
<b>Handcaught/Gathered</b>	<b>Intentional</b>	Bats (All)			1	
		Geese, Canada	14			
		Gulls, Ring-Billed	1		22	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Illinois - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		Pigeons, Feral (Rock)	1			
		Raccoons	2			
		Skunks, Striped	1			
		Snakes, Non-Venomous (Other)			5	
		Starlings, European	3			
<b>Lasers (All) (Deterrent)</b>						
	<b>Intentional</b>					
		Pigeons, Feral (Rock)				156
		Starlings, European				60,020
<b>Lights (All)</b>						
	<b>Intentional</b>					
		Starlings, European				300
<b>Nets, Cannon/Rocket</b>						
	<b>Intentional</b>					
		Pigeons, Feral (Rock)	230			
<b>Nets, Mist</b>						
	<b>Intentional</b>					
		Finches, House	2			
		Starlings, European	10			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Illinois - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Nets, Other</b>	Intentional	Geese, Canada	1			
		Owls, Snowy			1	
<b>Physical Actions (Hand/Voice)</b>	Intentional	Deer, White-Tailed (Wild)				2
		Geese, Canada				4
<b>Pneumatics</b>	Intentional	Crows, American				2
		Doves, Mourning	221			155
		Falcons, American Kestrels	13			1
		Finches, House	2			
		Foxes, Red	1			
		Grackles, Common	15			
		Gulls, Ring-Billed	1			
		Killdeers	33			
		Marmots/Woodchucks (All)	21			
		Muskrats	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Illinois - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pneumatics</b>						
	<b>Intentional</b>					
		Pigeons, Feral (Rock)	8,649			214
		Rabbits, Cottontail	19			
		Raccoons	1			
		Sparrows, House/English	134			
		Starlings, European	2,643			68,065
		Vultures, Turkey	6			26
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Blackbirds, Red-Winged				513
		Blackbirds, Z-(Mixed Species)				21,711
		Buntings, Snow				205
		Coots, American				5
		Cormorants, Double-Crested				60
		Cowbirds, Brown-Headed				550
		Coyotes				3
		Cranes, Sandhill				300
		Crows, American				14
		Deer, White-Tailed (Wild)				56

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Illinois - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Doves, Mourning				962
		Ducks, Bufflehead				4
		Ducks, Goldeneye, Common				1
		Ducks, Mallards				2,345
		Ducks, Merganser Common				2
		Ducks, Northern Shoveler				6
		Ducks, Redhead				43
		Ducks, Ring-Necked				60
		Ducks, Ruddy				46
		Ducks, Scaup, Lesser				10
		Ducks, Teal, Blue-Winged				48
		Ducks, Teal, Green-Winged				3
		Ducks, Wood				20
		Egrets, Great				186
		Falcons, American Kestrels				14
		Geese, Canada				2,271
		Grackles, Common				188
		Gulls, Bonaparte`s				8

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Illinois - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Gulls, Herring				30
		Gulls, Ring-Billed				3,741
		Hawks, Red-Tailed				3
		Herons, Great Blue				187
		Herons, Night, Black-Crowned				6
		Killdeers				58
		Meadowlarks, Eastern				20
		Owls, Snowy				3
		Pigeons, Feral (Rock)				340
		Robins, American				10
		Starlings, European				42,498
		Swallows, Barn				12
		Swans, Mute				4
		Terns, Caspian				35
		Vultures, Black				1
		Vultures, Turkey				5
<b>Traps, Bal-Chatrri</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Illinois - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Bal-Chatri</b>	<b>Intentional</b>	Falcons, Peregrine			2	
		Hawks, Cooper`s			1	
		Hawks, Red-Tailed	1		30	
<b>Traps, Body Grip</b>	<b>Intentional</b>	Beavers	17			
		Marmots/Woodchucks (All)	30			
		Muskrats	15			
		Opossums, Virginia	2			
		Raccoons	3			
		Skunks, Striped	1			
<b>Traps, Cage</b>	<b>Intentional</b>	Cats, Feral/Free Ranging			13	
		Marmots/Woodchucks (All)	1			
		Opossums, Virginia	33			
		Raccoons	110			
		Skunks, Striped	28			
	<b>UnIntentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Illinois - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>		
<b>Traps, Cage</b>	<b>UnIntentional</b>	Cats, Feral/Free Ranging			2			
		Opossums, Virginia			4			
		Raccoons			6			
<b>Traps, Decoy</b>	<b>Intentional</b>	Cowbirds, Brown-Headed			8			
<b>Traps, Drive/Corral</b>	<b>Intentional</b>	Geese, Canada	102		60			
<b>Traps, Other</b>	<b>Intentional</b>	Cowbirds, Brown-Headed			22			
		Doves, Mourning	36					
		Muskrats	26					
		Pigeons, Feral (Rock)	11,973		42			
		Starlings, European	2,855					
			<b>UnIntentional</b>	Doves, Mourning			3	
		Falcons, American Kestrels				1		

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Illinois - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Pole</b>	<b>Intentional</b>	Falcons, American Kestrels	12		186	
		Hawks, Red-Tailed	3		68	
		Hawks, Rough-Legged			6	
		Owls, Short-Eared			1	
		Owls, Snowy			3	
<b>Traps, Raptor (Other)</b>	<b>Intentional</b>	Falcons, American Kestrels			25	
		Falcons, Peregrine			5	
		Hawks, Cooper`s	1		7	
		Hawks, Red-Tailed	4		118	
		Owls, Great Horned			2	
		Owls, Snowy			2	
<b>Traps, Raptor (Swedish Goshawk)</b>	<b>Intentional</b>	Hawks, Red-Tailed			6	
<b>Traps, Snap (Rat, Mouse, Etc.)</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Illinois - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Snap (Rat, Mouse, Etc.)</b>						
	<b>Intentional</b>					
		Mice, Deer (All)	13			
		Voles (All)	20			
<b>Vehicles (All) (Planes, Boats, Auto, ATV)</b>						
	<b>Intentional</b>					
		Blackbirds, Z-(Mixed Species)				920
		Cormorants, Double-Crested				1
		Coyotes				21
		Crows, American				101
		Doves, Mourning				100
		Ducks, Bufflehead				1
		Ducks, Goldeneye, Common				1
		Ducks, Mallards				654
		Ducks, Northern Shoveler				2
		Ducks, Teal, Blue-Winged				4
		Ducks, Wood				1
		Egrets, Great				6
		Foxes, Red				2
		Geese, Canada				895

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Illinois - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All) (Planes, Boats, Auto, ATV)</b>						
	<b>Intentional</b>					
		Gulls, Ring-Billed				97
		Hawks, Red-Tailed				5
		Hérons, Great Blue				24
		Killdeers				20
		Marmots/Woodchucks (All)				1
		Pigeons, Feral (Rock)				178
		Plovers, Golden, American				1
		Sandpipers, Pectoral				20
		Starlings, European				975
		<i>Total Take for IL</i>	73,232	4	652	256,549

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*