

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Catch Pole	Intentional	Cats, Feral/Free Ranging			1	
		Raccoons	2			
Effigy, Vulture	Intentional	Vultures, Turkey				61
Electrofishing Device	Intentional	Fish (Other)			136	
Exploders, Gas (All)	Intentional	Blackbirds, Z-(Mixed Species)				1,250
		Doves, Mourning				34
		Ducks, Mallards				40
		Falcons, American Kestrels				4
		Geese, Canada				300
		Geese, Snow, Lesser				10,575
		Geese, White-Fronted, Greater				5,000
		Hawks, Harrier, Northern (Marsh Hawks)				19

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Exploders, Gas (All)	Intentional	Hawks, Red-Tailed				73
		Hawks, Swainson`s				5
		Killdeers				93
		Larks, Horned				159
		Meadowlarks, Eastern				165
		Sandpipers, Upland				2
		Starlings, European				10,142
		Swallows, Barn				130
		Swans, Trumpeter				5
		Vultures, Turkey				248
Firearms	Intentional	Beavers	2			
		Blackbirds, Red-Winged	108			500
		Blackbirds, Z-(Mixed Species)				200
		Bobcats				1
		Cats, Feral/Free Ranging	2			2
		Cormorants, Double-Crested	1			3

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Cowbirds, Brown-Headed	524			9,314
		Coyotes	14			4
		Crows, American	5			84
		Deer, White-Tailed (Wild)	13			3
		Doves, Mourning	359			1,296
		Ducks, Gadwall	1			
		Ducks, Mallards	32			34
		Ducks, Scaup, Lesser	1			
		Ducks, Teal, Blue-Winged	4			8
		Egrets, Great	1			
		Falcons, American Kestrels				1
		Foxes, Red	1			
		Geese, Canada	117			1,098
		Geese, Snow, Lesser				100
		Geese, White-Fronted, Lesser				2
		Grackles, Common	38			197
		Gulls, Franklin`s	4			
		Gulls, Ring-Billed	9			88

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Firearms	Intentional	Hawks, Cooper`s	1			
		Hawks, Red-Tailed	28			55
		Hérons, Great Blue	32			21
		Hérons, Green	1			
		Killdeers	77			196
		Kingbirds, Western	2			
		Larks, Horned	59			58
		Marmots/Woodchucks (All)	3			4
		Meadowlarks, Eastern	144			174
		Muskrats	27			
		Opossums, Virginia	10			
		Pigeons, Feral (Rock)	4			234
		Raccoons	5			
		Robins, American	2			
		Sandpipers, Pectoral				50
		Sandpipers, Upland	1			
		Skunks, Striped	16			
		Starlings, European	601			10,093

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Firearms	Intentional	Swallows, Barn	9			10	
		Swallows, Cliff	1				
		Swine, Feral	14				
		Vultures, Turkey	21				108
		Yellowlegs, Greater					75
		Yellowlegs, Lesser					50
		Handcaught/Gathered	Intentional	Bats (All)	1		1
Dogs, Feral, Free-Ranging And Hybrids					1		
Ducks, Mallards	1						
Geese, Canada	16						
Killdeers	1				3		
Opossums, Virginia	18				5		
Pigeons, Feral (Rock)	2						
Rabbits, Cottontail	4						
Robins, American	9						
Starlings, European	4						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2009

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed
Handcaught/Gathered	Intentional	Swallows, Barn	5			
		Turtles Other			4	
Lasers (All) (Deterrent)	Intentional	Crows, American				34,125
		Starlings, European				4,700
Nets, Cannon/Rocket	Intentional	Turkeys, Wild				11
Nets, Mist	Intentional	Starlings, European	2			
Nets, Other	Intentional	Geese, Canada	2			
		Hawks, Red-Tailed	1			
		Pigeons, Feral (Rock)				1
Paint Balls	Intentional					

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Paint Balls	Intentional	Flycatchers, Scissor-Tailed				3
		Killdeers				6
		Larks, Horned				6
		Meadowlarks, Eastern				1
		Sandpipers, Upland				43
		Starlings, European				25
		UnIntentional				
	Sandpipers, Upland		1			
Physical Actions (Hand/Voice)	Intentional	Coots, American				1
		Cowbirds, Brown-Headed				800
		Doves, Mourning				39
		Ducks, Mallards				4
		Ducks, Teal, Blue-Winged				26
		Geese, Canada				313
		Larks, Horned				300
		Pheasants, Ring-Necked				1

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Physical Actions (Hand/Voice)						
	Intentional					
		Pigeons, Feral (Rock)				12
		Starlings, European				5,497
		Swallows, Barn				75
		Turkeys, Wild				4
		Vultures, Turkey				35
Pneumatics						
	Intentional					
		Doves, Mourning	3			
		Ducks, Mallards	1			1
		Falcons, American Kestrels				2
		Finches, House	1			
		Finches, Purple	4			
		Geese, Canada	16			3
		Hérons, Great Blue				2
		Killdeers				6
		Pigeons, Feral (Rock)	2,020			
		Rabbits, Cottontail	277			
		Sparrows, House/English	96			1

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pneumatics						
	Intentional					
		Starlings, European	320			
		Swallows, Barn	50			
		Vultures, Turkey	4			78
Pyrotechnics (All)						
	Intentional					
		Blackbirds, Red-Winged				32,560
		Blackbirds, Z-(Mixed Species)				12,561
		Coots, American				108
		Cormorants, Double-Crested				114
		Cowbirds, Brown-Headed				13,735
		Coyotes				1
		Crows, American				482
		Deer, White-Tailed (Wild)				7
		Dogs, Feral, Free-Ranging And Hybrids				1
		Doves, Mourning				6,428
		Ducks, Bufflehead				363
		Ducks, Goldeneye, Common				821
		Ducks, Mallards				11,868

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Ducks, Merganser Common				93
		Ducks, Merganser, Hooded				50
		Ducks, Northern Shoveler				275
		Ducks, Ring-Necked				6
		Ducks, Scaup, Greater				90
		Ducks, Teal, Blue-Winged				697
		Ducks, Wigeon, American				134
		Ducks, Wood				46
		Eagles, Bald				6
		Egrets, Great				5
		Falcons, American Kestrels				96
		Falcons, Peregrine				1
		Falcons, Prairie				4
		Flycatchers, Scissor-Tailed				13
		Geese, Canada				63,224
		Geese, Snow, Lesser				34,253
		Geese, White-Fronted, Greater				300
		Godwits, Marbled				50

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Grackles, Common				690
		Grebes, Pied-Billed				152
		Gulls, Bonaparte`s				206
		Gulls, Franklin`s				128
		Gulls, Herring				170
		Gulls, Ring-Billed				1,382
		Hawks, Harrier, Northern (Marsh Hawks				80
		Hawks, Red-Tailed				1,697
		Hawks, Swainson`s				105
		Hérons, Great Blue				65
		Juncos, Dark-Eyed				75
		Killdeers				825
		Kingbirds, Western				15
		Larks, Horned				595
		Meadowlarks, Eastern				922
		Owls, Short-Eared				2
		Pheasants, Ring-Necked				8
		Pigeons, Feral (Rock)				53

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Pyrotechnics (All)						
	Intentional					
		Plovers, Golden, American				20
		Raccoons				1
		Robins, American				365
		Sanderlings				13
		Sandpipers, Buff-Breasted				21
		Sandpipers, Pectoral				110
		Sandpipers, Spotted				8
		Sandpipers, Upland				107
		Snipes, Common				1
		Starlings, European				168,821
		Swallows, Barn				1,400
		Swallows, Cliff				600
		Terns, Common				265
		Turkeys, Wild				56
		Vultures, Black				4
		Vultures, Turkey				967
		Yellowlegs, Greater				90
		Yellowlegs, Lesser				125

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Snares, Neck	Intentional	Beavers	1			
		Coyotes	15			
		Foxes, Red	3			
		Opossums, Virginia	13			
		Raccoons	9			
Traps, Bal-Chatri	Intentional	Falcons, American Kestrels			2	
Traps, Body Grip	Intentional	Beavers	77			
		Muskrats	135			
		Nutrias	1			
		Rabbits, Cottontail	1			
	UnIntentional	Herons, Great Blue	1			
		Muskrats	3			
		Otters, River	6			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Body Grip	UnIntentional	Raccoons	4			
		Turtles Other	5		4	
		Turtles, Common Snapping	5		9	
Traps, Cage	Intentional	Blackbirds, Red-Winged	6			
		Cats, Feral/Free Ranging			3	
		Cowbirds, Brown-Headed	340			
		Doves, Mourning	20		276	
		Foxes, Red	5			
		Grackles, Common	1			
		Marmots/Woodchucks (All)	9		4	
		Opossums, Virginia	2			
		Pigeons, Feral (Rock)	288			
		Rabbits, Cottontail	1			
		Raccoons	29		3	
		Skunks, Striped	13			
		Starlings, European	13			

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Cage	Intentional	Swine, Feral	2			
		Voles (All)			23	
		Woodrats, Eastern			1	
	UnIntentional	Blackbirds, Red-Winged	1			
		Cats, Feral/Free Ranging			2	
		Hawks, Cooper`s			2	
		Killdeers			1	
		Opossums, Virginia			1	
		Rabbits, Cottontail			2	
Traps, Decoy	Intentional	Blackbirds, Red-Winged	6			
		Cowbirds, Brown-Headed	2,210			
		Grackles, Common	7			
		Pigeons, Feral (Rock)	2,181			
		Starlings, European	18			
	UnIntentional	Doves, Mourning				12

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
Traps, Drive/Corral	Intentional	Swine, Feral	3				
Traps, Foothold	Intentional	Badgers	1				
		Beavers	13				
		Bobcats	1				
		Cats, Feral/Free Ranging	1				
		Coyotes	5				
		Muskrats	47				
		Opossums, Virginia	11				
		Raccoons	5				
		UnIntentional	Opossums, Virginia	1			
			Raccoons	1			2
		Traps, Foothold (Padded)	Intentional	Coyotes	2		
Opossums, Virginia	1						

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Traps, Foothold (Padded)	Intentional	Raccoons	1			
Traps, Mole	Intentional	Moles (All)	1			
Traps, Other	Intentional	Mice, Deer (All)	2			
		Starlings, European	7			
Traps, Pole	Intentional	Falcons, American Kestrels	7		8	
		Hawks, Red-Tailed			116	
		Owls, Great Horned			2	
Traps, Raptor (Other)	Intentional	Falcons, American Kestrels			4	
		Falcons, Peregrine			1	
		Hawks, Cooper`s			5	
		Hawks, Red-Tailed	6		254	

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2009

Capture / Restraint Method ^	Intentional / Unintentional	Species	Killed / Euthanized	Removed/ Destroyed	Freed / Released / Relocated	Dispersed
Traps, Raptor (Other)						
	Intentional					
		Owls, Great Horned			20	
		Owls, Short-Eared			3	
	UnIntentional					
		Crows, American	1			
		Opossums, Virginia	1		1	
		Starlings, European	1			
Traps, Snap (Rat, Mouse, Etc.)						
	Intentional					
		Mice, Deer (All)	43			
		Pigeons, Feral (Rock)	1			
		Sparrows, House/English	1			
		Starlings, European	1			
		Voles (All)	85			
Traps, Suitcase						
	Intentional					
		Beavers	2			
Vehicles (All) (Planes, Boats, Auto, ATV)						
	Intentional					
		Blackbirds, Red-Winged				18,000

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All) (Planes, Boats, Auto, ATV)						
	Intentional					
		Blackbirds, Z-(Mixed Species)				15
		Bobcats				1
		Coots, American				79
		Cormorants, Double-Crested				118
		Cowbirds, Brown-Headed				132
		Coyotes				54
		Crows, American				180
		Deer, White-Tailed (Wild)				57
		Dogs, Feral, Free-Ranging And Hybrids				2
		Doves, Mourning				908
		Ducks, Gadwall				8
		Ducks, Goldeneye, Common				12
		Ducks, Mallards				1,239
		Ducks, Merganser, Hooded				9
		Ducks, Northern Shoveler				118
		Ducks, Teal, Blue-Winged				739
		Ducks, Wigeon, American				14
		Ducks, Wood				321

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All) (Planes, Boats, Auto, ATV)						
	Intentional					
		Egrets, Great				13
		Falcons, American Kestrels				18
		Foxes, Red				1
		Geese, Canada				14,974
		Grebes, Pied-Billed				24
		Gulls, Franklin`s				11
		Gulls, Ring-Billed				9
		Hawks, Harrier, Northern (Marsh Hawks				12
		Hawks, Red-Tailed				42
		Hérons, Great Blue				327
		Hérons, Green				16
		Killdeers				113
		Kingfishers, Belted				3
		Larks, Horned				105
		Marmots/Woodchucks (All)				1
		Meadowlarks, Eastern				170
		Ospreys				1
		Pelicans, American White				3

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.

Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Missouri - FY 2009

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
Vehicles (All) (Planes, Boats, Auto, ATV)						
	Intentional					
		Pheasants, Ring-Necked				56
		Sandpipers, Upland				6
		Skunks, Striped				2
		Sparrows, House/English				1
		Starlings, European				2,860
		Swallows, Barn				4
		Turkeys, Wild				344
		Vultures, Black				1
		Vultures, Turkey				26
		<i>Total Take for MO</i>	10,838		912	498,174

^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.