

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>A/C Powder</b>	Intentional	Geese, Canada	1			
<b>Dog</b>	Intentional	Geese, Canada				502
<b>Effigy, Vulture</b>	Intentional	Vultures, Black				12
		Vultures, Turkey				4
<b>Exploders, Gas (All)</b>	Intentional	Vultures, Turkey				50
<b>Firearms</b>	Intentional	Beavers	438			
		Cats, Feral/Free Ranging	7			
		Cowbirds, Brown-Headed				5
		Coyotes	5			
		Cranes, Sandhill	1			
		Crows, American	2			8

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Deer, White-Tailed (Wild)	82			
		Dogs, Feral, Free-Ranging And Hybrids	2			
		Doves, Mourning	163			22
		Ducks, Mallards	1			
		Egrets, Cattle	1			9
		Egrets, Great	1			
		Finches, House	1			2
		Foxes, Gray	3			
		Geese, Canada	157			102
		Gulls, Herring	10			1,472
		Gulls, Laughing	78			3,836
		Gulls, Ring-Billed	110			1,970
		Hérons, Great Blue	10			1
		Killdeers	37			11
		Marmots/Woodchucks (All)	1			
		Meadowlarks, Eastern	14			160
		Muskrats	44			
		Nutrias	135			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Pheasants, Ring-Necked	1			
		Pigeons, Feral (Rock)	460			4
		Plovers, Black-Bellied	2			27
		Raccoons	3			
		Sanderlings	1			
		Sparrows, House/English	9			20
		Starlings, European	226			471
		Swine, Feral	51			
		Terns, Common	1			51
		Terns, Sandwich				3
		Vultures, Black	9			
		Vultures, Turkey	185			5
		<b>Handcaught/Gathered</b>	<b>Intentional</b>	Alligators, American		
Geese, Canada	164				7	
Snakes, Non-Venomous (Other)					7	
Starlings, European	6					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Handcaught/Gathered</b>	Intentional	Turtles Other			18	
<b>Nets, Mist</b>	Intentional	Sparrows, House/English	1			
		Starlings, European	16			
<b>Paint Balls</b>	Intentional	Geese, Canada				282
<b>Physical Actions (Hand/Voice)</b>	Intentional	Doves, Mourning				40
		Geese, Canada				4
<b>Pyrotechnics (All)</b>	Intentional	Blackbirds, Red-Winged				23
		Blackbirds, Z-(Mixed Species)				1,900
		Cormorants, Double-Crested				5
		Cowbirds, Brown-Headed				50
		Cranes, Sandhill				1

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Crows, American				60
		Crows, Fish				324
		Doves, Mourning				592
		Ducks, Mallards				301
		Ducks, Merganser, Hooded				2
		Ducks, Scaup, Lesser				3,011
		Ducks, Teal, Green-Winged				6
		Ducks, Wood				25
		Egrets, Great				52
		Geese, Canada				296
		Gulls, Herring				3,019
		Gulls, Laughing				31,121
		Gulls, Ring-Billed				10,625
		Hawks, Cooper`s				1
		Hawks, Harrier, Northern (Marsh Hawks				8
		Hawks, Red-Tailed				21
		Hawks, Sharp-Shinned				1
		Hérons, Great Blue				17

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Herons, Green				2
		Killdeers				43
		Meadowlarks, Eastern				1
		Ospreys				8
		Plovers, Black-Bellied				146
		Sanderlings				9
		Sandpipers, Least				25
		Sandpipers, Upland				1
		Starlings, European				1,153
		Swallows, Barn				25
		Terns, Common				15
		Terns, Least				12
		Terns, Royal				31
		Turkeys, Wild				389
		Vultures, Black				70
		Vultures, Turkey				1,361
<b>Snares, Neck</b>						
	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>	<b>Intentional</b>	Beavers	89			
		Coyotes	7			
		Nutrias	2			
	<b>UnIntentional</b>	Otters, River	1			
	<b>Traps, Body Grip</b>	<b>Intentional</b>	Beavers	3,969		
Marmots/Woodchucks (All)			3			
Muskrats			168			
Nutrias			603			
<b>UnIntentional</b>		Ducks, Merganser, Hooded	2			
		Fish (Other)	1			
		Grebes, Pied-Billed	1			
		Minks	1			
		Otters, River	37		4	
		Raccoons	8			
		Turtles Other	11		3	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Body Grip</b>	<b>UnIntentional</b>	<b>Turtles, Common Snapping</b>	39		62		
		<b>Turtles, Painted</b>	4		5		
<b>Traps, Cage</b>	<b>Intentional</b>	<b>Beavers</b>	1				
		<b>Grackles, Common</b>	1				
		<b>Muskrats</b>	2				
		<b>Pigeons, Feral (Rock)</b>	1,261				
		<b>Raccoons</b>	2		125		
		<b>Skunks, Striped</b>	1				
		<b>Sparrows, House/English</b>	3				
		<b>Swine, Feral</b>	3				
	<b>UnIntentional</b>	<b>Cats, Feral/Free Ranging</b>				19	
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>				2	
		<b>Hawks, Broad-Winged</b>				1	
		<b>Opossums, Virginia</b>				72	
		<b>Rabbits, Feral</b>				1	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Cage</b>	Unintentional	Skunks, Striped			1		
<b>Traps, Drive/Corral</b>	Intentional	Ducks, Feral	1				
		Geese, Canada	641				
<b>Traps, Foothold</b>	Intentional	Beavers	71				
		Bobcats			4		
		Muskrats	4				
		Opossums, Virginia			12		
		Raccoons	3				
	Unintentional	Beavers				1	
		Coyotes				1	
		Foxes, Gray				16	
		Minks				1	
		Opossums, Virginia				22	
		Otters, River			1		

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold</b>	<b>UnIntentional</b>	<b>Raccoons</b>	2		27	
<b>Vehicles (All) (Planes, Boats, Auto, ATV)</b>	<b>Intentional</b>	<b>Crows, American</b>				184
		<b>Crows, Fish</b>				3
		<b>Doves, Mourning</b>				253
		<b>Ducks, Teal, Green-Winged</b>				6
		<b>Falcons, American Kestrels</b>				1
		<b>Geese, Canada</b>				977
		<b>Grackles, Common</b>				22
		<b>Gulls, Herring</b>				7
		<b>Gulls, Laughing</b>				2,094
		<b>Gulls, Ring-Billed</b>				242
		<b>Hawks, Cooper`s</b>				1
		<b>Hawks, Harrier, Northern (Marsh Hawks</b>				5
		<b>Hawks, Red-Tailed</b>				1
		<b>Hérons, Great Blue</b>				24
		<b>Ibises, White</b>				375

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in North Carolina - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All) (Planes, Boats, Auto, ATV)</b>						
	<b>Intentional</b>					
		Killdeers				375
		Meadowlarks, Eastern				55
		Nighthawks (All)				1
		Pigeons, Feral (Rock)				6
		Plovers, Black-Bellied				169
		Sanderlings				10
		Sandpipers, Spotted				1
		Sandpipers, Western				2
		Starlings, European				574
		Swallows, Barn				2
		Swallows, Cliff				100
		Swallows, Northern Rough-Winged				2
		Terns, Common				2
		Turkeys, Wild				124
		Vultures, Turkey				25
		<i>Total Take for NC</i>	9,381		414	69,468

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*