

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Calling Device, Electronic</b>	<b>Intentional</b>	<b>Bobcats</b>	2			
		<b>Coyotes</b>	383			
		<b>Crows, American</b>	841			
<b>Calling Device, Manual(Hand,Blown)</b>	<b>Intentional</b>	<b>Bobcats</b>	1			
		<b>Coyotes</b>	434			
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>	2			
<b>DRC-1339-OK SLN (Crows)</b>	<b>Intentional</b>	<b>Crows, American</b>	3,770			
<b>DRC-1339-Pigeons</b>	<b>Intentional</b>	<b>Pigeons, Feral (Rock)</b>	369			
<b>DRC-1339-Staging Areas</b>	<b>Intentional</b>	<b>Blackbirds, Z-(Mixed Species)</b>	4,000			
		<b>Starlings, European</b>	200			
<b>Electronic Harassment Devices (Other)</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Electronic Harassment Devices (Other)</b>						
	<b>Intentional</b>					
		Falcons, American Kestrels				7
		Hawks, Harrier, Northern (Marsh Hawks				1
		Hawks, Red-Shouldered				5
		Hawks, Red-Tailed				15
		Kites, Mississippi				7
		Starlings, European				55,100
<b>Exploders, Gas (All)</b>						
	<b>Intentional</b>					
		Blackbirds, Red-Winged				50
		Blackbirds, Z-(Mixed Species)				2,190
		Cormorants, Double-Crested				199
		Cowbirds, Brown-Headed				520
		Crows, American				65
		Doves, Mourning				369
		Ducks, Gadwall				14
		Ducks, Mallards				361
		Ducks, Teal, Blue-Winged				21
		Ducks, Teal, Green-Winged				37

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Exploders, Gas (All)</b>	<b>Intentional</b>	Ducks, Wigeon, American				11
		Egrets, Cattle				85
		Flycatchers, Scissor-Tailed				171
		Geese, Canada				3,573
		Grackles, Common				531
		Grackles, Great-Tailed				3,557
		Gulls, Ring-Billed				93
		Hawks, Harrier, Northern (Marsh Hawks				19
		Hawks, Red-Tailed				32
		Hawks, Swainson`s				4
		Hérons, Great Blue				13
		Killdeers				91
		Kingbirds, Eastern				55
		Kingbirds, Western				175
		Larks, Horned				25
		Meadowlarks, Eastern				1,737
		Nighthawks (All)				11
Pigeons, Feral (Rock)				2,262		

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Exploders, Gas (All)</b>	<b>Intentional</b>	Sandpipers, Upland				181
		Starlings, European				645
		Swallows, Barn				385
		Vultures, Turkey				117
<b>Fastrac Blox</b>	<b>Intentional</b>	Mice, Deer (All)	10			
		Rats, Norway	20			
<b>Firearms</b>	<b>Intentional</b>	Armadillos, Nine-Banded	14			
		Badgers	1			
		Beavers	314			
		Blackbirds, Brewer`s	1			
		Blackbirds, Red-Winged	141			42
		Blackbirds, Z-(Mixed Species)				920
		Bobcats	1			
		Cats, Feral/Free Ranging	6			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	<b>Cowbirds, Brown-Headed</b>	286			1,630
		<b>Coyotes</b>	120			
		<b>Crows, American</b>	10			3,230
		<b>Deer, White-Tailed (Wild)</b>	27			2
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>	4			4
		<b>Doves, Collared, Eurasian</b>	56			15
		<b>Doves, Mourning</b>	1,573			2,320
		<b>Ducks, Bufflehead</b>	5			207
		<b>Ducks, Gadwall</b>	7			
		<b>Ducks, Mallards</b>	20			215
		<b>Ducks, Redhead</b>				30
		<b>Ducks, Ring-Necked</b>	1			13
		<b>Ducks, Scaup, Lesser</b>	1			
		<b>Ducks, Teal, Blue-Winged</b>	1			
		<b>Ducks, Teal, Green-Winged</b>	4			2
		<b>Ducks, Wigeon, American</b>	2			
		<b>Egrets, Cattle</b>	147			2,333
		<b>Egrets, Great</b>	6			15

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Falcons, American Kestrels	17			25
		Finches, House	3			
		Flycatchers, Scissor-Tailed				49
		Foxes, Red	2			
		Geese, Canada	110			2,511
		Grackles, Common	70			27
		Grackles, Great-Tailed	755			150
		Gulls, Franklin`s	294			14,707
		Gulls, Herring	4			200
		Gulls, Ring-Billed	281			1,160
		Hares, Jackrabbits (Other)	77			
		Hawks, Cooper`s	3			9
		Hawks, Harrier, Northern (Marsh Hawks	5			26
		Hawks, Red-Shouldered				1
		Hawks, Red-Tailed	28			109
		Hawks, Sharp-Shinned	3			
		Hawks, Swainson`s				23
		Hérons, Great Blue	1			1

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Killdeers	169			274
		Kingbirds, Eastern	22			
		Kingbirds, Western	12			317
		Kites, Mississippi	5			166
		Larks, Horned	85			25
		Longspurs, Lapland				15
		Meadowlarks, Eastern	377			520
		Meadowlarks, Western	87			540
		Muskrats	2			
		Nighthawks (All)	34			35
		Opossums, Virginia	1			
		Owls, Great Horned	1			
		Owls, Short-Eared				1
		Pigeons, Feral (Rock)	1,700			315
		Rabbits, Cottontail	40			
		Raccoons	23			
		Sandpipers, Least				362
		Sandpipers, Upland	106			149

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Skunks, Striped	27			1
		Sparrows, House/English	24			318
		Starlings, European	308			3,324
		Swallows, Barn	56			2,701
		Swine, Feral	468			
		Turkeys, Wild	2			
		Vultures, Black	15			45
		Vultures, Turkey	12			138
		Yellowlegs, Greater				50
		<b>Fixed Wing</b>	<b>Intentional</b>	Coyotes	563	
Swine, Feral	628					
Bats (All)					500	
<b>Handcaught/Gathered</b>	<b>Intentional</b>	Coots, American	1			
		Dogs, Feral, Free-Ranging And Hybrids	5			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Handcaught/Gathered</b>	<b>Intentional</b>	Ducks, Mallards			15	
		Geese, Canada	80			
		Kites, Mississippi			5	
		Owls, Common Barn			1	
		Rabbits, Cottontail			1	
		Raccoons	1		1	
		Starlings, European	4			
<b>Helicopter</b>	<b>Intentional</b>	Bobcats	2			
		Coyotes	986			
		Swine, Feral	1,085			
<b>M-44 Cyanide Capsule</b>	<b>Intentional</b>	Coyotes	1,650			
	<b>UnIntentional</b>	Dogs, Feral, Free-Ranging And Hybrids	5			
		Foxes, Gray	1			
		Opossums, Virginia	11			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>M-44 Cyanide Capsule</b>	<b>Unintentional</b>	Raccoons	6			
		Skunks, Striped	13			
<b>Pneumatics</b>	<b>Intentional</b>	Armadillos, Nine-Banded	1			
		Doves, Collared, Eurasian	28			
		Gulls, Ring-Billed	5			
		Opossums, Virginia	1			
		Pigeons, Feral (Rock)	15			
		Rabbits, Cottontail	8			
		Raccoons	3			
		Skunks, Striped	4			
<b>Pyrotechnics (All)</b>	<b>Intentional</b>	Blackbirds, Red-Winged				1,600
		Blackbirds, Z-(Mixed Species)				1,000
		Cormorants, Double-Crested				165
		Crows, American				55

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Dogs, Feral, Free-Ranging And Hybrids				3
		Ducks, Bufflehead				161
		Ducks, Canvasback				68
		Ducks, Gadwall				264
		Ducks, Mallards				85
		Ducks, Merganser, Hooded				8
		Ducks, Merganser, Red-Breasted				115
		Ducks, Redhead				54
		Ducks, Ring-Necked				34
		Ducks, Scaup, Lesser				191
		Ducks, Teal, Blue-Winged				6
		Egrets, Cattle				10,313
		Egrets, Great				3
		Falcons, American Kestrels				2
		Geese, Canada				349
		Gulls, Franklin`s				75,471
		Gulls, Herring				50
		Gulls, Ring-Billed				32,908

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Hawks, Harrier, Northern (Marsh Hawks)				6
		Hawks, Red-Tailed				8
		Hawks, Swainson`s				3
		Meadowlarks, Eastern				240
		Meadowlarks, Western				30
		Pigeons, Feral (Rock)				20
		Sparrows, House/English				29
		Starlings, European				29,600
		Swallows, Barn				7
<b>Snares, Foot/Leg</b>						
	<b>Intentional</b>					
		Swine, Feral	1			
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Badgers	2			
		Beavers	400			
		Bobcats	5			
		Coyotes	388			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>	<b>Intentional</b>	Dogs, Feral, Free-Ranging And Hybrids	2		1	
		Foxes, Gray	1			
		Foxes, Red	2			
		Marmots/Woodchucks (All)	7			
		Opossums, Virginia	3			
		Raccoons	14			
		Skunks, Striped	5			
		Swine, Feral	55			
		<b>UnIntentional</b>	Armadillos, Nine-Banded	2		
	Coyotes		1			
	Deer, White-Tailed (Wild)		8			
	Dogs, Feral, Free-Ranging And Hybrids		4		4	
	Opossums, Virginia		3		1	
	Raccoons		8		1	
			Skunks, Striped	2		
<b>Spotlight</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Spotlight</b>	<b>Intentional</b>	Armadillos, Nine-Banded	1			
		Badgers	1			
		Beavers	619			
		Coyotes	4			
		Deer, White-Tailed (Wild)	3			
		Muskrats	4			
		Nutrias	2			
		Opossums, Virginia	4			
		Rabbits, Cottontail	58			
		Raccoons	10			
		Skunks, Striped	21			
		Swine, Feral	14			
<b>Traps, Body Grip</b>	<b>Intentional</b>	Beavers	3,657			
		Muskrats	12			
		Nutrias	1			
		Otters, River	4			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Body Grip</b>	<b>Intentional</b>	Rabbits, Cottontail	1			
		Skunks, Striped	1			
	<b>UnIntentional</b>	Muskrats	3			
		Otters, River	76			
		Raccoons	2			
		Turtles Other	17			5
		Turtles, Common Snapping	33			35
<b>Traps, Cage</b>	<b>Intentional</b>	Armadillos, Nine-Banded	16			
		Bobcats	3			
		Cats, Feral/Free Ranging	3			
		Foxes, Gray				1
		Foxes, Red				4
		Marmots/Woodchucks (All)				1
		Mice, Deer (All)	59			
		Opossums, Virginia	39			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Cage</b>	<b>Intentional</b>	Pigeons, Feral (Rock)	916			
		Rabbits, Cottontail	2		1	
		Raccoons	136		18	
		Skunks, Striped	67			
		Squirrels, Fox	1		7	
		Swine, Feral	1,387			
		<b>UnIntentional</b>	Deer, White-Tailed (Wild)	1		3
	Opossums, Virginia		2		3	
	<b>Traps, Decoy</b>	<b>Intentional</b>	Doves, Collared, Eurasian	90		
Doves, Mourning					23	
Grackles, Great-Tailed			1			
Pigeons, Feral (Rock)			2,771			
Skunks, Striped			1			
Starlings, European			2			
<b>UnIntentional</b>			Doves, Mourning	4		26

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold</b>	<b>Intentional</b>	<b>Badgers</b>	9			
		<b>Beavers</b>	21			
		<b>Bobcats</b>	7			
		<b>Coyotes</b>	446			
		<b>Opossums, Virginia</b>	1			
		<b>Raccoons</b>	24			
		<b>Skunks, Striped</b>	2			
		<b>Swine, Feral</b>	1			
	<b>UnIntentional</b>	<b>Badgers</b>	1			
		<b>Bobcats</b>	3			
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>	1			2
		<b>Opossums, Virginia</b>	2			
		<b>Raccoons</b>	24			
		<b>Skunks, Striped</b>	1			
		<b>Vultures, Black</b>				1
<b>Traps, Other</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Other</b>	<b>Intentional</b>	<b>Blackbirds, Z-(Mixed Species)</b>	85				
		<b>Doves, Mourning</b>	13				
		<b>Hawks, Cooper`s</b>				1	
<b>Traps, Pole</b>	<b>Intentional</b>	<b>Hérons, Great Blue</b>				1	
<b>Traps, Raptor (Other)</b>	<b>Intentional</b>	<b>Blackbirds, Red-Winged</b>	9				
		<b>Crows, American</b>	5				
		<b>Falcons, American Kestrels</b>	1			5	
		<b>Grackles, Great-Tailed</b>	1				
		<b>Hawks, Cooper`s</b>				8	
		<b>Hawks, Harrier, Northern (Marsh Hawks)</b>				1	
		<b>Hawks, Red-Shouldered</b>				5	
		<b>Hawks, Red-Tailed</b>				11	
		<b>Hawks, Swainson`s</b>				5	
		<b>Owls, Great Horned</b>	1			3	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All) (Planes, Boats, Auto, ATV)</b>						
	<b>Intentional</b>					
		Blackbirds, Red-Winged				488
		Cats, Feral/Free Ranging				1
		Cowbirds, Brown-Headed				200
		Coyotes				9
		Crows, American				33
		Deer, White-Tailed (Wild)				1
		Dogs, Feral, Free-Ranging And Hybrids				9
		Doves, Mourning				2,807
		Ducks, Bufflehead				34
		Ducks, Gadwall				620
		Ducks, Mallards				439
		Ducks, Northern Shoveler				30
		Egrets, Great				4
		Falcons, American Kestrels				49
		Flycatchers, Scissor-Tailed				7
		Foxes, Red				1
		Geese, Canada				293

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All) (Planes, Boats, Auto, ATV)</b>						
	<b>Intentional</b>					
		Grackles, Common				132
		Gulls, Franklin`s				2
		Gulls, Herring				75
		Gulls, Ring-Billed				101
		Hares, Jackrabbits (Other)				1
		Hawks, Cooper`s				2
		Hawks, Harrier, Northern (Marsh Hawks				42
		Hawks, Red-Tailed				140
		Hawks, Sharp-Shinned				2
		Hawks, Swainson`s				5
		Hérons, Great Blue				17
		Killdeers				19
		Kingbirds, Western				63
		Larks, Horned				52
		Meadowlarks, Eastern				1,142
		Meadowlarks, Western				337
		Owls, Great Horned				1
		Pigeons, Feral (Rock)				82

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Oklahoma - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All) (Planes, Boats, Auto, ATV)</b>						
	<b>Intentional</b>					
		Quail (All)				20
		Sandpipers, Upland				31
		Starlings, European				10,485
		Swallows, Barn				20
		Vultures, Turkey				8
		<i>Total Take for OK</i>	34,735		700	282,658

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*