

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
A/C Tablets: 20 Mg	Intentional	Geese, Canada			10	
A/C Tablets: 40 Mg	Intentional	Geese, Canada			15	
A/C Tablets: 60 Mg	Intentional	Ducks, Feral			11	
		Geese, Canada			43	
Avitrol:-4 Mixed Grains	Intentional	Pigeons, Feral (Rock)	50			
Avitrol:-7 Whole Corn	Intentional	Pigeons, Feral (Rock)	49			
Calling Device, Electronic	Intentional	Bobcats	18			
		Coyotes	103			
		Dogs, Feral, Free-Ranging And Hybrids	3			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Calling Device, Electronic</b>	<b>Intentional</b>	Foxes, Gray	140			
		Foxes, Red	4			
		Raccoons	16			
		Skunks, Striped	1			
		Swine, Feral	3			
<b>Calling Device, Manual(Hand,Blown)</b>	<b>Intentional</b>	Bobcats	22			
		Coyotes	450			
		Foxes, Gray	47			
		Foxes, Red	2			
		Raccoons	12			
		Swine, Feral	2			
<b>Car/Truck</b>	<b>Intentional</b>	Bobcats				3
		Coyotes				11
		Cranes, Sandhill				205

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Car/Truck</b>	<b>Intentional</b>	Deer, White-Tailed (Wild)				77
		Dogs, Feral, Free-Ranging And Hybrids				8
		Ducks, Northern Pintail				975
		Ducks, Wigeon, American				225
<b>Compound 1080 LP Collar (TX)</b>	<b>Intentional</b>	Coyotes	25			
<b>DRC-1339 Eggs</b>	<b>Intentional</b>	Ravens, Common	90			
<b>DRC-1339-Feedlots</b>	<b>Intentional</b>	Grackles, Common	1,050			
		Starlings, European	2,250			
<b>DRC-1339-Staging Areas</b>	<b>Intentional</b>	Blackbirds, Red-Winged	489,444			
		Cowbirds, Brown-Headed	487,585			
		Grackles, Common	31,967			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>DRC-1339-Staging Areas</b>						
	<b>Intentional</b>					
		<b>Grackles, Great-Tailed</b>	11,257			
		<b>Starlings, European</b>	4,516			
<b>DRC-1339-TX SLN (Birds)</b>						
	<b>Intentional</b>					
		<b>Grackles, Great-Tailed</b>	47			
		<b>Pigeons, Feral (Rock)</b>	9			
<b>Electronic Harassment Devices (Other)</b>						
	<b>Intentional</b>					
		<b>Blackbirds, Z-(Mixed Species)</b>				105,500
		<b>Caracaras</b>				1
		<b>Doves, Mourning</b>				26
		<b>Doves, White-Winged</b>				3,629
		<b>Ducks, Mottled</b>				5
		<b>Ducks, Teal, Blue-Winged</b>				3
		<b>Falcons, American Kestrels</b>				1
		<b>Flycatchers, Scissor-Tailed</b>				1
		<b>Grackles, Great-Tailed</b>				40
		<b>Hawks, Red-Tailed</b>				3

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Electronic Harassment Devices (Other)</b>	<b>Intentional</b>	Hawks, Swainson`s				2
		Killdeers				8
		Kingbirds, Western				4
		Pigeons, Feral (Rock)				135
		Starlings, European				10
		Vultures, Black				10
		Vultures, Turkey				11
<b>Exploders, Gas (All)</b>	<b>Intentional</b>	Flycatchers, Scissor-Tailed				12
		Grackles, Common				60
		Gulls, Laughing				750
		Hérons, Great Blue				85
		Larks, Horned				46
		Meadowlarks, Eastern				69
		Swallows, Barn				115
		Vultures, Turkey				40
<b>Firearms</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	<b>Armadillos, Nine-Banded</b>	3			
		<b>Badgers</b>	1			
		<b>Beavers</b>	362			
		<b>Blackbirds, Red-Winged</b>	57			500
		<b>Bobcats</b>	92			
		<b>Buntings, Lark</b>	20			1,050
		<b>Caracaras</b>	31			15
		<b>Cats, Feral/Free Ranging</b>	9			
		<b>Chickens, Feral/Free Ranging</b>	9			
		<b>Cormorants, Double-Crested</b>	11			73
		<b>Cowbirds, Brown-Headed</b>	10			
		<b>Coyotes</b>	627			
		<b>Cranes, Sandhill</b>				16
		<b>Crows, American</b>	4			
		<b>Deer, White-Tailed (Wild)</b>	14			1
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>	29			
		<b>Doves, Mourning</b>	305			35

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Doves, White-Winged	31			4,070
		Dowitchers, Long-Billed	1			10
		Ducks, Gadwall	4			15
		Ducks, Mallards	6			
		Ducks, Mottled	5			16
		Ducks, Northern Pintail	17			1,120
		Ducks, Northern Shoveler				12
		Ducks, Scaup, Lesser				30
		Ducks, Teal, Blue-Winged	3			79
		Ducks, Whistling, Black-Bellied	2			
		Ducks, Wigeon, American				28
		Egrets, Cattle	3			79
		Egrets, Great	1			4
		Falcons, American Kestrels	26			119
		Flycatchers, Scissor-Tailed	31			10
		Foxes, Gray	121			
		Foxes, Red	14			
		Geese, Canada	7			3

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Grackles, Common	3			
		Grackles, Great-Tailed	2,518			145
		Gulls, Franklin`s	2			
		Gulls, Laughing	109			575
		Hares, Jackrabbits (Other)	88			
		Hawks, Harrier, Northern (Marsh Hawks				4
		Hawks, Red-Tailed	6			17
		Hawks, Swainson`s	7			39
		Hérons, Great Blue	24			189
		Hérons, Green	1			
		Hérons, Night, Yellow-Crowned	2			
		Killdeers	21			2
		Kingbirds, Western	15			
		Kites, Mississippi	5			
		Larks, Horned	15			2
		Lions, Mountain (Cougar)	15			
		Meadowlarks, Eastern	243			15
		Meadowlarks, Western	7			45

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Nighthawks (All)	11			30
		Nutrias	124			
		Opossums, Virginia	6			
		Ospreys				4
		Pigeons, Feral (Rock)	2,360			27
		Porcupines	6			
		Prairie Dogs, Black-Tailed	7			
		Rabbits, Cottontail	6			
		Raccoons	267			
		Ravens, Common	2			
		Sandpipers, Upland	47			2
		Skunks, Striped	71			
		Squirrels, Ground, Other	60			
		Starlings, European	16			18
		Swallows, Barn	39			
		Swallows, Cliff	1			
		Swine, Feral	2,298			
		Vultures, Black	723			2,430

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Vultures, Turkey	205			1,590
<b>Fixed Wing</b>	<b>Intentional</b>	Bobcats	13			
		Coyotes	911			
		Swine, Feral	767			
<b>Gas Cartridge (Rodent)</b>	<b>Intentional</b>	Gophers, Pocket (All)	1			
<b>Gas Cartridge, Large</b>	<b>Intentional</b>	Coyotes	4			
		Foxes, Red	12			
<b>Handcaught/Gathered</b>	<b>Intentional</b>	Beavers	1			
		Finches, House			14	
		Skunks, Striped	1			
		Turtles Other			1	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Helicopter</b>	<b>Intentional</b>	<b>Bobcats</b>	169			
		<b>Coyotes</b>	2,464			
		<b>Foxes, Gray</b>	3			
		<b>Foxes, Red</b>	8			
		<b>Swine, Feral</b>	11,165			
		<b>M-44 Cyanide Capsule</b>	<b>Intentional</b>	<b>Coyotes</b>	5,667	
<b>Dogs, Feral, Free-Ranging And Hybrids</b>	24					
<b>Foxes, Gray</b>	631					
<b>Foxes, Red</b>	78					
<b>UnIntentional</b>	<b>Bobcats</b>			2		
	<b>Dogs, Feral, Free-Ranging And Hybrids</b>		11			
	<b>Foxes, Gray</b>		18			
	<b>Foxes, Red</b>		2			
	<b>Opossums, Virginia</b>		23			
	<b>Raccoons</b>		201			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>M-44 Cyanide Capsule</b>	<b>Unintentional</b>	Ringtails	2			
		Skunks, Striped	15			
		Swine, Feral	3			
		Vultures, Turkey	1			
<b>Nets, Cannon/Rocket</b>	<b>Intentional</b>	Ducks, Teal, Green-Winged			31	
<b>Nets, Other</b>	<b>Intentional</b>	Ducks, Mallards			12	
		Ducks, Teal, Blue-Winged			1	
<b>Night Vision/Infrared Equipment</b>	<b>Intentional</b>	Beavers	16			
		Coyotes	50			
		Deer, White-Tailed (Wild)	1			
		Swine, Feral	1,127			
<b>Pyrotechnics (All)</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Blackbirds, Z-(Mixed Species)				10,100
		Caracaras				21
		Cormorants, Double-Crested				18
		Cowbirds, Brown-Headed				5,445
		Coyotes				1
		Cranes, Sandhill				3,646
		Dogs, Feral, Free-Ranging And Hybrids				1
		Doves, Mourning				74
		Doves, White-Winged				9,805
		Ducks, Mottled				15
		Ducks, Northern Pintail				280
		Ducks, Whistling, Black-Bellied				81
		Egrets, Cattle				8
		Egrets, Great				5
		Falcons, American Kestrels				4
		Flycatchers, Scissor-Tailed				7
		Grackles, Boat-Tailed				475
		Grackles, Common				60

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Grackles, Great-Tailed				105
		Gulls, Franklin`s				98
		Gulls, Laughing				1,500
		Hawks, Harrier, Northern (Marsh Hawks				1
		Hawks, Red-Tailed				20
		Hawks, Swainson`s				28
		Hérons, Great Blue				131
		Kingbirds, Western				1
		Meadowlarks, Western				17
		Ospreys				5
		Pigeons, Feral (Rock)				90
		Starlings, European				395
		Swallows, Barn				6,000
		Swallows, Cliff				3,000
		Terns, Forster`s				50
		Vultures, Black				774
		Vultures, Turkey				1,660
<b>Snares, Neck</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Snares, Neck</b>	<b>Intentional</b>	<b>Badgers</b>	5				
		<b>Beavers</b>	171				
		<b>Bobcats</b>	673				
		<b>Coyotes</b>	9,456				
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>	105				
		<b>Foxes, Gray</b>	399				
		<b>Foxes, Red</b>	124				
		<b>Lions, Mountain (Cougar)</b>	3				
		<b>Nutrias</b>	28				
		<b>Opossums, Virginia</b>	1				
		<b>Porcupines</b>	4				
		<b>Raccoons</b>	816				
		<b>Skunks, Striped</b>	31				
		<b>Swine, Feral</b>	4,642				
		<b>UnIntentional</b>	<b>Armadillos, Nine-Banded</b>	13			1
	<b>Badgers</b>		99			9	
	<b>Bobcats</b>		5				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>	<b>Unintentional</b>	Caracaras	2			
		Cats, Feral/Free Ranging			1	
		Coyotes	7			
		Deer, Mule	5			
		Deer, White-Tailed (Captive)	3			
		Deer, White-Tailed (Wild)	48			9
		Dogs, Feral, Free-Ranging And Hybrids	19			2
		Foxes, Gray	12			
		Foxes, Red	2			
		Hares, Jackrabbits (Other)	8			
		Lions, Mountain (Cougar)	1			
		Opossums, Virginia	2			
		Otters, River	2			
		Peccaries, Collared (Javelina)	166			2
		Porcupines	111			
		Rabbits, Cottontail	2			
		Raccoons	103			
		Sheep, Feral, Free-Ranging And Exotics	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>	<b>Unintentional</b>	Skunks, Striped	6			
		Swine, Feral	41			
		Turkeys, Wild	1			
		Turtles Other	2			
		Turtles, Common Snapping	1			
		Vultures, Black	4			
		<b>Sodium Laurel Sulfate</b>	<b>Intentional</b>	Grackles, Great-Tailed	390	
Starlings, European	48					
<b>Sodium Pentobarbital (390 Mg/MI)</b>	<b>Intentional</b>	Coyotes	1			
		Opossums, Virginia	1			
		Raccoons	2			
		Skunks, Striped	1			
<b>Spotlight</b>	<b>Intentional</b>	Beavers	496			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Spotlight</b>	<b>Intentional</b>	<b>Bobcats</b>	2			
		<b>Coyotes</b>	2			
		<b>Foxes, Gray</b>	10			
		<b>Hares, Jackrabbits (Other)</b>	2			
		<b>Nutrias</b>	9			
		<b>Opossums, Virginia</b>	20			
		<b>Raccoons</b>	60			
		<b>Skunks, Striped</b>	57			
		<b>Swine, Feral</b>	92			
		<b>Traps, Bal-Chatrri</b>	<b>Intentional</b>	<b>Hawks, Red-Tailed</b>		
<b>Traps, Body Grip</b>	<b>Intentional</b>	<b>Beavers</b>	1,278			
		<b>Nutrias</b>	71			
		<b>Otters, River</b>	40			
		<b>Raccoons</b>	2			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Body Grip</b>	<b>Unintentional</b>	Alligators, American	1				
		Armadillos, Nine-Banded	1				
		Otters, River	36				
		Raccoons	7				
		Swine, Feral	1				
		Turtles Other	48			2	
		Turtles, Common Snapping	35			3	
<b>Traps, Cage</b>	<b>Intentional</b>	Armadillos, Nine-Banded	4				
		Beavers	1				
		Bobcats	19				
		Cats, Feral/Free Ranging	7			7	
		Coyotes	5				
		Dogs, Feral, Free-Ranging And Hybrids	2				
		Foxes, Gray	11				
		Opossums, Virginia	44				
		Peccaries, Collared (Javelina)	2			1	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Cage</b>	<b>Intentional</b>	Pigeons, Feral (Rock)	11			
		Raccoons	310		3	
		Skunks, Striped	42			
		Squirrels, Fox			3	
		Swine, Feral	4,430			
		Vultures, Black	745			
		Vultures, Turkey	8			
		<b>UnIntentional</b>	Badgers	1		
	Cats, Feral/Free Ranging		1		3	
	Deer, White-Tailed (Wild)		1		6	
	Dogs, Feral, Free-Ranging And Hybrids				1	
	Foxes, Gray				3	
	Nutrias		1			
	Opossums, Virginia		2			
	Raccoons	10			1	
<b>Traps, Foothold</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold</b>	<b>Intentional</b>	<b>Badgers</b>	1			
		<b>Beavers</b>	54			
		<b>Bobcats</b>	386			
		<b>Coyotes</b>	847			
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>	14			
		<b>Foxes, Gray</b>	515			
		<b>Foxes, Red</b>	39			
		<b>Lions, Mountain (Cougar)</b>	9			
		<b>Nutrias</b>	12			
		<b>Opossums, Virginia</b>	21			
		<b>Raccoons</b>	825			
		<b>Skunks, Striped</b>	77			
		<b>Swine, Feral</b>	45			
	<b>UnIntentional</b>	<b>Alligators, American</b>	1			
		<b>Badgers</b>	17			4
		<b>Bobcats</b>	5			
		<b>Cats, Feral/Free Ranging</b>	3			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold</b>	<b>Unintentional</b>	Deer, Mule	2		1	
		Deer, White-Tailed (Wild)			3	
		Dogs, Feral, Free-Ranging And Hybrids	2		1	
		Foxes, Gray	6			
		Hares, Jackrabbits (Other)	2			
		Jackrabbits, Black Tailed			1	
		Opossums, Virginia	18		1	
		Otters, River	2			
		Peccaries, Collared (Javelina)	6			
		Porcupines	5		1	
		Rabbits, Cottontail	1			
		Raccoons	66			
		Ringtails	1			
		Skunks, Spotted	1			
		Skunks, Striped	7			
		Swine, Feral	1			
		Turkeys, Wild			1	
		Vultures, Black	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold</b>	Unintentional	Vultures, Turkey	3		2	
<b>Traps, Foothold (Padded)</b>	Intentional	Coyotes	9			
		Raccoons	3			
	Unintentional	Foxes, Gray				1
<b>Traps, Gopher</b>	Intentional	Gophers, Pocket (All)	396			
<b>Traps, Other</b>	Intentional	Swine, Feral	25			
<b>Traps, Pole</b>	Intentional	Falcons, American Kestrels			2	
<b>Traps, Raptor (Other)</b>	Intentional	Hawks, Swainson`s			1	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Snap (Rat, Mouse, Etc.)</b>	<b>Intentional</b>	<b>Woodpeckers, Golden-Fronted</b>	1			
<b>Vehicles (All) (Planes, Boats, Auto, ATV)</b>	<b>Intentional</b>	<b>Caracaras</b>				4
		<b>Cormorants, Double-Crested</b>				16
		<b>Coyotes</b>				8
		<b>Deer, White-Tailed (Wild)</b>				8
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>				5
		<b>Ducks, Mallards</b>				10
		<b>Ducks, Northern Shoveler</b>				20
		<b>Ducks, Scaup, Lesser</b>				50
		<b>Ducks, Teal, Blue-Winged</b>				400
		<b>Egrets, Cattle</b>				18
		<b>Egrets, Snowy</b>				83
		<b>Falcons, American Kestrels</b>				72
		<b>Flycatchers, Scissor-Tailed</b>				72
		<b>Hawks, Red-Tailed</b>				1
		<b>Hawks, Swainson`s</b>				7

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Texas - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All) (Planes, Boats, Auto, ATV)</b>						
	<b>Intentional</b>					
		Herons, Green				16
		Killdeers				3
		Larks, Horned				57
		Meadowlarks, Eastern				142
		Meadowlarks, Western				42
		Sandpipers, Upland				5
		Vultures, Turkey				10
<b>Zinc Phosphide Conc. (Rodents/Lago.)</b>						
	<b>Intentional</b>					
		Nutrias	89			
		<b>Total Take for TX</b>	1,092,751		215	169,459

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*