

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>A/C Powder</b>	<b>Intentional</b>	Ducks, Feral	29			
		Geese, Canada	113			
<b>Avitrol:-4 Mixed Grains</b>	<b>Intentional</b>	Sparrows, House/English	27			95
		Starlings, European	2			7
<b>Calling Device, Electronic</b>	<b>Intentional</b>	Falcons, American Kestrels				1
		Meadowlarks, Eastern				15
		Starlings, European				60
		Yellowlegs, Greater				20
		Yellowlegs, Lesser				10
<b>Catch Pole</b>	<b>Intentional</b>	Opossums, Virginia			1	
		Turtles Other			1	
<b>Electronic Harassment Devices (Other)</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Electronic Harassment Devices (Other)</b>						
	<b>Intentional</b>					
		Blackbirds, Z-(Mixed Species)				650
		Crows, American				16
		Doves, Mourning				16
		Ducks, Mallards				2
		Eagles, Bald				3
		Egrets, Great				1
		Falcons, American Kestrels				11
		Geese, Canada				12
		Gulls, Herring				7
		Gulls, Laughing				10
		Gulls, Ring-Billed				182
		Hawks, Red-Tailed				7
		Hérons, Great Blue				2
		Killdeers				3
		Meadowlarks, Eastern				49
		Ospreys				24
		Starlings, European				2,136
		Swallows, Barn				55

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Electronic Harassment Devices (Other)</b>	<b>Intentional</b>	Vultures, Turkey				18
<b>Exploders, Gas (All)</b>	<b>Intentional</b>	Gulls, Herring				1,000
		Gulls, Laughing				1,530
<b>Firearms</b>	<b>Intentional</b>	Beavers	88			
		Blackbirds, Red-Winged	393			5,445
		Blackbirds, Z-(Mixed Species)	8			482
		Bobolinks	6			47
		Cats, Feral/Free Ranging	4			
		Cormorants, Double-Crested	36			303
		Cowbirds, Brown-Headed	183			891
		Coyotes	9			
		Crows, American	173			2,640
		Crows, Fish	19			89
		Deer, White-Tailed (Wild)	174			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Doves, Mourning	1,613			3,263
		Ducks, American Black	20			46
		Ducks, Mallards	272			477
		Ducks, Merganser, Hooded	10			17
		Ducks, Ring-Necked				9
		Ducks, Wood	3			37
		Dunlins				71
		Egrets, Cattle	10			19
		Egrets, Great	25			37
		Falcons, American Kestrels	74			209
		Falcons, Merlin	1			
		Foxes, Gray	7			
		Foxes, Red	43			
		Geese, Canada	821			4,589
		Grackles, Boat-Tailed	18			312
		Grackles, Common	82			4,575
		Grebes, Pied-Billed	6			
		Gulls, Black-Backed, Greater	58			19

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Gulls, Bonaparte`s	17			78
		Gulls, Herring	330			5,012
		Gulls, Laughing	904			15,843
		Gulls, Ring-Billed	579			7,744
		Hawks, Broad-Winged	1			6
		Hawks, Harrier, Northern (Marsh Hawks	15			31
		Hawks, Red-Shouldered	9			4
		Hawks, Red-Tailed	51			49
		Hérons, Great Blue	69			52
		Hérons, Green	3			
		Ibis, Glossy	1			8
		Juncos, Dark-Eyed	1			13
		Killdeers	93			119
		Kingbirds, Eastern				27
		Larks, Horned	11			8
		Marmots/Woodchucks (All)	27			
		Meadowlarks, Eastern	42			93
		Mockingbirds, Northern	14			22

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Muskrats	2			
		Opossums, Virginia	9			
		Ospreys	14			14
		Pigeons, Feral (Rock)	240			155
		Plovers, Black-Bellied	6			54
		Rabbits, Cottontail	87			
		Raccoons	101			
		Ravens, Common	6			6
		Robins, American	13			62
		Skunks, Striped	16			
		Sparrows, House/English	5			
		Starlings, European	2,300			23,983
		Swallows, Barn	88			391
		Terns, Caspian	19			2
		Turkeys, Wild	7			42
		Vultures, Black	36			180
		Vultures, Turkey	33			197
		Willetts	8			9

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Firearms</b>	<b>Intentional</b>	Yellowlegs, Greater	2			10	
		Yellowlegs, Lesser	4				
	<b>UnIntentional</b>	Cowbirds, Brown-Headed					430
		Eagles, Bald					2
		Flickers, Northern					3
		Hawks, Cooper`s					1
		Killdeers					5
		<b>Gas Cartridge (Rodent)</b>	<b>Intentional</b>	Marmots/Woodchucks (All) DEN			232
<b>Gas Cartridge, Large</b>	<b>Intentional</b>	Coyotes DEN			1		
		Foxes, Red DEN			3		
<b>Handcaught/Gathered</b>	<b>Intentional</b>	Ducks, Mallards	10				
		Falcons, American Kestrels	1				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Handcaught/Gathered</b>	<b>Intentional</b>	Geese, Canada	5		1	21
		Hawks, Red-Tailed			1	
		Opossums, Virginia	2			
		Pigeons, Feral (Rock)	6			
		Raccoons	5			
		Sparrows, House/English	5			
		Starlings, European	4			
<b>Lasers (All) (Deterrent)</b>	<b>Intentional</b>	Geese, Canada				152
		Vultures, Black				3
<b>Lights (All)</b>	<b>Intentional</b>	Geese, Canada				30
<b>M-44 Cyanide Capsule</b>	<b>Intentional</b>	Coyotes	243			
		Dogs, Feral, Free-Ranging And Hybrids	3			
		Foxes, Gray	3			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>M-44 Cyanide Capsule</b>	<b>Intentional</b>	Foxes, Red	9			
		<b>UnIntentional</b>				
		Foxes, Gray	14			
		Foxes, Red	38			
		Opossums, Virginia	12			
		Raccoons	13			
	<b>Nets, Mist</b>	<b>Intentional</b>	Meadowlarks, Eastern	3		
<b>Nets, Other</b>	<b>Intentional</b>	Geese, Canada	2			
<b>Paint Balls</b>	<b>Intentional</b>	Geese, Canada				2,410
		Herons, Great Blue				1
		Vultures, Black				25
<b>Physical Actions (Hand/Voice)</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Physical Actions (Hand/Voice)</b>						
	<b>Intentional</b>					
		Crows, American				10
		Ducks, American Black				9
		Geese, Canada				75
		Grackles, Boat-Tailed				41
		Grackles, Common				200
		Gulls, Ring-Billed				3
		Hawks, Red-Tailed				2
		Hérons, Great Blue				3
		Killdeers				17
		Plovers, Black-Bellied				100
		Starlings, European				413
		Vultures, Turkey				1
		Yellowlegs, Lesser				15
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Bird, Unidentifiable				113
		Blackbirds, Red-Winged				898
		Blackbirds, Z-(Mixed Species)				5,400

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Cormorants, Double-Crested				469
		Cowbirds, Brown-Headed				1,430
		Crows, American				317
		Crows, Fish				5
		Doves, Mourning				1,435
		Ducks, American Black				9
		Ducks, Bufflehead				16
		Ducks, Canvasback				2
		Ducks, Mallards				854
		Ducks, Merganser, Hooded				40
		Ducks, Scaup, Lesser				173
		Ducks, Wood				22
		Dunlins				83
		Eagles, Bald				54
		Egrets, Cattle				3
		Egrets, Great				277
		Falcons, American Kestrels				165
		Falcons, Merlin				1

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Geese, Canada				4,971
		Grackles, Boat-Tailed				48
		Grackles, Common				659
		Gulls, Black-Backed, Greater				246
		Gulls, Bonaparte`s				46
		Gulls, Herring				71,471
		Gulls, Laughing				124,026
		Gulls, Ring-Billed				142,852
		Hawks, Broad-Winged				1
		Hawks, Cooper`s				2
		Hawks, Harrier, Northern (Marsh Hawks				113
		Hawks, Red-Shouldered				3
		Hawks, Red-Tailed				345
		Hérons, Great Blue				145
		Hérons, Green				1
		Ibises, Glossy				65
		Juncos, Dark-Eyed				9
		Killdeers				223

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Meadowlarks, Eastern				847
		Ospreys				222
		Owls, Barred				1
		Pigeons, Feral (Rock)				154
		Plovers, Black-Bellied				234
		Ravens, Common				20
		Robins, American				115
		Sanderlings				235
		Starlings, European				54,174
		Swallows, Barn				577
		Swans, Tundra				5
		Terns, Caspian				49
		Turkeys, Wild				24
		Vultures, Black				2,250
		Vultures, Turkey				670
		Willetts				49
		Yellowlegs, Greater				326
		Yellowlegs, Lesser				186

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Unintentional</b>					
		Falcons, Peregrine				2
		Kingbirds, Eastern				1
<b>Snares, Neck</b>						
	<b>Intentional</b>					
		Beavers	36			
		Coyotes	125			
		Dogs, Feral, Free-Ranging And Hybrids	3		1	
		Foxes, Red	34			
		Marmots/Woodchucks (All)	7			
		Opossums, Virginia	1			
		Rabbits, Cottontail	1			
		Raccoons	58			
		Skunks, Striped	3			
	<b>Unintentional</b>					
		Bears, Black	1			
		Cats, Feral/Free Ranging	1			
		Deer, White-Tailed (Wild)	8			
		Dogs, Feral, Free-Ranging And Hybrids			7	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Snares, Neck</b>	<b>Unintentional</b>	Ducks, Mallards	1			
		Foxes, Gray	1			
		Foxes, Red	17		1	
		Geese, Canada	3		3	
		Marmots/Woodchucks (All)	2			
		Opossums, Virginia	2			
		Rabbits, Cottontail	9		9	
		Raccoons	16		1	
		Skunks, Striped	2			
		Turtles, Common Snapping	1		1	
		Vultures, Turkey	1			
<b>Spotlight</b>	<b>Intentional</b>	Geese, Canada				29
<b>Traps, Body Grip</b>	<b>Intentional</b>	Beavers	244			
		Marmots/Woodchucks (All)	62			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Body Grip</b>	<b>Intentional</b>	<b>Muskrats</b>	6				
		<b>Nutrias</b>	2				
		<b>Raccoons</b>	1				
		<b>Skunks, Striped</b>	2				
		<b>UnIntentional</b>					
			<b>Catfish, Channel</b>			1	
			<b>Muskrats</b>	11			
			<b>Otters, River</b>	8			
			<b>Turtles Other</b>			6	
			<b>Turtles, Common Snapping</b>	4		8	
		<b>Turtles, Painted</b>	1				
<b>Traps, Cage</b>	<b>Intentional</b>	<b>Cats, Feral/Free Ranging</b>			20		
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>			1		
		<b>Foxes, Red</b>	1				
		<b>Marmots/Woodchucks (All)</b>	22		1		
		<b>Opossums, Virginia</b>	30		2		

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Cage</b>	<b>Intentional</b>	Raccoons	145		65		
		Skunks, Striped	23				
		Squirrels, Eastern Gray	2				
		Swine, Feral	2				
	<b>UnIntentional</b>	Cats, Feral/Free Ranging				13	
		Marmots/Woodchucks (All)				3	
		Opossums, Virginia				102	
		Rabbits, Cottontail				1	
		Squirrels, Eastern Gray				2	
		Turtles, Common Snapping				1	
<b>Traps, Decoy</b>	<b>Intentional</b>	Doves, Mourning	176				
		Pigeons, Feral (Rock)	1,414				
		Starlings, European	239				
		Swallows, Tree	3		1		
	<b>UnIntentional</b>	Bluebirds, Eastern				3	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Decoy</b>	<b>UnIntentional</b>	Swallows, Tree	3				
<b>Traps, Drive/Corral</b>	<b>Intentional</b>	Geese, Canada	2,198				
<b>Traps, Foothold</b>	<b>Intentional</b>	Beavers	37				
		Coyotes	11				
		Foxes, Gray	2				
		Foxes, Red	9				
		Nutrias	2				
		Opossums, Virginia	3			3	
		Rabbits, Cottontail	1				
		Raccoons	33			33	
	<b>UnIntentional</b>	Bobcats	2			1	
		Dogs, Feral, Free-Ranging And Hybrids				1	
		Foxes, Red	2			1	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold</b>	<b>Unintentional</b>	Marmots/Woodchucks (All)	2			
		Muskrats	2			
		Opossums, Virginia	6		3	
		Raccoons	11		5	
		Turkeys, Wild	2			
		Turtles, Common Snapping				1
<b>Traps, Foothold (Padded)</b>	<b>Intentional</b>	Coyotes	3			
		Dogs, Feral, Free-Ranging And Hybrids			4	
		Marmots/Woodchucks (All)	1			
		Raccoons	39		124	
		Vultures, Black	1			
	<b>Unintentional</b>	Bobcats	1			
		Crows, American	1			
		Foxes, Gray	6		3	
		Foxes, Red	1			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold (Padded)</b>	<b>UnIntentional</b>	Opossums, Virginia			23	
		Raccoons	5		8	
		Skunks, Striped	1			
<b>Traps, Other</b>	<b>Intentional</b>	Crows, American			1	
		Gulls, Black-Backed, Greater	7			
		Gulls, Herring	32			
		Opossums, Virginia	4			
		Raccoons	202			
		Starlings, European	148			
		Woodpeckers, Red-Bellied	1			
<b>Traps, Pole</b>	<b>Intentional</b>	Falcons, American Kestrels	4		12	
		Hawks, Red-Tailed			5	
		Owls, Great Horned			1	
<b>Vehicles (All) (Planes, Boats, Auto, ATV)</b>	<b>Intentional</b>					

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All) (Planes, Boats, Auto, ATV)</b>						
	<b>Intentional</b>					
		Cormorants, Double-Crested				1
		Crows, American				54
		Deer, White-Tailed (Wild)				8
		Doves, Mourning				116
		Ducks, American Black				86
		Ducks, Bufflehead				4
		Ducks, Mallards				46
		Ducks, Wood				10
		Eagles, Bald				3
		Egrets, Great				19
		Falcons, American Kestrels				45
		Foxes, Red				2
		Geese, Canada				1,222
		Grackles, Common				50
		Gulls, Bonaparte`s				40
		Gulls, Herring				500
		Gulls, Laughing				1,500
		Gulls, Ring-Billed				571

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Virginia - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All) (Planes, Boats, Auto, ATV)</b>						
	<b>Intentional</b>					
		Hawks, Harrier, Northern (Marsh Hawks)				15
		Hawks, Red-Tailed				63
		Hérons, Great Blue				39
		Killdeers				56
		Meadowlarks, Eastern				151
		Ospreys				3
		Pelicans, Brown				2
		Pigeons, Feral (Rock)				8
		Plovers, Black-Bellied				10
		Starlings, European				530
		Swallows, Barn				33
		Turkeys, Wild				10
		Vultures, Black				27
		Willetts				1
		<i>Total Take for VA</i>	15,382	236	486	510,092

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*