

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Washington - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>A/C Powder</b>	Intentional	Geese, Canada	23			
<b>Ammunition, Rubber (All)</b>	Intentional	Sea Lions, California				10
		Sea Lions, Steller				3
<b>Dog</b>	Intentional	Geese, Canada				385
<b>DRC-1339-Feedlots</b>	Intentional	Starlings, European	372,900			
<b>DRC-1339-Staging Areas</b>	Intentional	Starlings, European	6,000			
<b>Electronic Harassment Devices (Other)</b>	Intentional	Crows, American				115
		Geese, Canada				3
		Gulls, Glaucous-Winged				455

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Washington - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Electronic Harassment Devices (Other)</b>	<b>Intentional</b>	Pigeons, Feral (Rock)				6
		Starlings, European				25
<b>Exploders, Gas (All)</b>	<b>Intentional</b>	Blackbirds, Brewer`s				250
		Crows, American				30
		Gulls, Glaucous-Winged				10
		Gulls, Ring-Billed				106
		Pigeons, Feral (Rock)				9
		Starlings, European				2,500
<b>Firearms</b>	<b>Intentional</b>	Beavers	98			
		Blackbirds, Brewer`s	232			128
		Blackbirds, Red-Winged	1			
		Coots, American				21
		Cormorants, Double-Crested	255			404
		Cormorants, Pelagic	8			215

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Washington - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	Cowbirds, Brown-Headed	6			
		Coyotes	68			8
		Crows, American	2,959			25,150
		Crows, Northwestern	95			378
		Deer, Black-Tailed	11			
		Deer, Mule	4			
		Doves, Mourning	1			
		Ducks, Bufflehead	6			17
		Ducks, Gadwall	11			312
		Ducks, Mallards	138			722
		Ducks, Merganser Common	12			
		Ducks, Northern Pintail	1			19
		Ducks, Northern Shoveler	1			3
		Ducks, Ring-Necked	2			163
		Ducks, Teal, Green-Winged	9			234
		Ducks, Wigeon, American	2			77
		Falcons, American Kestrels	2			2
		Flickers, Northern	59			4

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Washington - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Firearms</b>	<b>Intentional</b>	<b>Geese, Canada</b>	641			1,532
		<b>Geese, White-Fronted, Greater</b>	5			934
		<b>Gulls, California</b>	829			6,779
		<b>Gulls, Glaucous-Winged</b>	3,704			710,851
		<b>Gulls, Herring</b>	159			528
		<b>Gulls, Ring-Billed</b>	748			7,243
		<b>Gulls, Western</b>	46			
		<b>Hawks, Harrier, Northern (Marsh Hawks)</b>	11			1
		<b>Hawks, Red-Tailed</b>	11			14
		<b>Hawks, Rough-Legged</b>	14			9
		<b>Hérons, Great Blue</b>	16			9
		<b>Killdeers</b>	5			13
		<b>Magpies, Black-Billed</b>	21			
		<b>Marmots/Woodchucks (All)</b>	124			
		<b>Muskrats</b>	2			
		<b>Nutrias</b>	71			
		<b>Otters, River</b>	2			
		<b>Pigeons, Feral (Rock)</b>	5,041			2,474

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Washington - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Firearms</b>	<b>Intentional</b>	Plovers, Black-Bellied	2			17	
		Rabbits, Cottontail	3			1	
		Raccoons	15				
		Ravens, Common	10				1,231
		Robins, American	1				70
		Skunks, Striped	3				
		Sparrows, House/English	86				
		Starlings, European	3,673				103,619
		Swallows, Barn					100
		Terns, Caspian					178
		Vultures, Turkey	2				
			<b>UnIntentional</b>	Ravens, Common			
<b>Fishing Poles</b>	<b>Intentional</b>	Pikeminnows, Northern	57,412				
	<b>UnIntentional</b>	Bass, Smallmouth				49	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Washington - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Fishing Poles</b>	<b>Unintentional</b>	Catfish, Channel			17	
		Fish (Other)			2,585	
		Sturgeon, White			74	
		Walleye			23	
<b>Fixed Wing</b>	<b>Intentional</b>	Coyotes	66			
<b>Gas Cartridge, Large</b>	<b>Intentional</b>	Coyotes	2			
<b>Handcaught/Gathered</b>	<b>Intentional</b>	Crows, American	5			
		Dogs, Feral, Free-Ranging And Hybrids			2	
		Ducks, Mallards	1			
		Geese, Canada	7			
		Gulls, Glaucous-Winged	168			
		Opossums, Virginia	4			
		Pigeons, Feral (Rock)	5			

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Washington - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Handcaught/Gathered</b>						
	<b>Intentional</b>					
		Raccoons	4			
		Snakes, Venomous (Other)			1	
		Sparrows, House/English	5			
		Starlings, European	23			
<b>Lights (All)</b>						
	<b>Intentional</b>					
		Cormorants, Double-Crested				1,089
		Ducks, Bufflehead				296
		Ducks, Goldeneye, Common				3
		Ducks, Merganser, Hooded				125
		Gulls, Glaucous-Winged				475
		Hérons, Great Blue				223
<b>Nets, Other</b>						
	<b>Intentional</b>					
		Geese, Canada	1			
<b>Paint Balls</b>						
	<b>Intentional</b>					
		Cormorants, Pelagic				25

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Washington - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Paint Balls</b>	<b>Intentional</b>	Crows, American				60
		Geese, Canada				3,638
		Gulls, Glaucous-Winged				670
		Pigeons, Feral (Rock)				65
		Starlings, European				7,200
<b>Physical Actions (Hand/Voice)</b>	<b>Intentional</b>	Cormorants, Double-Crested				44
		Cormorants, Pelagic				69
		Crows, American				3,309
		Crows, Northwestern				50
		Ducks, Mallards				25
		Geese, Canada				4,075
		Gulls, Glaucous-Winged				16,342
		Gulls, Ring-Billed				500
		Hérons, Great Blue				36
		Otters, River				3
		Pigeons, Feral (Rock)				3,170

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Washington - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Physical Actions (Hand/Voice)</b>						
	<b>Intentional</b>					
		Starlings, European				63,430
		Terns, Caspian				200
		Turnstones, Ruddy				1,550
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Blackbirds, Brewer`s				18,370
		Blackbirds, Red-Winged				1,703
		Cormorants, Double-Crested				63,443
		Cowbirds, Brown-Headed				1,250
		Crows, American				12,520
		Crows, Northwestern				25
		Ducks, Bufflehead				9,542
		Ducks, Gadwall				10
		Ducks, Goldeneye, Common				716
		Ducks, Mallards				254
		Ducks, Merganser Common				433
		Ducks, Merganser, Hooded				3,904
		Ducks, Northern Pintail				2

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Washington - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>						
	<b>Intentional</b>					
		Ducks, Ring-Necked				20
		Ducks, Teal, Green-Winged				25
		Ducks, Wigeon, American				10
		Eagles, Bald				44
		Geese, Canada				63
		Geese, White-Fronted, Greater				41
		Gulls, California				182,050
		Gulls, Glaucous-Winged				83,089
		Gulls, Herring				1,630
		Gulls, Ring-Billed				38,122
		Gulls, Western				5,361
		Hawks, Red-Tailed				1
		Hérons, Great Blue				3,172
		Otters, River				19
		Pelicans, American White				462
		Pigeons, Feral (Rock)				40
		Sea Lions, California				1,922
		Sea Lions, Steller				515

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Washington - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Pyrotechnics (All)</b>	<b>Intentional</b>	Sparrows, House/English				30
		Starlings, European				210,243
		Terns, Caspian				7,643
		Terns, Forster`s				575
		Vultures, Turkey				7
<b>Scarecrows (All) (Owl, Snake, Silhouett</b>	<b>Intentional</b>	Terns, Caspian				2
<b>Snares, Neck</b>	<b>Intentional</b>	Coyotes	2			
<b>Strychnine Oats (Gopher) Handbait</b>	<b>Intentional</b>	Gophers, Pocket (All)	50			
<b>Traps, Bal-Chatrri</b>	<b>Intentional</b>	Falcons, American Kestrels			1	
		Hawks, Cooper`s			1	
		Hawks, Red-Tailed			5	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Washington - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Body Grip</b>	<b>Intentional</b>	<b>Beavers</b>	162				
		<b>Otters, River</b>	1				
	<b>Unintentional</b>						
<b>Traps, Cage</b>	<b>Intentional</b>	<b>Beavers</b>	1				
		<b>Dogs, Feral, Free-Ranging And Hybrids</b>			1		
		<b>Marmots/Woodchucks (All)</b>	3		36		
		<b>Muskrats</b>	54				
		<b>Nutrias</b>	221				
		<b>Opossums, Virginia</b>	15				
		<b>Otters, River</b>				3	
		<b>Raccoons</b>	48			1	
		<b>Unintentional</b>					
				<b>Opossums, Virginia</b>	3		
		<b>Rats, Norway</b>	9		1		
<b>Traps, Decoy</b>	<b>Intentional</b>	<b>Blackbirds, Brewer`s</b>	731				

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Washington - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Decoy</b>	<b>Intentional</b>	Blackbirds, Red-Winged	3,851				
		Blackbirds, Yellow-Headed	1				
		Cowbirds, Brown-Headed	2,853				
		Finches, House	24				
		Gulls, Glaucous-Winged	2				
		Pigeons, Feral (Rock)	1,632				
		Sparrows, House/English	82				
		Starlings, European	46,770				
		<b>UnIntentional</b>	Falcons, American Kestrels				4
	Hawks, Cooper`s					1	
	Quail (All)					1	
	<b>Traps, Drive/Corral</b>	<b>Intentional</b>	Geese, Canada	654			
			Geese, Feral	2			
<b>Intentional</b>							
<b>Traps, Foothold</b>	<b>Intentional</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Washington - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Traps, Foothold</b>	Intentional	Beavers	2			
	Unintentional	Muskrats	1			
<b>Traps, Foothold (Padded ) W/TTD</b>	Intentional	Dogs, Feral, Free-Ranging And Hybrids			2	
<b>Traps, Foothold (Padded)</b>	Intentional	Coyotes	35			
		Muskrats	2			
<b>Traps, Pole</b>	Intentional	Falcons, American Kestrels	1			
		Hawks, Harrier, Northern (Marsh Hawks)			2	
		Hawks, Red-Tailed	2		23	
		Hawks, Rough-Legged			1	
		Owls, Common Barn			7	
		Owls, Great Horned			10	
<b>Traps, Raptor (Other)</b>						

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Washington - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>	
<b>Traps, Raptor (Other)</b>	<b>Intentional</b>	Hawks, Cooper`s			1		
		Hawks, Red-Tailed			2		
<b>Traps, Snap (Rat, Mouse, Etc.)</b>	<b>Intentional</b>	Voles (All)	6				
<b>Traps, Suitcase</b>	<b>Intentional</b>	Beavers	38				
		Nutrias	1				
		Otters, River			1		
		<b>UnIntentional</b>	Nutrias	1			
<b>Vehicles (All) (Planes, Boats, Auto, ATV)</b>	<b>Intentional</b>	Cormorants, Pelagic				40	
		Coyotes				6	
		Crows, American				412	
		Crows, Northwestern				29	
		Deer, Mule				5	

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Washington - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All) (Planes, Boats, Auto, ATV)</b>						
	<b>Intentional</b>					
		Dogs, Feral, Free-Ranging And Hybrids				1
		Ducks, Bufflehead				2
		Ducks, Gadwall				5
		Ducks, Mallards				292
		Ducks, Merganser Common				1
		Ducks, Northern Pintail				25
		Ducks, Ring-Necked				3
		Ducks, Teal, Green-Winged				23
		Eagles, Bald				49
		Geese, Canada				244
		Gulls, Glaucous-Winged				772
		Hawks, Harrier, Northern (Marsh Hawks)				4
		Hawks, Red-Tailed				44
		Hawks, Rough-Legged				22
		Hérons, Great Blue				15
		Killdeers				5
		Pigeons, Feral (Rock)				277
		Plovers, Black-Bellied				50

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*

**Table G. Animals Taken by Component/Method Type and Fate by Wildlife Services in Washington - FY 2009**

<i>Capture / Restraint Method ^</i>	<i>Intentional / Unintentional</i>	<i>Species</i>	<i>Killed / Euthanized</i>	<i>Removed/ Destroyed</i>	<i>Freed / Released / Relocated</i>	<i>Dispersed</i>
<b>Vehicles (All) (Planes, Boats, Auto, ATV)</b>						
	<b>Intentional</b>					
		<b>Robins, American</b>				370
		<b>Starlings, European</b>				325
		<i>Total Take for WA</i>	513,112		2,855	1,626,178

*^About Capture/Restraint Method: This column reports the primary method or tool used to capture, restrain, or identify/target the animals addressed. This MAY NOT have been the method or tool used to kill, euthanize, or free/relocate, the animal captured. When animals are captured and/or restrained, WS employees use methods or tools to euthanize, and approved handling and transport are used to free or relocate.*